

PC-04 · MOISTURE & FILM FORMERS · PERSONAL CARE

HS IPM

Isopropyl Myristate

INCI	CAS	EC	FAMILY	SUPPLIED AS
Isopropyl Myristate	110-27-0	203-751-4	PC-04	Oil, ≥98% ester

01 POSITIONING

The dry-touch standard of the emollient cascade — by the drum, with COA.

02 HOW IT WORKS

- 01

Low-viscosity spreading

Short-chain esters spread an order faster than vegetable oils — the dry-touch enabler.
- 02

Degreasing paradox

An oil that makes oil phases feel less oily by thinning their film.
- 03

Solvent power

Dissolves crystalline UV filters and lipophilic actives that crash out of other oils.

03 APPLICATIONS

- Body lotions and dry oils
- Sunscreens (filter solvent)
- Deodorant sticks and roll-ons
- Makeup removers
- Massage and bath oils

04 FORMULATION GUIDE

USE LEVEL	2–15%
PH & CONDITIONS	Oil phase; avoid prolonged pH < 3 (ester hydrolysis)

- Blend with richer oils to position the formula on the spreading cascade.
- Test pump/spray compatibility — low viscosity favors fine atomization.

05 TYPICAL SPECIFICATION

Appearance	Clear colorless oil
Ester content	≥ 98%
Acid value	≤ 0.5
Iodine value	≤ 1

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL

Spreading value (class data)

IPM/IPP class

Greasiness perception

Isopropyl ester systems

Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.