

PC-06 · CONDITIONERS · PERSONAL CARE

HS-PQ39

Polyquaternium-39

INCI	CAS	EC	FAMILY	SUPPLIED AS
Polyquaternium-39	25136-75-8	—	PC-06	Liquid / powder

01 POSITIONING

The invisible engineering inside every '2-in-1' claim of the last thirty years.

02 HOW IT WORKS

01 Coacervate deposition

On dilution, the polymer-surfactant complex phase-separates and plates onto the fiber — conditioning that survives the rinse.

02 Charge neutralization

Cationic sites cancel the static negative charge of damaged hair.

03 Silicone carrier

The coacervate entrains silicone droplets, multiplying their deposition.

03 APPLICATIONS

- 2-in-1 and conditioning shampoos
- Body washes with skin-feel claims
- Liquid hand soaps
- Pet shampoos

04 FORMULATION GUIDE

USE LEVEL	0.2–1%
PH & CONDITIONS	Stable pH 3–9; verify anionic compatibility window

- Add PQ-7 directly to the water phase early; pre-hydrate PQ-10 like a gum.
- Balance dosage against build-up on fine hair — more is not better.

05 TYPICAL SPECIFICATION

Appearance	Clear to hazy viscous liquid / powder
Solids / assay	per grade
Charge density	per grade

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL

Wet-comb force from a shampoo (class data)
With PQ-7/PQ-10



Silicone deposition boost
Silicone + polyquat



Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.