

PC-01 · SURFACTANTS · PERSONAL CARE

HS-SCI80

Sodium Cocoyl Isethionate

INCI	CAS	EC	FAMILY	SUPPLIED AS
Sodium Cocoyl Isethionate	61789-32-0	263-052-5	PC-01	Powder / granules, ≥84% active

01 POSITIONING

Premium bars are moving from saponification to syndet chemistry. This is the molecule they move to.

02 HOW IT WORKS

- 01 Mild anionic head

The isethionate ester head binds weakly to skin proteins — among the mildest anionics measured.
- 02 Solid-format engineering

Powder/needle formats compress into bars with controlled slough and crack resistance.
- 03 Skin-pH cleansing

Full performance at pH 5–6, where true soap fails.

03 APPLICATIONS

- Syndet and combo bars
- Facial cleansing bars and powders
- Shampoo bars
- Cream washes
- Baby bars

04 FORMULATION GUIDE

USE LEVEL	10–50%
PH & CONDITIONS	Optimal pH 4.5–7.5


- For bars, blend with fatty acid binders at 60–75 °C and plod at controlled moisture.
- In liquids, pre-disperse hot; combine with betaine or taurate against recrystallization.

05 TYPICAL SPECIFICATION

Appearance	White powder / granules
Active matter	≥ 80–85%
Sodium isethionate	≤ 10%
Moisture	≤ 5%

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL



Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.