

PC-01 · SURFACTANTS · PERSONAL CARE

HS-SLES70

Sodium Laureth Sulfate

INCI	CAS	EC	FAMILY	SUPPLIED AS
Sodium Laureth Sulfate	3088-31-1	221-416-0	PC-01	Paste, 70% active

01 POSITIONING

Every formulator knows this molecule. The decision is not the molecule — it is the consistency of the lot that arrives.

02 HOW IT WORKS

- 01

Anionic power

The sulfate head delivers fast, high-volume foam and strong soil removal at low dosage.
- 02

Salt curve thickening

Viscosity builds with simple NaCl addition — the cheapest rheology system in cleansing.
- 03

2EO mildness step

Ethoxylation moves the sulfate away from the skin-contact zone, cutting irritation versus non-ethoxylated sulfates.

03 APPLICATIONS

- Shampoos and shower gels
- Dishwash and household cleaners
- Hand soaps
- Industrial and vehicle cleaning
- Base for pearlized systems

04 FORMULATION GUIDE

USE LEVEL	8–15%
PH & CONDITIONS	Formulate at pH 5.5–7; avoid prolonged pH < 3.5 (hydrolysis)

- Dilute the 70% paste into warm water under slow stirring before blending; add salt only at the end for viscosity.
- Combine with CAPB 3:1 for the classic mildness/foam balance.

05 TYPICAL SPECIFICATION

Appearance	White to pale-yellow paste
Active matter	68–72%
pH (1% solution)	7.0–9.5
1,4-Dioxane	≤ 10 ppm (per TDS)

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL

Flash foam volume

SLES 2EO class

Cost per cleansing unit

SLES-based systems

Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.