

PC-03 · EMULSIFIERS & THICKENERS · PERSONAL CARE

HS Xanthan Gum

Xanthan Gum

INCI	CAS	EC	FAMILY	SUPPLIED AS
Xanthan Gum	11138-66-2	234-394-2	PC-03	Powder, 200 mesh

01 POSITIONING

The thickener that survives every abuse a formula can throw at it.

02 HOW IT WORKS

- 01 Helix network

Double-helix segments associate into a weak gel that shear-thins instantly and rebuilds at rest.
- 02 Universal tolerance

Holds viscosity from pH 2 to 12, in brines, through freeze-thaw and heat.
- 03 Suspension power

Yield-like behaviour suspends particles and stabilizes emulsions naturally.

03 APPLICATIONS

- Natural and COSMOS-oriented formulas
- Emulsion stabilization
- Toothpastes and oral care
- Food and beverage systems (per grade)
- Agro suspension concentrates

04 FORMULATION GUIDE

USE LEVEL	0.1–1%
-----------	--------

PH & CONDITIONS	Stable pH 2–12
-----------------	----------------


- High-shear dispersion or glycerin slurry prevents clumping; hydrates fully in ~30 min.
- 200-mesh grade dissolves faster and reads smoother in sensory panels.

05 TYPICAL SPECIFICATION

Appearance	Cream-white free-flowing powder
Viscosity (1%, KCl 1%)	1 200–1 600 mPa·s
Mesh	200
Loss on drying	≤ 13%

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE – DIRECTIONAL



Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.