

PC-02 · SILICONES · PERSONAL CARE

# HS 556

Phenyl Trimethicone

|                     |             |           |        |                      |
|---------------------|-------------|-----------|--------|----------------------|
| INCI                | CAS         | EC        | FAMILY | SUPPLIED AS          |
| Phenyl Trimethicone | 195868-36-1 | 218-320-6 | PC-02  | Fluid, 100% silicone |

01 POSITIONING

Where shine is the claim, refractive index is the spec.

02 HOW IT WORKS

- 01 High refractive index

Phenyl groups raise RI to ~1.46 — visibly higher gloss per gram than dimethicone.
- 02 Organic compatibility

Miscible with esters, UV filters and pigment pastes where PDMS separates.
- 03 Non-volatile emollience

Cushiony, elegant skin-feel that stays.

03 APPLICATIONS

- Hair shine serums
- Sunscreens (filter solubilization)
- Lipsticks and glosses
- Skin luminosity products

04 FORMULATION GUIDE

USE LEVEL1–10%

PH & CONDITIONSInert

- Oil-phase addition; pairs with volatile silicones for a gloss-then-set effect.
- Use as pigment-wetting aid in color systems.

05 TYPICAL SPECIFICATION

AppearanceClear fluid

Refractive index~1.46

Viscosity (25 °C)15–30 cSt

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL

Gloss per unit dosage

Phenyl trimethicone



Compatibility with organic UV filters

Phenyl silicone



Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.