

PC-01 · SURFACTANTS · PERSONAL CARE

HS-CAB

Cocamidopropyl Betaine

INCI	CAS	EC	FAMILY	SUPPLIED AS
Cocamidopropyl Betaine	61789-40-0	263-058-8	PC-01	Aqueous solution, 30% active

01 POSITIONING

The co-surfactant the market standardized on. Specified in drums that arrive identical, lot after lot.

02 HOW IT WORKS

- 01 Charge that adapts

Amphoteric: cationic at low pH, zwitterionic at use pH — it pairs with anionics into mixed micelles that are larger and milder.
- 02 Foam quality

Densifies and stabilizes lather, turning large soap-like bubbles into cream.
- 03 Viscosity synergy

With SLES and salt, builds body without polymeric thickeners.

03 APPLICATIONS

- Shampoos, shower gels, hand soaps
- Baby and intimate care
- Dishwash liquids
- Foaming facial cleansers
- Pet care

04 FORMULATION GUIDE

USE LEVEL	3–10%
PH & CONDITIONS	Stable pH 4–9

- Add after the anionic base; check final viscosity — betaine shifts the salt curve.
- For sulfate-free systems, combine with glucosides and a sarcosinate for foam speed.

05 TYPICAL SPECIFICATION

Appearance	Clear to pale-yellow liquid
Active matter	28–32%
pH (10% solution)	4.5–7.5
NaCl	4.5–7.5%

Typical parameters. The specification on the current TDS and the per-lot Certificate of Analysis govern.

06 PERFORMANCE — DIRECTIONAL

Irritation of SLES base (class data)
SLES + CAPB 3:1

Foam stability at 5 min
With betaine

Values are representative of the ingredient class, based on published technical literature, and shown directionally for comparison. Final performance must be validated in the customer's formulation.