

Measurement Metrics

- Weekly Operational Metrics
 - Defect Flow & Backlog Health
 - Test Execution / Process Monitoring
 - Trend Charts
- Release Summary Metrics
 - Product Quality (Customer & Production)
 - Process Quality
 - Efficiency & Effectiveness
 - Defect Flow and Backlog Health
- RAG Thresholds
 - Weekly Operational
 - Defect Flow & Backlog Health
 - Release Summary
- QA Health Score Calculation

Weekly Operational Metrics

Defect Flow & Backlog Health

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
P0/P1 Defects Created (Weekly)	Count of new P0/P1 defects created in the week	≤ 2	Weekly	Jira
Open P0/P1 defects (week-end)	Count of open P0/P1 defects at week-end	≤ 2	Weekly	Jira
Average Defect Aging (P0/P1) (Weekly)	Average age of open P0/P1 defects at week-end	≤ 3 days	Weekly	Jira

Defects Fixed Rate (Weekly)	Resolved in week ÷ Created in week × 100%	≥ 100%	Weekly	Jira
Defects Reopened Rate (Weekly)	Reopened in week ÷ Retested in week × 100%	≤ 5%	Weekly	Jira

Test Execution / Process Monitoring

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
Functional Test Pass Rate (weekly)	Passed ÷ Executed × 100%	≥ 95%	Weekly	Qase
Regression Pass Rate (weekly)	Passed ÷ Executed × 100%	≥ 95%	Weekly	Qase
Automation First-run Pass Rate (weekly)	First-run Passed ÷ First-run Executed × 100%	≥ 90%	Weekly	Qase
Flaky Test Rate (weekly)	Flaky Executions ÷ Total Automated Runs × 100%	≤ 5%	Weekly	Qase

Trend Charts

- Total Escaped Defects (Weekly)
- Total Defects Created (Weekly)
- Total Defects Resolved (Weekly)
- Total Defects Reopened (Weekly)
- P1 aging trend (weekly) (Jira)

Release Summary Metrics

Product Quality (Customer & Production)

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
Escaped defect (P0/P1 only)	Count of P0/P1 in production	≤ 2 per release	Post-release (first 14 days)	Jira
Defect Leakage Rate	$(\text{Escaped P0/P1} \div \text{Total Defects Found}) \times 100\%$	$\leq 5\%$	Post-release (first 14 days)	Jira
Crash-free session rate	$(\text{Total Sessions} - \text{Crashes}) \div \text{Total Sessions} \times 100\%$	$\geq 99\%$	Post-release (first 14 days)	Crashlytics
Crash-free users	Unique users without crash	$\geq 99\%$	Post-release (first 14 days)	Crashlytics
Customer-reported incidents	Count of production issues reported by customers	≤ 3 per release	Post-release (first 14 days)	Jira

Rollback / hotfix count	Number of production rollbacks or hotfixes	0	Post-release (first 14 days)	Jira
-------------------------	--	---	------------------------------	------

Process Quality

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
Functional Test Pass Rate	Passed ÷ Executed	≥ 95%	At release (final value)	Qase
Functional Test Completion rate	(Passed + Failed) ÷ Total cases	≥ 98%	At release (final value)	Qase
Regression Pass Rate	(Manual + Automation) Passed ÷ Executed	≥ 95%	At release (final value)	Qase
Open P0/P1 at release time	Count of open Sev-1/2 defects	0	At release time	Jira
Defect Density	Total Defects (Functional + Regression + Production) ÷ Total Man-Days	≤ 0.20	At release (final value)	Jira + Story point

Efficiency & Effectiveness

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
Automation Coverage	(Automated regression cases ÷	≥ 80%	At release (final value)	Qase

	Total regression cases) × 100%			
Automation First-run Pass Rate (if any)	First execution pass %	≥ 90%	At release (final value)	Qase
Flaky Test Rate (if any)	Flaky executions ÷ Total automated runs	≤ 5%	At release (final value)	Qase
Total defects found in Regression vs UAT	Count comparison	Regression ≥ UAT	At release (final value)	Jira

Defect Flow and Backlog Health

Metric	Formula/Definition	Green Target	Measurement Timing	Tool/Source
Average Weekly P0/P1 Defects Created	Total P0/P1 defects created during testing period ÷ Total testing weeks	≤ 2	At release time	Jira
Open P0/P1 defects	Current open count	≤ 2	At release time	Jira
Average Defect Aging (P0/P1)	(Resolved date - detected date) ÷ total days open	≤ 3 days	At release time	Jira
Defects Fixed Rate	Total resolved defects / Total created defects	≥ 100%	At release (final value)	Jira
Defects Reopened Rate	Total tested defects / Total reopened defects	≤ 5%	At release (final value)	Jira



- Resolved defects = defects moved to Ready for deploy / Done status

- Reopened defects = defects moved to QA Failed / UAT Failed
- Tested defects = defects moved to QA In Progress / UAT In Progress

RAG Thresholds

Weekly Operational

Category & Metric	Green (100 pts)	Amber (60 pts)	Red (0 pts)
Defect Flow & Backlog Health			
P0/P1 Defects Created (Weekly)	≤2	3-5	>5
Open P0/P1 defects (week-end)	≤2	3-5	>5
Average Defect Aging (P0/P1) (Weekly)	≤ 3 days	4–7 days	> 7 days
Defects Fixed Rate (Weekly)	≥ 100%	80–99%	< 80%
Defects Reopened Rate (Weekly)	≤ 5%	6–10%	> 10%
Test Execution / Process Monitoring			
Functional Test Pass Rate (weekly)	≥ 95%	90-94%	<90%
Regression Pass Rate (weekly)	≥ 95%	90-94%	<90%
Automation First-run Pass Rate (weekly)	≥ 90%	80-89%	<80%

Flaky Test Rate (weekly)	≤ 5%	6-10%	>10%
-----------------------------	------	-------	------

Release Summary

Category & Metric	Green (100 pts)	Amber (60 pts)	Red (0 pts)
Product Quality			
Escaped defect (P0/P1 only)	≤ 2	3-5	> 5
Defect Leakage Rate	≤ 5%	6-10%	> 10%
Crash-free session rate	≥ 99%	98.0-98.9%	< 98.0%
Crash-free users	≥ 99%	98.0-98.9%	< 98.0%
Customer-reported incidents	≤ 3	4-6	> 6
Rollback / hotfix count	0	1	≥ 2
Process Quality			
Functional Test Pass Rate	≥ 95%	90-94%	< 90%
Functional Test Completion Rate	≥ 98%	95-97%	< 95%
Regression Pass Rate	≥ 95%	90-94%	< 90%
Open P0/P1 at release time	0	1	≥ 2
Defect Density	≤ 0.20	0.21-0.35	> 0.35

Efficiency & Effectiveness			
Automation Coverage	$\geq 80\%$	65-79%	$< 65\%$
Automation First-run Pass Rate	$\geq 90\%$	80-89%	$< 80\%$
Flaky Test Rate	$\leq 5\%$	6-10%	$> 10\%$
Total defects found in Regression vs UAT	Regression $\geq$ UAT	Regression = UAT $\pm 10\%$	Regression $<$ UAT -10%
Defect Flow & Backlog Health			
Average Weekly P0/P1 Defects Created	≤ 2	2.1-3.5	> 3.5
Open P0/P1 defects	≤ 2	3-5	> 5
Average Defect Aging (P0/P1)	≤ 3 days	4-7 days	> 7 days
Defects Fixed Rate (weekly)	$\geq 100\%$	80-99%	$< 80\%$
Defects Reopened Rate (weekly)	$\leq 5\%$	6-10%	$> 10\%$

QA Health Score Calculation

1. Total metrics scored = 19

2. Total points = number_of_metrics * Score

$$\text{e.g. } (15 \times 100) + (4 \times 60) = 1,500 + 240 = 1,740$$

3. **Overall QA Health Score** = Total Points $\div$ Total Number of Metrics

$$\text{e.g. } 1,740 \div 19 = 91.6$$

4. **RAG Score** (Green = ≥ 85 , Amber = 60–84 pts, Red = < 60 pts)