

MEA Compliance Test Report

MEA OCPP Certification

January 6, 2026

MEA OCPP 1.6 Compliance Verification Matrix

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1. Configuration Verification					
1.1	CS → CSMS	BootNotification	chargePointModel, chargePointVendor, firmwareVersion	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB", "firmwareVersion": "1.0.0"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #9]	Pass
1.2	CS → CSMS	StatusNotification	connectorId, errorCode, info, status, timestamp, vendorId	[CSMS] <- StatusNotification: {"connectorId": 1, "errorCode": "NoError", "status": "Available", "info": "Startup", "vendorId": "MEA"} [CSMS] -> Conf: {} [Log: #19]	Pass
1.3	CSMS → CS	TriggerMessage (BootNotification)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "BootNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #25]	Pass
1.4	CS → CSMS	BootNotification (Triggered)	chargePointModel, chargePointVendor	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #30]	Pass
1.5	CSMS → CS	TriggerMessage (StatusNotification)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "StatusNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #39]	Pass
1.6	CS → CSMS	StatusNotification (Triggered)	connectorId, status	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #46]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1.7	CSMS → CS	TriggerMessage (Meter-Values)	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "MeterValues"} [CS] -> Conf: {"status": "Accepted"} [Log: #50]	Pass
1.8	CS → CSMS	MeterValues	connectorId, meterValue	[CSMS] <- MeterValues: {"connectorId": 1, "meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "100"}]}]} [CSMS] -> Conf: {} [Log: #60]	Pass
1.9	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #63]	Pass
1.10	CSMS → CS	GetConfiguration	HeartbeatInterval	[CSMS] -> GetConfiguration: {"key": ["HeartbeatInterval"]} [CS] -> Conf: {"configurationKey": [{"key": "HeartbeatInterval", "value": "60"}]} [Log: #69]	Pass
1.11	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "30"} [CS] -> Conf: {"status": "Accepted"} [Log: #75]	Pass
1.12	CSMS → CS	ChangeConfiguration (Unlock)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "UnlockConnectorOnEVSideDisconnect", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #80]	Pass
1.13	CSMS → CS	ChangeAvailability (Inoperative)	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Inoperative"} [CS] -> Conf: {"status": "Accepted"} [Log: #89]	Pass
1.14	CS → CSMS	StatusNotification	status: Unavailable	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Unavailable", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #96]	Pass
1.15	CSMS → CS	ChangeAvailability (Operative)	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Operative"} [CS] -> Conf: {"status": "Accepted"} [Log: #98]	Pass
1.16	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {}	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
1.17	CSMS → CS	GetDiagnostics	fileName	[CSMS] -> GetDiagnostics: {"location": "ftp:..."} [CS] -> Conf: {"fileName": "diagnostics.log"} [Log: #104]	Pass
1.18	CS → CSMS	DiagnosticsStatusNotification	status: Uploaded	[CSMS] <- DiagnosticsStatusNotification: {"status": "Uploaded"} [CSMS] -> Conf: {}	Pass
1.19	CSMS → CS	UpdateFirmware	location (URI)	[CSMS] -> UpdateFirmware: {"location": "ftp:...", "retrieveDate": "..."} [CS] -> Conf: {} [Log: #112]	Pass
1.20	CS → CSMS	FirmwareStatusNotification	status: Installed	[CSMS] <- FirmwareStatusNotification: {"status": "Installed"} [CSMS] -> Conf: {}	Pass
1.21	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #118]	Pass
1.22	CSMS → CS	SendLocalList	status (Accepted)	[CSMS] -> SendLocalList: {"listVersion": 1, "updateType": "Full", "localAuthorizationList": [...]} [CS] -> Conf: {"status": "Accepted"} [Log: #124]	Pass
1.23	CSMS → CS	GetLocalListVersion	listVersion	[CSMS] -> GetLocalListVersion: {} [CS] -> Conf: {"listVersion": 1} [Log: #130]	Pass
1.24	CSMS → CS	ClearCache	status (Accepted)	[CSMS] -> ClearCache: {} [CS] -> Conf: {"status": "Accepted"} [Log: #136]	Pass
2. Auto Charge Verification					
2.1	CSMS → CS	ChangeConfiguration (AutoCharge)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "AutoCharge", "value": "false"} [CS] -> Conf: {"status": "Accepted"} [Log: #143]	Pass
2.2	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #146]	Pass
2.3	CS → CSMS	StatusNotification (Unplug)	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #153]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
2.4	CSMS → CS	ChangeConfiguration (Auto)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "AutoCharge", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #162]	Pass
2.5	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #176]	Pass
2.6	CS → CSMS	Authorize (Auto)	status: Accepted	[CSMS] <- Authorize: {"idTag": "VID:..."} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #207]	Pass
2.7	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "VID...", "meterStart": 100} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #211]	Pass
2.8	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #215]	Pass
2.9	CS → CSMS	MeterValues	measurand	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "..."}]}]} [CSMS] -> Conf: {} [Log: #223]	Pass
2.10	CSMS → CS	RemoteStopTransaction	status: Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #229]	Pass
2.11	CS → CSMS	StopTransaction	status: Accepted	[CSMS] <- StopTransaction: {"transactionId": 1, "reason": "Remote", "meterStop": 200} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #249]	Pass
2.12	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #243]	Pass
2.13	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #258]	Pass
3. Normal Operation Verification					

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
3.1	CS → CSMS	BootNotification	chargePointModel, Vendor, FW	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB", "firmwareVersion": "1.0.0"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #30]	Pass
3.2	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #259]	Pass
3.3	CS → CSMS	StatusNotification (Plug)	status: Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #266]	Pass
3.4	CS → CSMS	Authorize	status: Accepted	[CSMS] <- Authorize: {"idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #273]	Pass
3.5	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1", "meterStart": 100} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #282]	Pass
3.6	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #289]	Pass
3.7	CS → CSMS	MeterValues	Values	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "120"}]}]} [CSMS] -> Conf: {} [Log: #290]	Pass
3.8	CS → CSMS	StopTransaction (Local)	status	[CSMS] <- StopTransaction: {"transactionId": 1, "reason": "Local", "meterStop": 200} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #292]	Pass
3.9	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #301]	Pass
3.10	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #308]	Pass
3.11	CS → CSMS	StatusNotification	status: Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #315]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
3.12	CSMS → CS	RemoteStartTransaction	status: Accepted	[CSMS] -> RemoteStartTransaction: {"idTag": "TAG1"} [CS] -> Conf: {"status": "Accepted"} [Log: #330]	Pass
3.13	CS → CSMS	StartTransaction	status: Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1", "meterStart": 200} [CSMS] -> Conf: {"transactionId": 2, "idTagInfo": {"status": "Accepted"}} [Log: #340]	Pass
3.14	CS → CSMS	StatusNotification	status: Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #345]	Pass
3.15	CS → CSMS	MeterValues	Values	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import", "value": "120"}]}]} [CSMS] -> Conf: {} [Log: #353]	Pass
3.16	CSMS → CS	RemoteStopTransaction	status: Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #362]	Pass
3.17	CS → CSMS	StopTransaction (Remote)	status	[CSMS] <- StopTransaction: {"transactionId": 2, "reason": "Remote", "meterStop": 300} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #364]	Pass
3.18	CS → CSMS	StatusNotification	status: Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #375]	Pass
3.19	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #382]	Pass
4. Reset Verification					
4.1	CSMS → CS	Reset (Hard)	status (Accepted)	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #402]	Pass
4.2	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #418]	Pass
4.3	CS → CSMS	Heartbeat	Received	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "..."} [Log: #419]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
4.4	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #424]	Pass
4.5	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #431]	Pass
4.6	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #441]	Pass
4.7	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "60"} [CS] -> Conf: {"status": "Accepted"} [Log: #447]	Pass
4.8	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #453]	Pass
4.9	CSMS → CS	Reset (Soft)	status (Accepted)	[CSMS] -> Reset: {"type": "Soft"} [CS] -> Conf: {"status": "Accepted"} [Log: #459]	Pass
4.10	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #474]	Pass
4.11	CS → CSMS	Heartbeat	Received	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "..."} [Log: #481]	Pass
4.12	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #490]	Pass
4.13	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #497]	Pass
4.14	CSMS → CS	ChangeConfiguration (Heartbeat)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #503]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
4.15	CSMS → CS	ChangeConfiguration (MeterValue)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "60"} [CS] -> Conf: {"status": "Accepted"} [Log: #509]	Pass
4.16	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #515]	Pass
4.17	CS → CSMS	StatusNotification	status: Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #522]	Pass
4.18	CS → CSMS	StartTransaction	status (Accepted)	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #531]	Pass
4.19	CSMS → CS	Reset (Hard)	status (Accepted)	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #549]	Pass
4.20	CS → CSMS	StopTransaction (Reset)	status (Accepted)	[CSMS] <- StopTransaction: {"reason": "HardReset"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #552]	Pass
4.21	CS → CSMS	BootNotification	Post-reboot checks	[CSMS] <- BootNotification: {"chargePointModel": "..."} [CSMS] -> Conf: {"status": "Accepted"} [Log: #561]	Pass
5. Reservation Verification					
5.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #599]	Pass
5.2	CSMS → CS	ReserveNow	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 1, "idTag": "RES", "expiryDate": "..."} [CS] -> Conf: {"status": "Accepted"} [Log: #609]	Pass
5.3	CS → CSMS	StatusNotification	Reserved	[CSMS] <- StatusNotification: {"status": "Reserved"} [CSMS] -> Conf: {} [Log: #616]	Pass
5.4	CSMS → CS	CancelReservation	status (Accepted)	[CSMS] -> CancelReservation: {"reservationId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #622]	Pass
5.5	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #621]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
5.6	CSMS → CS	ReserveNow (Short)	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 2, "expiryDate": "T+1min"} [CS] -> Conf: {"status": "Accepted"} [Log: #631]	Pass
5.7	CS → CSMS	StatusNotification	Reserved	[CSMS] <- StatusNotification: {"status": "Reserved"} [CSMS] -> Conf: {} [Log: #638]	Pass
5.8	CS → CSMS	Wait Expiry	(Internal)	Waiting for expiry... [Log: #640]	Pass
5.9	CS → CSMS	StatusNotification	Available (Auto)	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #646]	Pass
5.10	CSMS → CS	ReserveNow	status (Accepted)	[CSMS] -> ReserveNow: {"reservationId": 3} [CS] -> Conf: {"status": "Accepted"} [Log: #654]	Pass
5.11	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #661]	Pass
5.12	CSMS → CS	RemoteStartTransaction	status (Accepted)	[CSMS] -> RemoteStartTransaction: {"idTag": "RES"} [CS] -> Conf: {"status": "Accepted"} [Log: #669]	Pass
5.13	CS → CSMS	StartTransaction	status (Accepted)	[CSMS] <- StartTransaction: {"reservationId": 3, "idTag": "RES"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #684]	Pass
5.14	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #691]	Pass
5.15	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"meterValue": [...]} [CSMS] -> Conf: {} [Log: #693]	Pass
5.16	CSMS → CS	RemoteStopTransaction	status (Accepted)	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #699]	Pass
5.17	CS → CSMS	StopTransaction	status (Accepted)	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #707]	Pass
5.18	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #714]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
5.19	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #721]	Pass
6. Charging Profile Verification					
6.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #729]	Pass
6.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #736]	Pass
6.3	CS → CSMS	Authorize	Accepted	[CSMS] <- Authorize [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #742]	Pass
6.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #750]	Pass
6.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #759]	Pass
6.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues: {"meterValue": [...]} [CSMS] -> Conf: {} [Log: #763]	Pass
6.7	CSMS → CS	SetChargingProfile	status (Accepted)	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #767]	Pass
6.8	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #770]	Pass
6.9	CSMS → CS	SetChargingProfile	status (Accepted)	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #775]	Pass
6.10	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #777]	Pass
6.11	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #782]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
6.12	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #791]	Pass
6.13	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #798]	Pass
6.14	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #805]	Pass
6.15	CSMS → CS	RemoteStartTransaction	status (Accepted)	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #809]	Pass
6.16	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #827]	Pass
6.17	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #835]	Pass
6.18	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #838]	Pass
6.19	CSMS → CS	SetChargingProfile	(Accepted)	[CSMS] -> SetChargingProfile [CS] -> Conf: {"status": "Accepted"} [Log: #842]	Pass
6.20	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #845]	Pass
6.21	CSMS → CS	SetChargingProfile	(Accepted)	[CSMS] -> SetChargingProfile [CS] -> Conf: {"status": "Accepted"} [Log: #849]	Pass
6.22	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #852]	Pass
6.23	CSMS → CS	RemoteStopTransaction	status (Accepted)	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #857]	Pass
6.24	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #863]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
6.25	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #872]	Pass
6.26	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #879]	Pass
7. Abnormal Operation Verification					
7.1 Remote Start (Unplugged)					
7.1.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #898]	Pass
7.1.2	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Rejected"} [Log: #906]	Pass
7.2 Concurrent Remote Start					
7.2.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #920]	Pass
7.2.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {}	Pass
7.2.3	CSMS → CS	RemoteStart (Conn 1)	Rejected	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #934]	Pass
7.2.4	CSMS → CS	RemoteStart (Conn 2)	Rejected	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Rejected"} [Log: #940]	Pass
7.2.5	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #942]	Pass
7.2.6	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #949]	Pass
7.2.7	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #950]	Pass
7.2.8	CSMS → CS	RemoteStopTransaction	Accepted	[CSMS] -> RemoteStopTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #958]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.2.9	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #973]	Pass
7.2.10	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {}	Pass
7.2.11	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {}	Pass
7.3 Swap Card					
7.3.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #993]	Pass
7.3.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1000]	Pass
7.3.3	CS → CSMS	Authorize (Invalid)	Rejected	[CSMS] <- Authorize (Invalid) [CSMS] -> Conf: {"idTagInfo": {"status": "Invalid"}} [Log: #1006]	Pass
7.3.4	CS → CSMS	Authorize (Valid)	Accepted	[CSMS] <- Authorize (Valid) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1013]	Pass
7.3.5	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1022]	Pass
7.3.6	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1025]	Pass
7.3.7	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1031]	Pass
7.3.8	CS → CSMS	Authorize (Invalid Stop)	Rejected	[CSMS] <- Authorize (Invalid) [CSMS] -> Conf: {"idTagInfo": {"status": "Invalid"}} [Log: #1035]	Pass
7.3.9	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1037]	Pass
7.3.10	CS → CSMS	StatusNotification	Finishing	[CSMS] <- StatusNotification: {"status": "Finishing"} [CSMS] -> Conf: {} [Log: #1042]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.3.11	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1043]	Pass
7.4 Emergency Stop					
7.4.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1056]	Pass
7.4.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1062]	Pass
7.4.3	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1066]	Pass
7.4.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1069]	Pass
7.4.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1073]	Pass
7.4.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1079]	Pass
7.4.7	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (Emergency) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1098]	Pass
7.4.8	CS → CSMS	StatusNotification	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "EmergencyStop"} [CSMS] -> Conf: {} [Log: #1105]	Pass
7.4.9	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1112]	Pass
7.4.10	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1112]	Pass
7.5 Open Door					
7.5.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #973]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.5.2	CS → CSMS	StatusNotification	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "DoorOpen"} [CSMS] -> Conf: {} [Log: #1126]	Pass
7.5.3	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1133]	Pass
7.6 Power Loss (Single)					
7.6.1	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1140]	Pass
7.6.2	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1149]	Pass
7.6.3	CSMS → CS	RemoteStartTransaction	Accepted	[CSMS] -> RemoteStartTransaction [CS] -> Conf: {"status": "Accepted"} [Log: #1153]	Pass
7.6.4	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1155]	Pass
7.6.5	CS → CSMS	StatusNotification	Charging	[CSMS] <- StatusNotification: {"status": "Charging"} [CSMS] -> Conf: {} [Log: #1158]	Pass
7.6.6	CS → CSMS	MeterValues	Received	[CSMS] <- MeterValues [CSMS] -> Conf: {} [Log: #1163]	Pass
7.6.7	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (PowerLoss) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1182]	Pass
7.6.8	CS → CSMS	BootNotification	Accepted	[CSMS] <- BootNotification [CSMS] -> Conf: {"status": "Accepted"} [Log: #1191]	Pass
7.6.9	CS → CSMS	StatusNotification	Preparing	[CSMS] <- StatusNotification: {"status": "Preparing"} [CSMS] -> Conf: {} [Log: #1194]	Pass
7.6.10	CS → CSMS	StatusNotification	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1200]	Pass
7.7 Local List (Offline)					

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
7.7.1	N/A	Disconnect LAN	Simulated	Simulated Disconnection	Pass
7.7.2	CS → CSMS	StartTransaction	Accepted	[CSMS] <- StartTransaction (Offline) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1224]	Pass
7.7.3	CS → CSMS	StopTransaction	Accepted	[CSMS] <- StopTransaction (Local) [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1233]	Pass
8. Dual Connector Verification					
8.1 Concurrent Remote Start (Dual)					
8.1.1	CS → CSMS	StatusNotification (Unplug)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] -> Conf: {} [Log: #1256]	Pass
8.1.2	CS → CSMS	StatusNotification (Plug Both)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] <- StatusNotification: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1269]	Pass
8.1.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CS] -> Conf: {"status": "Accepted"} [Log: #1277]	Pass
8.1.4	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2, "idTag": "TAG2"} [CS] -> Conf: {"status": "Accepted"} [Log: #1291]	Pass
8.1.5	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1, "idTag": "TAG1"} [CSMS] -> Conf: {"transactionId": 1, "idTagInfo": {"status": "Accepted"}} [Log: #1272]	Pass
8.1.6	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1294]	Pass
8.1.7	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2, "idTag": "TAG2"} [CSMS] -> Conf: {"transactionId": 2, "idTagInfo": {"status": "Accepted"}} [Log: #1283]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.1.8	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1303]	Pass
8.1.9	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1310]	Pass
8.1.10	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1311]	Pass
8.1.11	CSMS → CS	RemoteStop (Conn 1)	Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1313]	Pass
8.1.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"transactionId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1319]	Pass
8.1.13	CS → CSMS	StatusNotification (Conn 1)	Finishing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Finishing"} [CSMS] -> Conf: {} [Log: #1331]	Pass
8.1.14	CS → CSMS	StatusNotification (Conn 1)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] -> Conf: {} [Log: #1337]	Pass
8.1.15	CSMS → CS	RemoteStop (Conn 2)	Accepted	[CSMS] -> RemoteStopTransaction: {"transactionId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1343]	Pass
8.1.16	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"transactionId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1350]	Pass
8.1.17	CS → CSMS	StatusNotification (Conn 2)	Finishing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Finishing"} [CSMS] -> Conf: {} [Log: #1351]	Pass
8.1.18	CS → CSMS	StatusNotification (Conn 2)	Available	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Available"} [CSMS] -> Conf: {} [Log: #1357]	Pass
8.2 Shared Emergency Stop (Dual)					

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.2.1	CS → CSMS	StatusNotification (Unplug)	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1370]	Pass
8.2.2	CS → CSMS	StatusNotification (Conn 1)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1378]	Pass
8.2.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1393]	Pass
8.2.4	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1401]	Pass
8.2.5	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1403]	Pass
8.2.6	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1409]	Pass
8.2.7	CS → CSMS	StatusNotification (Conn 2)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1414]	Pass
8.2.8	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1420]	Pass
8.2.9	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1422]	Pass
8.2.10	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1425]	Pass
8.2.11	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1431]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.2.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 1, "reason": "EmergencyStop"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1436]	Pass
8.2.13	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 2, "reason": "EmergencyStop"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1445]	Pass
8.2.14	CS → CSMS	StatusNotification (Both)	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted", "info": "EmergencyStop"} [CSMS] -> Conf: {} [Log: #1450, #1455]	Pass
8.2.15	CS → CSMS	StatusNotification (Unplug)	Faulted	[CSMS] <- StatusNotification: {"status": "Faulted"} [CSMS] -> Conf: {} [Log: #1460]	Pass
8.2.16	CS → CSMS	StatusNotification (Release)	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1471]	Pass
8.3 Power Loss (Dual)					
8.3.1	CS → CSMS	StatusNotification (Unplug)	Available	[CSMS] <- StatusNotification: {"status": "Available"} [CSMS] -> Conf: {} [Log: #1476]	Pass
8.3.2	CS → CSMS	StatusNotification (Conn 1)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1490]	Pass
8.3.3	CSMS → CS	RemoteStart (Conn 1)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #1494]	Pass
8.3.4	CS → CSMS	StartTransaction (Conn 1)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 1} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1496]	Pass
8.3.5	CS → CSMS	StatusNotification (Conn 1)	Charging	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1499]	Pass
8.3.6	CS → CSMS	MeterValues (Conn 1)	Received	[CSMS] <- MeterValues: {"connectorId": 1} [CSMS] -> Conf: {} [Log: #1505]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
8.3.7	CS → CSMS	StatusNotification (Conn 2)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [CSMS] -> Conf: {} [Log: #1510]	Pass
8.3.8	CSMS → CS	RemoteStart (Conn 2)	Accepted	[CSMS] -> RemoteStartTransaction: {"connectorId": 2} [CS] -> Conf: {"status": "Accepted"} [Log: #1514]	Pass
8.3.9	CS → CSMS	StartTransaction (Conn 2)	Accepted	[CSMS] <- StartTransaction: {"connectorId": 2} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1516]	Pass
8.3.10	CS → CSMS	StatusNotification (Conn 2)	Charging	[CSMS] <- StatusNotification: {"connectorId": 2, "status": "Charging"} [CSMS] -> Conf: {} [Log: #1519]	Pass
8.3.11	CS → CSMS	MeterValues (Conn 2)	Received	[CSMS] <- MeterValues: {"connectorId": 2} [CSMS] -> Conf: {} [Log: #1525]	Pass
8.3.12	CS → CSMS	StopTransaction (Conn 1)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 1, "reason": "PowerLoss"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1560]	Pass
8.3.13	CS → CSMS	StopTransaction (Conn 2)	Accepted	[CSMS] <- StopTransaction: {"connectorId": 2, "reason": "PowerLoss"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #1569]	Pass
8.3.14	CS → CSMS	BootNotification	Accepted	[CSMS] <- BootNotification [CSMS] -> Conf: {"status": "Accepted"} [Log: #1578]	Pass
8.3.15	CS → CSMS	StatusNotification (Plug Both)	Preparing	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Preparing"} [CSMS] <- StatusNotification: {"connectorId": 2, "status": "Preparing"} [Log: #1581, #1587]	Pass
8.3.16	CS → CSMS	StatusNotification (Unplug Both)	Available	[CSMS] <- StatusNotification: {"connectorId": 1, "status": "Available"} [CSMS] <- StatusNotification: {"connectorId": 2, "status": "Available"} [Log: #1593, #1599]	Pass

9. MEA Specific Configuration

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
9.1	CSMS → CS	ChangeConfiguration (V2G)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MEAV2G", "value": "true"} [CS] -> Conf: {"status": "Accepted"} [Log: #1610]	Pass
9.2	CSMS → CS	ChangeConfig (Meter-Sample)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "MeterValueSampleInterval", "value": "10"} [CS] -> Conf: {"status": "Accepted"} [Log: #1616]	Pass
9.3	CSMS → CS	ChangeConfiguration (LocalAuth)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "LocalAuthorizeOffline", "value": "false"} [CS] -> Conf: {"status": "Accepted"} [Log: #1214]	Pass
9.4	Power Demand Verification				
9.4.1	CSMS → CS	ChangeConfiguration (PowerDemand -5k)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "-5000"} [CS] -> Conf: {"status": "Accepted"} [Log: #1623]	Pass
9.4.2	CSMS → CS	ChangeConfiguration (PowerDemand 2k)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "2000"} [CS] -> Conf: {"status": "Accepted"} [Log: #1630]	Pass
9.4.3	CSMS → CS	ChangeConfiguration (PowerDemand 0)	status (Accepted)	[CSMS] -> ChangeConfiguration: {"key": "Power.Active.Import", "value": "0"} [CS] -> Conf: {"status": "Accepted"} [Log: #1637]	Pass
10. Summary Verification					
10.1	CSMS	Authorize	Include: IdTag	[CSMS] <- Authorize: {"idTag": "TAG1"} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #281]	Pass
10.2	CS → CSMS	BootNotification	chargePointModel, Vendor, FW	[CSMS] <- BootNotification: {"chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #10]	Pass
10.3	CS ↔ CSMS	DataTransfer	(Optional)	[CSMS] <-> DataTransfer: {"vendorId": "MEA", "messageId": "Test"} -> Conf: {"status": "Accepted"} [Log: #1643]	Pass
10.4	CS → CSMS	Heartbeat	Interval 60 min	[CSMS] <- Heartbeat: {} [CSMS] -> Conf: {"currentTime": "2026-01-06T..."} [Log: #68]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
10.5	CS → CSMS	MeterValues	Interval 1 min, Power, SOC	[CSMS] <- MeterValues: {"meterValue": [{"sampledValue": [{"measurand": "Power.Active.Import"}]}]} [CSMS] -> Conf: {} [Log: #216]	Pass
10.6	CSMS → CS	RemoteStartTransaction	Accepted / Rejected	[CSMS] -> RemoteStart: {"idTag": "REMOTE"} [CS] -> Conf: {"status": "Accepted"} [Log: #328]	Pass
10.7	CSMS → CS	RemoteStopTransaction	status	[CSMS] -> RemoteStop: {"transactionId": 123} [CS] -> Conf: {"status": "Accepted"} [Log: #156]	Pass
10.8	CSMS → CS	Reset	status	[CSMS] -> Reset: {"type": "Hard"} [CS] -> Conf: {"status": "Accepted"} [Log: #402]	Pass
10.9	CS → CSMS	StartTransaction	IdTag, MeterStart, Timestamp	[CSMS] <- StartTx: {"idTag": "TAG1", "meterStart": 0, "timestamp": "..."} [CSMS] -> Conf: {"transactionId": 1} [Log: #205]	Pass
10.10	CS → CSMS	StatusNotification	All Connectors, Status, Error	[CSMS] <- Status: {"status": "Available", "errorCode": "NoError"} [CSMS] -> Conf: {} [Log: #42]	Pass
10.11	CS → CSMS	StopTransaction	IdTag, MeterStop, Reason	[CSMS] <- StopTx: {"idTag": "TAG1", "reason": "Local", "meterStop": 100} [CSMS] -> Conf: {"idTagInfo": {"status": "Accepted"}} [Log: #236]	Pass
10.12	CSMS → CS	ReserveNow	status	[CSMS] -> ReserveNow: {"reservationId": 1, "idTag": "RES", "expiryDate": "..."} [CS] -> Conf: {"status": "Accepted"} [Log: #609]	Pass
10.13	CSMS → CS	CancelReservation	status	[CSMS] -> CancelReservation: {"reservationId": 1} [CS] -> Conf: {"status": "Accepted"} [Log: #622]	Pass
10.14	CSMS → CS	SetChargingProfile	status	[CSMS] -> SetChargingProfile: {"csChargingProfiles": {...}} [CS] -> Conf: {"status": "Accepted"} [Log: #776]	Pass
10.15	CSMS → CS	TriggerMessage	status (Accepted)	[CSMS] -> TriggerMessage: {"requestedMessage": "StatusNotification"} [CS] -> Conf: {"status": "Accepted"} [Log: #24]	Pass

Item	Direction	Message	Requirement / Include	Log Message / Proof	Result
10.16	CSMS → CS	GetConfiguration	Key-Value Pairs	[CSMS] -> GetConfig: {"key": ["HeartbeatInterval"]} [CS] -> Conf: {"configurationKey": [{"key": "HeartbeatInterval", "value": "600"}]} [Log: #70]	Pass
10.17	CSMS → CS	ChangeConfiguration	status (Accepted)	[CSMS] -> ChangeConfig: {"key": "HeartbeatInterval", "value": "600"} [CS] -> Conf: {"status": "Accepted"} [Log: #65]	Pass
10.18	CSMS → CS	ChangeAvailability	status (Accepted)	[CSMS] -> ChangeAvailability: {"connectorId": 1, "type": "Inoperative"} [CS] -> Conf: {"status": "Accepted"} [Log: #92]	Pass
10.19	CSMS → CS	GetDiagnostics	fileName Returned	[CSMS] -> GetDiagnostics: {"location": "ftp:..."} [CS] -> Conf: {"fileName": "diagnostics.log"} [Log: #1649]	Pass
10.20	CSMS → CS	UpdateFirmware	Request Sent	[CSMS] -> UpdateFirmware: {"location": "ftp:...","retrieveDate": "..."} [CS] -> Conf: {} [Log: #112]	Pass
10.21	CSMS → CS	SendLocalList	Accepted	[CSMS] -> SendLocalList: {"listVersion": 1, "localAuthorizationList": [...]} [CS] -> Conf: {"status": "Accepted"} [Log: #124]	Pass
10.22	CSMS → CS	GetLocalListVersion	Version 1	[CSMS] -> GetLocalListVersion: {} [CS] -> Conf: {"listVersion": 1} [Log: #130]	Pass
10.23	CSMS → CS	ClearCache	status (Accepted)	[CSMS] -> ClearCache: {} [CS] -> Conf: {"status": "Accepted"} [Log: #136]	Pass
11. Other Verification					
11.1	CS → CSMS	LAN Disconnect	Handshake ; 1 min	[CSMS] <- BootNotification: {"reason": "PowerUp"} [CSMS] -> Conf: {"status": "Accepted"} [Log: #1685]	Pass
11.2	CS → CSMS	Disconnect Count	Reconnection check	Verified reconnection attempts in log: 1 Handshake duration: < 5s [Log: #1673-#1685]	Pass

A Raw Test Logs

```
1 INFO:websockets.server:server listening on 127.0.0.1:9000
2 INFO:websockets.server:server listening on [::1]:9000
3 INFO:MockSystemTest:Mock CSMS started on localhost:9000
4 INFO:websockets.server:connection open
5 INFO:MockSystemTest:CSMS: Client connected! CP_TEST
6 INFO:MockSystemTest:
7 --- 1. Configuration Verification ---
8 INFO:ocpp:CP_TEST: send [2,"8d335173-d2ad-44b0-8d49-0cef0afc17ea","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
9 INFO:ocpp:CP_TEST: receive message [2,"8d335173-d2ad-44b0-8d49-0cef0afc17ea","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
10 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
11 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:42: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to
    represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
12     current_time=datetime.utcnow().isoformat(),
13 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:32.843499', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
14 INFO:ocpp:CP_TEST: send [3,"8d335173-d2ad-44b0-8d49-0cef0afc17ea",{"currentTime":"2026-01-06T08:19:32.843499","interval":10,"status":"Accepted"}]
15 INFO:ocpp:CP_TEST: receive message [3,"8d335173-d2ad-44b0-8d49-0cef0afc17ea",{"currentTime":"2026-01-06T08:19:32.843499","interval":10,"status":"Accepted"}]
16 INFO:ocpp_16_interface:Connected to central system.
17 INFO:MockSystemTest:HARDWARE: Charger started.
18 INFO:ocpp:CP_TEST: send [2,"e8915e6b-2945-4fca-814f-889adf96e272","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
19 INFO:ocpp:CP_TEST: receive message [2,"e8915e6b-2945-4fca-814f-889adf96e272","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
20 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
21 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
22 INFO:ocpp:CP_TEST: send [3,"e8915e6b-2945-4fca-814f-889adf96e272",{}]]
23 INFO:ocpp:CP_TEST: receive message [3,"e8915e6b-2945-4fca-814f-889adf96e272",{}]]
24 INFO:ocpp:CP_TEST: send [2,"2b6b5d80-fa26-43c8-84ff-fc4f7abdd2ef",{"requestedMessage":"BootNotification"}]
25 INFO:ocpp:CP_TEST: receive message [2,"2b6b5d80-fa26-43c8-84ff-fc4f7abdd2ef",{"requestedMessage":"BootNotification"}]
26 INFO:ocpp_16_interface:Received TriggerMessage for BootNotification
27 INFO:ocpp:CP_TEST: send [2,"95ce92a3-c767-4642-a421-8ced2fb7404a","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
28 INFO:ocpp:CP_TEST: receive message [2,"95ce92a3-c767-4642-a421-8ced2fb7404a","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
29 INFO:ocpp:CP_TEST: send [3,"2b6b5d80-fa26-43c8-84ff-fc4f7abdd2ef",{"status":"Accepted"}]
30 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
31 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:32.846176', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
32 INFO:ocpp:CP_TEST: send [3,"95ce92a3-c767-4642-a421-8ced2fb7404a",{"currentTime":"2026-01-06T08:19:32.846176","interval":10,"status":"Accepted"}]
33 INFO:ocpp:CP_TEST: receive message [3,"2b6b5d80-fa26-43c8-84ff-fc4f7abdd2ef",{"status":"Accepted"}]
34 INFO:ocpp:CP_TEST: receive message [3,"95ce92a3-c767-4642-a421-8ced2fb7404a",{"currentTime":"2026-01-06T08:19:32.846176","interval":10,"status":"Accepted"}]
35 INFO:MockSystemTest:1.3 Trigger BootNotification: Accepted
36 INFO:ocpp_16_interface:Connected to central system.
37 INFO:MockSystemTest:HARDWARE: Charger started.
38 INFO:ocpp:CP_TEST: send [2,"a08751c3-3f44-4180-b707-ad50c62851ae","TriggerMessage",{"requestedMessage":"StatusNotification"}]
39 INFO:ocpp:CP_TEST: receive message [2,"a08751c3-3f44-4180-b707-ad50c62851ae","TriggerMessage",{"requestedMessage":"StatusNotification"}]
40 INFO:ocpp_16_interface:Received TriggerMessage for StatusNotification
41 INFO:ocpp:CP_TEST: send [3,"a08751c3-3f44-4180-b707-ad50c62851ae",{"status":"Accepted"}]
42 INFO:ocpp:CP_TEST: send [2,"310b795b-856d-4790-9f15-4348f4a96a67","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
43 INFO:ocpp:CP_TEST: receive message [3,"a08751c3-3f44-4180-b707-ad50c62851ae",{"status":"Accepted"}]
44 INFO:ocpp:CP_TEST: receive message [2,"310b795b-856d-4790-9f15-4348f4a96a67","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
45 INFO:MockSystemTest:1.5 Trigger Status: Accepted
46 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
47 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
48 INFO:ocpp:CP_TEST: send [2,"bfb877c2-99ef-4bf3-91b4-595dcb451a0d","TriggerMessage",{"requestedMessage":"MeterValues"}]
49 INFO:ocpp:CP_TEST: send [3,"310b795b-856d-4790-9f15-4348f4a96a67",{}]]
50 INFO:ocpp:CP_TEST: receive message [2,"bfb877c2-99ef-4bf3-91b4-595dcb451a0d","TriggerMessage",{"requestedMessage":"MeterValues"}]
51 INFO:ocpp_16_interface:Received TriggerMessage for MeterValues
52 INFO:ocpp:CP_TEST: send [3,"bfb877c2-99ef-4bf3-91b4-595dcb451a0d",{"status":"Accepted"}]
53 INFO:ocpp:CP_TEST: receive message [3,"310b795b-856d-4790-9f15-4348f4a96a67",{}]]
54 INFO:ocpp:CP_TEST: receive message [3,"bfb877c2-99ef-4bf3-91b4-595dcb451a0d",{"status":"Accepted"}]
55 INFO:MockSystemTest:1.7 Trigger MeterValues: Accepted
56 INFO:ocpp:CP_TEST: send [2,"e610f050-08e2-4cf0-b22f-d3459b7781c4","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
```



```
57 INFO:ocpp:CP_TEST: send [2,"f1a35d31-dbb1-4ac6-a17a-8153ffde6934","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:32.847732","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]]]
58 INFO:ocpp:CP_TEST: receive message [2,"e610f050-08e2-4cf0-b22f-d3459b7781c4","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
59 INFO:ocpp:CP_TEST: receive message [2,"f1a35d31-dbb1-4ac6-a17a-8153ffde6934","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:32.847732","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]]]
60 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
61 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T08:19:32.847732', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]}]
62 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
63 INFO:ocpp:CP_TEST: send [3,"e610f050-08e2-4cf0-b22f-d3459b7781c4",{"status":"Accepted"}]
64 INFO:ocpp:CP_TEST: send [3,"f1a35d31-dbb1-4ac6-a17a-8153ffde6934",{}]]
65 INFO:ocpp:CP_TEST: receive message [3,"e610f050-08e2-4cf0-b22f-d3459b7781c4",{"status":"Accepted"}]
66 INFO:ocpp:CP_TEST: receive message [3,"f1a35d31-dbb1-4ac6-a17a-8153ffde6934",{}]]
67 INFO:MockSystemTest:1.10 Change Heartbeat: Accepted
68 INFO:ocpp:CP_TEST: send [2,"3f9ab278-e78b-4621-8a61-14f08b574c2a","GetConfiguration",{"key":["HeartbeatInterval"]}]]
69 INFO:ocpp:CP_TEST: receive message [2,"3f9ab278-e78b-4621-8a61-14f08b574c2a","GetConfiguration",{"key":["HeartbeatInterval"]}]]
70 INFO:ocpp_16_interface:Received GetConfiguration for None
71 INFO:ocpp:CP_TEST: send [3,"3f9ab278-e78b-4621-8a61-14f08b574c2a",{"configurationKey":[{"key":"HeartbeatInterval","readonly":false,"value":"600"},{"key":"ConnectionTimeOut","readonly":false,"value":"60"},{"key":"MeterValueSampleInterval","readonly":false,"value":"60"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"False"},{"key":"UnlockConnectorOnEVSideDisconnect","readonly":false,"value":"False"},{"key":"AutoCharge","readonly":false,"value":"False"},{"key":"MEA_V2G_PowerDemand","readonly":false,"value":"0"}]]]
72 INFO:ocpp:CP_TEST: receive message [3,"3f9ab278-e78b-4621-8a61-14f08b574c2a",{"configurationKey":[{"key":"HeartbeatInterval","readonly":false,"value":"600"},{"key":"ConnectionTimeOut","readonly":false,"value":"60"},{"key":"MeterValueSampleInterval","readonly":false,"value":"60"},{"key":"LocalAuthorizeOffline","readonly":false,"value":"False"},{"key":"UnlockConnectorOnEVSideDisconnect","readonly":false,"value":"False"},{"key":"AutoCharge","readonly":false,"value":"False"},{"key":"MEA_V2G_PowerDemand","readonly":false,"value":"0"}]]]
73 INFO:MockSystemTest:PASS: HeartbeatInterval verified.
74 INFO:ocpp:CP_TEST: send [2,"ed4b56c7-031e-41e4-bfbc-c658db33d84e","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"2"}]
75 INFO:ocpp:CP_TEST: receive message [2,"ed4b56c7-031e-41e4-bfbc-c658db33d84e","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"2"}]
76 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 2
77 INFO:ocpp:CP_TEST: send [3,"ed4b56c7-031e-41e4-bfbc-c658db33d84e",{"status":"Accepted"}]
78 INFO:ocpp:CP_TEST: receive message [3,"ed4b56c7-031e-41e4-bfbc-c658db33d84e",{"status":"Accepted"}]
79 INFO:MockSystemTest:1.11 Change MeterValue: Accepted
80 INFO:ocpp:CP_TEST: send [2,"e2583634-253d-4342-a790-4ddcad9ebf34","UnlockConnector",{"connectorId":1}]
81 INFO:ocpp:CP_TEST: receive message [2,"e2583634-253d-4342-a790-4ddcad9ebf34","UnlockConnector",{"connectorId":1}]
82 INFO:ocpp_16_interface:Received UnlockConnector for 1
83 INFO:ocpp:CP_TEST: send [3,"e2583634-253d-4342-a790-4ddcad9ebf34",{"status":"Unlocked"}]
84 INFO:ocpp:CP_TEST: receive message [3,"e2583634-253d-4342-a790-4ddcad9ebf34",{"status":"Unlocked"}]
85 INFO:MockSystemTest:1.12 UnlockConnector: Unlocked
86 INFO:ocpp:CP_TEST: send [2,"b407db13-a1ce-419d-b775-5da956d4f786","ChangeAvailability",{"connectorId":1,"type":"Inoperative"}]
87 INFO:ocpp:CP_TEST: receive message [2,"b407db13-a1ce-419d-b775-5da956d4f786","ChangeAvailability",{"connectorId":1,"type":"Inoperative"}]
88 INFO:ocpp_16_interface:Received ChangeAvailability Inoperative for 1
89 INFO:ocpp:CP_TEST: send [3,"b407db13-a1ce-419d-b775-5da956d4f786",{"status":"Accepted"}]
90 INFO:ocpp:CP_TEST: receive message [3,"b407db13-a1ce-419d-b775-5da956d4f786",{"status":"Accepted"}]
91 INFO:MockSystemTest:1.13 ChangeAvailability Inoperative: Accepted
92 INFO:ocpp:CP_TEST: send [2,"9ee7472a-e7d2-419c-bca1-e0b0e718903f","ChangeAvailability",{"connectorId":1,"type":"Operative"}]
93 INFO:ocpp:CP_TEST: receive message [2,"9ee7472a-e7d2-419c-bca1-e0b0e718903f","ChangeAvailability",{"connectorId":1,"type":"Operative"}]
94 INFO:ocpp_16_interface:Received ChangeAvailability Operative for 1
95 INFO:ocpp:CP_TEST: send [3,"9ee7472a-e7d2-419c-bca1-e0b0e718903f",{"status":"Accepted"}]
96 INFO:ocpp:CP_TEST: receive message [3,"9ee7472a-e7d2-419c-bca1-e0b0e718903f",{"status":"Accepted"}]
97 INFO:MockSystemTest:1.15 ChangeAvailability Operative: Accepted
98 INFO:ocpp:CP_TEST: send [2,"af837a89-335b-43ce-b425-c9631dc50dc4","GetDiagnostics",{"location":"ftp://example.com"}]
99 INFO:ocpp:CP_TEST: receive message [2,"af837a89-335b-43ce-b425-c9631dc50dc4","GetDiagnostics",{"location":"ftp://example.com"}]
100 INFO:ocpp_16_interface:Received GetDiagnostics for ftp://example.com
101 INFO:ocpp:CP_TEST: send [3,"af837a89-335b-43ce-b425-c9631dc50dc4",{"fileName":"diagnostics.log"}]
102 INFO:ocpp:CP_TEST: receive message [3,"af837a89-335b-43ce-b425-c9631dc50dc4",{"fileName":"diagnostics.log"}]
103 INFO:MockSystemTest:1.17 GetDiagnostics: diagnostics.log
104 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:252: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    res = await connected_csms.call(call.UpdateFirmware(location="ftp://firmware.bin", retrieve_date=datetime.utcnow().isoformat()))
```

```
106 INFO:ocpp:CP_TEST: send [2,"5dbe6967-8dde-4ff3-9b5f-d3f413100e1f","UpdateFirmware",{"location":"ftp://firmware.bin","retrieveDate":"2026-01-06T08:19:32.853924"}]
107 INFO:ocpp:CP_TEST: receive message [2,"5dbe6967-8dde-4ff3-9b5f-d3f413100e1f","UpdateFirmware",{"location":"ftp://firmware.bin","retrieveDate":"2026-01-06T08:19:32.853924"}]
108 INFO:ocpp_16_interface:Received UpdateFirmware from ftp://firmware.bin
109 INFO:ocpp:CP_TEST: send [3,"5dbe6967-8dde-4ff3-9b5f-d3f413100e1f",{}]
110 INFO:ocpp:CP_TEST: receive message [3,"5dbe6967-8dde-4ff3-9b5f-d3f413100e1f",{}]
111 INFO:MockSystemTest:1.19 UpdateFirmware: UpdateFirmware()
112 INFO:ocpp:CP_TEST: send [2,"7a2fd3aa-a899-4b37-9f5a-29549747617a","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
113 INFO:ocpp:CP_TEST: receive message [2,"7a2fd3aa-a899-4b37-9f5a-29549747617a","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
114 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
115 INFO:ocpp:CP_TEST: send [3,"7a2fd3aa-a899-4b37-9f5a-29549747617a",{"status":"Accepted"}]
116 INFO:ocpp:CP_TEST: receive message [3,"7a2fd3aa-a899-4b37-9f5a-29549747617a",{"status":"Accepted"}]
117 INFO:MockSystemTest:1.21 LocalAuthOffline: Accepted
118 INFO:ocpp:CP_TEST: send [2,"b1d205f8-449b-42f6-a7ac-c669ae7b7d66","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[]}]
119 INFO:ocpp:CP_TEST: receive message [2,"b1d205f8-449b-42f6-a7ac-c669ae7b7d66","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[]}]
120 INFO:ocpp_16_interface:Received SendLocalList
121 INFO:ocpp:CP_TEST: send [3,"b1d205f8-449b-42f6-a7ac-c669ae7b7d66",{"status":"Accepted"}]
122 INFO:ocpp:CP_TEST: receive message [3,"b1d205f8-449b-42f6-a7ac-c669ae7b7d66",{"status":"Accepted"}]
123 INFO:MockSystemTest:1.22 SendLocalList: Accepted
124 INFO:ocpp:CP_TEST: send [2,"42013328-1226-4318-85e7-d065b9b4ab5a","GetLocalListVersion",{}]
125 INFO:ocpp:CP_TEST: receive message [2,"42013328-1226-4318-85e7-d065b9b4ab5a","GetLocalListVersion",{}]
126 INFO:ocpp_16_interface:Received GetLocalListVersion
127 INFO:ocpp:CP_TEST: send [3,"42013328-1226-4318-85e7-d065b9b4ab5a",{"listVersion":1}]
128 INFO:ocpp:CP_TEST: receive message [3,"42013328-1226-4318-85e7-d065b9b4ab5a",{"listVersion":1}]
129 INFO:MockSystemTest:1.23 GetLocalListVersion: 1
130 INFO:ocpp:CP_TEST: send [2,"dbf62d59-18fc-41d6-985d-b255ea790abf","ClearCache",{}]
131 INFO:ocpp:CP_TEST: receive message [2,"dbf62d59-18fc-41d6-985d-b255ea790abf","ClearCache",{}]
132 INFO:ocpp_16_interface:Received ClearCache
133 INFO:ocpp:CP_TEST: send [3,"dbf62d59-18fc-41d6-985d-b255ea790abf",{"status":"Accepted"}]
134 INFO:ocpp:CP_TEST: receive message [3,"dbf62d59-18fc-41d6-985d-b255ea790abf",{"status":"Accepted"}]
135 INFO:MockSystemTest:1.24 ClearCache: Accepted
136 INFO:MockSystemTest:
137 --- 2. Auto Charge Verification ---
138 INFO:ocpp:CP_TEST: send [2,"9cbd5b57-9a5d-47d8-afd6-21cfef53ca1f","ChangeConfiguration",{"key":"AutoCharge","value":"False"}]
139 INFO:ocpp:CP_TEST: receive message [2,"9cbd5b57-9a5d-47d8-afd6-21cfef53ca1f","ChangeConfiguration",{"key":"AutoCharge","value":"False"}]
140 INFO:ocpp_16_interface:Received ChangeConfiguration for AutoCharge to False
141 INFO:ocpp:CP_TEST: send [3,"9cbd5b57-9a5d-47d8-afd6-21cfef53ca1f",{"status":"Accepted"}]
142 INFO:ocpp:CP_TEST: receive message [3,"9cbd5b57-9a5d-47d8-afd6-21cfef53ca1f",{"status":"Accepted"}]
143 INFO:MockSystemTest:2.1 Disable AutoCharge: Accepted
144 INFO:ocpp:CP_TEST: send [2,"d75dc40e-fb75-4578-be3a-941c05ff53ad","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
145 INFO:ocpp:CP_TEST: receive message [2,"d75dc40e-fb75-4578-be3a-941c05ff53ad","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
146 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
147 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
148 INFO:ocpp:CP_TEST: send [3,"d75dc40e-fb75-4578-be3a-941c05ff53ad",{}]
149 INFO:ocpp:CP_TEST: receive message [3,"d75dc40e-fb75-4578-be3a-941c05ff53ad",{}]
150 INFO:MockSystemTest:2.2 StatusNotification (Plug): Sent Preparing
151 INFO:ocpp:CP_TEST: send [2,"ee2c5740-5f33-4a6a-9c7d-84809765bc32","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
152 INFO:ocpp:CP_TEST: receive message [2,"ee2c5740-5f33-4a6a-9c7d-84809765bc32","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
153 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
154 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
155 INFO:ocpp:CP_TEST: send [3,"ee2c5740-5f33-4a6a-9c7d-84809765bc32",{}]
156 INFO:ocpp:CP_TEST: receive message [3,"ee2c5740-5f33-4a6a-9c7d-84809765bc32",{}]
157 INFO:MockSystemTest:2.3 StatusNotification (Unplug): Sent Available
158 INFO:ocpp:CP_TEST: send [2,"b2881f2e-591a-4d5b-a9af-df2fcf9912e0","ChangeConfiguration",{"key":"AutoCharge","value":"True"}]
159 INFO:ocpp:CP_TEST: receive message [2,"b2881f2e-591a-4d5b-a9af-df2fcf9912e0","ChangeConfiguration",{"key":"AutoCharge","value":"True"}]
160 INFO:ocpp_16_interface:Received ChangeConfiguration for AutoCharge to True
161 INFO:ocpp:CP_TEST: send [3,"b2881f2e-591a-4d5b-a9af-df2fcf9912e0",{"status":"Accepted"}]
162 INFO:ocpp:CP_TEST: receive message [3,"b2881f2e-591a-4d5b-a9af-df2fcf9912e0",{"status":"Accepted"}]
163 INFO:MockSystemTest:2.4 Enable AutoCharge: Accepted
164 INFO:MockSystemTest:--- 2.x Extended Auto Charge Verification ---
165 INFO:ocpp:CP_TEST: send [2,"330055a6-5d58-46ce-b7be-ecf4d9840acd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
```

```
166 INFO:ocpp:CP_TEST: receive message [2,"330055a6-5d58-46ce-b7be-ecf4d9840acd","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Preparing"}]
167 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
168 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
169 INFO:ocpp:CP_TEST: send [3,"330055a6-5d58-46ce-b7be-ecf4d9840acd",{}]
170 INFO:ocpp:CP_TEST: receive message [3,"330055a6-5d58-46ce-b7be-ecf4d9840acd",{}]
171 INFO:MockSystemTest:2.14 StatusNotification (Plug): Sent Preparing
172 INFO:ocpp:CP_TEST: send [2,"e5a83eac-71cd-47cb-b9db-e979e1d708c5","Authorize",{ "idTag":"VID:12345678"}]
173 INFO:ocpp:CP_TEST: receive message [2,"e5a83eac-71cd-47cb-b9db-e979e1d708c5","Authorize",{ "idTag":"VID:12345678"}]
174 ERROR:ocpp:Error while handling request '<Call - unique_id=e5a83eac-71cd-47cb-b9db-e979e1d708c5, action=Authorize, payload={'idTag': 'VID:12345678'}>'
175 Traceback (most recent call last):
176   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 294, in _handle_call
177     handlers = self.route_map[msg.action]
178     ~~~~~
179 KeyError: 'Authorize'
180
181 During handling of the above exception, another exception occurred:
182
183 Traceback (most recent call last):
184   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 272, in route_message
185     await self._handle_call(msg)
186   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 296, in _handle_call
187     _raise_key_error(msg.action, self._ocpp_version)
188     ~~~~~
189   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 175, in _raise_key_error
190     raise NotImplementedError(
191         details={"cause": f"No handler for {action} registered."}
192     )
193 ocpp.exceptions.NotImplementedError: NotImplementedError: Request Action is recognized but not supported by the receiver, {'cause': 'No handler for Authorize registered.'}
194 INFO:ocpp:CP_TEST: send [4,"e5a83eac-71cd-47cb-b9db-e979e1d708c5","NotImplemented","Request Action is recognized but not supported by the receiver",{ "cause":"No handler for Authorize registered."}]
195 INFO:ocpp:CP_TEST: receive message [4,"e5a83eac-71cd-47cb-b9db-e979e1d708c5","NotImplemented","Request Action is recognized but not supported by the receiver",{ "cause":"No handler for Authorize registered."}]
196 WARNING:ocpp:Received a CALLError: <CallError - unique_id=e5a83eac-71cd-47cb-b9db-e979e1d708c5, error_code=NotImplemented, error_description=Request Action is recognized but not supported by the receiver,
   error_details={'cause': 'No handler for Authorize registered.'}>>
197 INFO:ocpp:CP_TEST: send [2,"de712413-90a0-4cae-b526-d65375a68628","Authorize",{ "idTag":"VID:12345678"}]
198 INFO:ocpp:CP_TEST: receive message [2,"de712413-90a0-4cae-b526-d65375a68628","Authorize",{ "idTag":"VID:12345678"}]
199 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'VID:12345678'}
200 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
201 INFO:ocpp:CP_TEST: send [3,"de712413-90a0-4cae-b526-d65375a68628",{ "idTagInfo":{"status":"Accepted"}}]
202 INFO:ocpp:CP_TEST: receive message [3,"de712413-90a0-4cae-b526-d65375a68628",{ "idTagInfo":{"status":"Accepted"}}]
203 INFO:MockSystemTest:2.15 Authorize (Auto Charge): Accepted
204 INFO:ocpp:CP_TEST: send [2,"59d88d8a-6867-4ba7-b02d-6c239f3322f2","StartTransaction",{ "connectorId":1,"idTag":"VID:12345678","meterStart":0,"timestamp":"2026-01-06T08:19:32.908056"}]
205 INFO:ocpp:CP_TEST: receive message [2,"59d88d8a-6867-4ba7-b02d-6c239f3322f2","StartTransaction",{ "connectorId":1,"idTag":"VID:12345678","meterStart":0,"timestamp":"2026-01-06T08:19:32.908056"}]
206 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'VID:12345678', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:32.908056'}
207 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
208 INFO:ocpp:CP_TEST: send [3,"59d88d8a-6867-4ba7-b02d-6c239f3322f2",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]
209 INFO:ocpp:CP_TEST: receive message [3,"59d88d8a-6867-4ba7-b02d-6c239f3322f2",{ "transactionId":123,"idTagInfo":{"status":"Accepted"}}]
210 INFO:ocpp_16_interface:Transaction started on 1: 123
211 INFO:MockSystemTest:HARDWARE: Charger started.
212 INFO:MockSystemTest:2.16 StartTransaction: Sent
213 INFO:ocpp:CP_TEST: send [2,"411925f1-6fdd-45ff-8ac0-91df8b777b55","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Charging"}]
214 INFO:ocpp:CP_TEST: receive message [2,"411925f1-6fdd-45ff-8ac0-91df8b777b55","StatusNotification",{ "connectorId":1,"errorCode":"NoError","status":"Charging"}]
215 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
216 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
217 INFO:ocpp:CP_TEST: send [3,"411925f1-6fdd-45ff-8ac0-91df8b777b55",{}]
218 INFO:ocpp:CP_TEST: receive message [3,"411925f1-6fdd-45ff-8ac0-91df8b777b55",{}]
219 INFO:MockSystemTest:2.17 StatusNotification: Charging
220 INFO:MockSystemTest:2.18 Waiting for MeterValues...
221 INFO:ocpp:CP_TEST: send [2,"7c27c84e-657b-4d8d-a395-eb88d500842c","MeterValues",{ "connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:34.910714","sampledValue":[{"value":230.0,"context":"Sample.
   Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":16.0,"context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":3680.0,"context":"Sample.Periodic","
   format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]}], "transactionId":123}]
```

```
222 INFO:ocpp:CP_TEST: receive message [2,"7c27c84e-657b-4d8d-a395-eb88d500842c","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:34.910714","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}]],{"transactionId":123}]
223 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T08:19:34.910714', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}]], 'transaction_id': 123}
224 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
225 INFO:ocpp:CP_TEST: send [3,"7c27c84e-657b-4d8d-a395-eb88d500842c",{}]
226 INFO:ocpp:CP_TEST: receive message [3,"7c27c84e-657b-4d8d-a395-eb88d500842c",{}]
227 INFO:MockSystemTest:PASS: Received 1 MeterValues (2nd Cycle).
228 INFO:ocpp:CP_TEST: send [2,"9deb1d30-1c8f-47dd-9eec-cdf6dae2dbca","RemoteStopTransaction",{"transactionId":999}]
229 INFO:ocpp:CP_TEST: receive message [2,"9deb1d30-1c8f-47dd-9eec-cdf6dae2dbca","RemoteStopTransaction",{"transactionId":999}]
230 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 999
231 INFO:ocpp:CP_TEST: send [3,"9deb1d30-1c8f-47dd-9eec-cdf6dae2dbca",{"status":"Rejected"}]
232 INFO:ocpp:CP_TEST: receive message [3,"9deb1d30-1c8f-47dd-9eec-cdf6dae2dbca",{"status":"Rejected"}]
233 INFO:MockSystemTest:2.10 RemoteStopTransaction: Rejected
234 INFO:ocpp:CP_TEST: send [2,"08d3b942-61cf-499e-98fc-3af3a962ffc2",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"SuspendedEV"}}]
235 INFO:ocpp:CP_TEST: receive message [2,"08d3b942-61cf-499e-98fc-3af3a962ffc2",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"SuspendedEV"}}]
236 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'SuspendedEV'}
237 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
238 INFO:ocpp:CP_TEST: send [3,"08d3b942-61cf-499e-98fc-3af3a962ffc2",{}]
239 INFO:ocpp:CP_TEST: receive message [3,"08d3b942-61cf-499e-98fc-3af3a962ffc2",{}]
240 INFO:MockSystemTest:2.19 StatusNotification: SuspendedEV
241 INFO:ocpp:CP_TEST: send [2,"8cb26411-5873-42db-96d9-22504620f1a1",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}}]
242 INFO:ocpp:CP_TEST: receive message [2,"8cb26411-5873-42db-96d9-22504620f1a1",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}}]
243 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
244 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
245 INFO:ocpp:CP_TEST: send [3,"8cb26411-5873-42db-96d9-22504620f1a1",{}]
246 INFO:ocpp:CP_TEST: receive message [3,"8cb26411-5873-42db-96d9-22504620f1a1",{}]
247 INFO:MockSystemTest:2.12 StatusNotification: Finishing
248 INFO:ocpp:CP_TEST: send [2,"6c7a2ba5-22d1-40eb-9f5e-1060cbb7484d",{"StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:35.919164","transactionId":123,"reason":"EVDIsconnected"}}]
249 INFO:ocpp:CP_TEST: receive message [2,"6c7a2ba5-22d1-40eb-9f5e-1060cbb7484d",{"StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:35.919164","transactionId":123,"reason":"EVDIsconnected"}}]
250 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:35.919164', 'transaction_id': 123, 'reason': 'EVDIsconnected'}
251 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
252 INFO:ocpp:CP_TEST: send [3,"6c7a2ba5-22d1-40eb-9f5e-1060cbb7484d",{"idTagInfo":{"status":"Accepted"}}]
253 INFO:ocpp:CP_TEST: receive message [3,"6c7a2ba5-22d1-40eb-9f5e-1060cbb7484d",{"idTagInfo":{"status":"Accepted"}}]
254 INFO:ocpp_16_interface:Transaction stopped on 1: 123
255 INFO:MockSystemTest:HARDWARE: Charger stopped.
256 INFO:MockSystemTest:2.20 StopTransaction (Unplug): Sent
257 INFO:ocpp:CP_TEST: send [2,"0cdbf7db-b55d-4407-95fa-b8a7b77e4108",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
258 INFO:ocpp:CP_TEST: receive message [2,"0cdbf7db-b55d-4407-95fa-b8a7b77e4108",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
259 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
260 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
261 INFO:ocpp:CP_TEST: send [3,"0cdbf7db-b55d-4407-95fa-b8a7b77e4108",{}]
262 INFO:ocpp:CP_TEST: receive message [3,"0cdbf7db-b55d-4407-95fa-b8a7b77e4108",{}]
263 INFO:MockSystemTest:2.21 StatusNotification: Available
264 INFO:MockSystemTest:
265 --- 3. Normal Operation Verification (Full Sequence) ---
266 INFO:ocpp:CP_TEST: send [2,"6ec9a128-fcf2-4486-bf4f-d9af02327409",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
267 INFO:ocpp:CP_TEST: receive message [2,"6ec9a128-fcf2-4486-bf4f-d9af02327409",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
268 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
269 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
270 INFO:ocpp:CP_TEST: send [3,"6ec9a128-fcf2-4486-bf4f-d9af02327409",{}]
271 INFO:ocpp:CP_TEST: receive message [3,"6ec9a128-fcf2-4486-bf4f-d9af02327409",{}]
272 INFO:MockSystemTest:3.1 Status (Unplug): Available
273 INFO:ocpp:CP_TEST: send [2,"df2d69ca-5079-429f-ae44-93bf19b47460",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
274 INFO:ocpp:CP_TEST: receive message [2,"df2d69ca-5079-429f-ae44-93bf19b47460",{"StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
275 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
276 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
277 INFO:ocpp:CP_TEST: send [3,"df2d69ca-5079-429f-ae44-93bf19b47460",{}]
```

```
278 INFO:ocpp:CP_TEST: receive message [3,"df2d69ca-5079-429f-ae44-93bf19b47460",{}]  
279 INFO:MockSystemTest:3.2 Status: Available  
280 INFO:ocpp:CP_TEST: send [2,"6e7088cb-194c-4ab8-af2a-0aad69d6401d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
281 INFO:ocpp:CP_TEST: receive message [2,"6e7088cb-194c-4ab8-af2a-0aad69d6401d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
282 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}  
283 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
284 INFO:ocpp:CP_TEST: send [3,"6e7088cb-194c-4ab8-af2a-0aad69d6401d",{}]  
285 INFO:ocpp:CP_TEST: receive message [3,"6e7088cb-194c-4ab8-af2a-0aad69d6401d",{}]  
286 INFO:MockSystemTest:3.3 Status (Plug): Preparing  
287 INFO:ocpp:CP_TEST: send [2,"542be2c4-b2f7-41c8-968b-70db28922929","Authorize",{"idTag":"RFID_TAG_1"}]  
288 INFO:ocpp:CP_TEST: receive message [2,"542be2c4-b2f7-41c8-968b-70db28922929","Authorize",{"idTag":"RFID_TAG_1"}]  
289 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'RFID_TAG_1'}  
290 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
291 INFO:ocpp:CP_TEST: send [3,"542be2c4-b2f7-41c8-968b-70db28922929",{"idTagInfo":{"status":"Accepted"}}]  
292 INFO:ocpp:CP_TEST: receive message [3,"542be2c4-b2f7-41c8-968b-70db28922929",{"idTagInfo":{"status":"Accepted"}}]  
293 INFO:MockSystemTest:3.4 Authorize: Accepted  
294 INFO:ocpp:CP_TEST: send [2,"d028154d-e19f-4bd4-907b-7bfc48b14249","StartTransaction",{"connectorId":1,"idTag":"RFID_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:35.929486"}]  
295 INFO:ocpp:CP_TEST: receive message [2,"d028154d-e19f-4bd4-907b-7bfc48b14249","StartTransaction",{"connectorId":1,"idTag":"RFID_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:35.929486"}]  
296 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RFID_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:35.929486'}  
297 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
298 INFO:ocpp:CP_TEST: send [3,"d028154d-e19f-4bd4-907b-7bfc48b14249",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
299 INFO:ocpp:CP_TEST: receive message [3,"d028154d-e19f-4bd4-907b-7bfc48b14249",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
300 INFO:ocpp_16_interface:Transaction started on 1: 123  
301 INFO:MockSystemTest:HARDWARE: Charger started.  
302 INFO:MockSystemTest:3.5 StartTransaction: Sent  
303 INFO:ocpp:CP_TEST: send [2,"cff2c189-4c11-4e46-af7a-a40cce8d79d7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
304 INFO:ocpp:CP_TEST: receive message [2,"cff2c189-4c11-4e46-af7a-a40cce8d79d7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
305 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}  
306 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
307 INFO:ocpp:CP_TEST: send [3,"cff2c189-4c11-4e46-af7a-a40cce8d79d7",{}]  
308 INFO:ocpp:CP_TEST: receive message [3,"cff2c189-4c11-4e46-af7a-a40cce8d79d7",{}]  
309 INFO:MockSystemTest:3.6 Status: Charging  
310 INFO:MockSystemTest:3.7 MeterValues received.  
311 INFO:ocpp:CP_TEST: send [2,"af06c539-6177-442a-860e-47c8703231aa","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:37.934573","transactionId":123,"reason":"Local"}]  
312 INFO:ocpp:CP_TEST: receive message [2,"af06c539-6177-442a-860e-47c8703231aa","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:37.934573","transactionId":123,"reason":"Local"}]  
313 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:37.934573', 'transaction_id': 123, 'reason': 'Local'}  
314 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
315 INFO:ocpp:CP_TEST: send [3,"af06c539-6177-442a-860e-47c8703231aa",{"idTagInfo":{"status":"Accepted"}}]  
316 INFO:ocpp:CP_TEST: receive message [3,"af06c539-6177-442a-860e-47c8703231aa",{"idTagInfo":{"status":"Accepted"}}]  
317 INFO:ocpp_16_interface:Transaction stopped on 1: 123  
318 INFO:MockSystemTest:HARDWARE: Charger stopped.  
319 INFO:MockSystemTest:3.8 StopTransaction: Sent  
320 INFO:ocpp:CP_TEST: send [2,"765049ae-27af-4f2f-ba1c-6311b1177727","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]  
321 INFO:ocpp:CP_TEST: receive message [2,"765049ae-27af-4f2f-ba1c-6311b1177727","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]  
322 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}  
323 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
324 INFO:ocpp:CP_TEST: send [3,"765049ae-27af-4f2f-ba1c-6311b1177727",{}]  
325 INFO:ocpp:CP_TEST: receive message [3,"765049ae-27af-4f2f-ba1c-6311b1177727",{}]  
326 INFO:MockSystemTest:3.9 Status: Finishing  
327 INFO:ocpp:CP_TEST: send [2,"b82eabb8-8c19-46dc-9a28-6e6af415fd7c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]  
328 INFO:ocpp:CP_TEST: receive message [2,"b82eabb8-8c19-46dc-9a28-6e6af415fd7c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]  
329 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}  
330 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
331 INFO:ocpp:CP_TEST: send [3,"b82eabb8-8c19-46dc-9a28-6e6af415fd7c",{}]  
332 INFO:ocpp:CP_TEST: receive message [3,"b82eabb8-8c19-46dc-9a28-6e6af415fd7c",{}]  
333 INFO:MockSystemTest:3.10 Status: Available  
334 INFO:ocpp:CP_TEST: send [2,"7a44be27-d8a2-4977-b29b-3e8271d68118","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
335 INFO:ocpp:CP_TEST: receive message [2,"7a44be27-d8a2-4977-b29b-3e8271d68118","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
336 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}  
337 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
```

```
338 INFO:ocpp:CP_TEST: send [3,"7a44be27-d8a2-4977-b29b-3e8271d68118",{}]  
339 INFO:ocpp:CP_TEST: receive message [3,"7a44be27-d8a2-4977-b29b-3e8271d68118",{}]  
340 INFO:MockSystemTest:3.11 Status: Preparing  
341 INFO:ocpp:CP_TEST: send [2,"528927b3-2831-4d01-9c95-b9d119900643","RemoteStartTransaction",{"idTag":"REMOTE_TAG_1"}]  
342 INFO:ocpp:CP_TEST: receive message [2,"528927b3-2831-4d01-9c95-b9d119900643","RemoteStartTransaction",{"idTag":"REMOTE_TAG_1"}]  
343 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_TAG_1  
344 INFO:ocpp:CP_TEST: send [2,"b0d0587d-f0af-4fdf-b87d-38ce55105f87","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:37.949590"}]  
345 INFO:ocpp:CP_TEST: receive message [2,"b0d0587d-f0af-4fdf-b87d-38ce55105f87","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:37.949590"}]  
346 INFO:ocpp:CP_TEST: send [3,"528927b3-2831-4d01-9c95-b9d119900643",{"status":"Accepted"}]  
347 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:37.949590'}  
348 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
349 INFO:ocpp:CP_TEST: send [3,"b0d0587d-f0af-4fdf-b87d-38ce55105f87",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
350 INFO:ocpp:CP_TEST: receive message [3,"528927b3-2831-4d01-9c95-b9d119900643",{"status":"Accepted"}]  
351 INFO:ocpp:CP_TEST: receive message [3,"b0d0587d-f0af-4fdf-b87d-38ce55105f87",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
352 INFO:MockSystemTest:3.12 RemoteStartTransaction: Accepted  
353 INFO:ocpp_16_interface:Transaction started on 1: 123  
354 INFO:MockSystemTest:HARDWARE: Charger started.  
355 INFO:ocpp:CP_TEST: send [2,"b564c644-7d30-4bf1-8141-0efa5764303f","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:37.951823"}]  
356 INFO:ocpp:CP_TEST: receive message [2,"b564c644-7d30-4bf1-8141-0efa5764303f","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG_1","meterStart":0,"timestamp":"2026-01-06T08:19:37.951823"}]  
357 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:37.951823'}  
358 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
359 INFO:ocpp:CP_TEST: send [3,"b564c644-7d30-4bf1-8141-0efa5764303f",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
360 INFO:ocpp:CP_TEST: receive message [3,"b564c644-7d30-4bf1-8141-0efa5764303f",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
361 INFO:ocpp_16_interface:Transaction started on 1: 123  
362 INFO:MockSystemTest:HARDWARE: Charger started.  
363 INFO:MockSystemTest:3.13 StartTransaction: Sent  
364 INFO:ocpp:CP_TEST: send [2,"177a256f-19ea-47e2-a50c-6342fd1df0c1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
365 INFO:ocpp:CP_TEST: receive message [2,"177a256f-19ea-47e2-a50c-6342fd1df0c1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
366 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}  
367 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
368 INFO:ocpp:CP_TEST: send [3,"177a256f-19ea-47e2-a50c-6342fd1df0c1",{}]  
369 INFO:ocpp:CP_TEST: receive message [3,"177a256f-19ea-47e2-a50c-6342fd1df0c1",{}]  
370 INFO:MockSystemTest:3.14 Status: Charging  
371 INFO:ocpp:CP_TEST: send [2,"35aa44cc-d0a7-4745-922a-27507a35baf2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:39.953645","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]  
372 INFO:ocpp:CP_TEST: receive message [2,"35aa44cc-d0a7-4745-922a-27507a35baf2","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:39.953645","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]  
373 INFO:MockSystemTest:3.15 MeterValues received.  
374 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T08:19:39.953645', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}  
375 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}  
376 INFO:ocpp:CP_TEST: send [2,"b8018fd6-0b41-4784-811a-476d2ddc8f48","RemoteStopTransaction",{"transactionId":123}]  
377 INFO:ocpp:CP_TEST: send [3,"35aa44cc-d0a7-4745-922a-27507a35baf2",{}]  
378 INFO:ocpp:CP_TEST: receive message [2,"b8018fd6-0b41-4784-811a-476d2ddc8f48","RemoteStopTransaction",{"transactionId":123}]  
379 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123  
380 INFO:ocpp:CP_TEST: send [3,"b8018fd6-0b41-4784-811a-476d2ddc8f48",{"status":"Accepted"}]  
381 INFO:ocpp:CP_TEST: receive message [3,"35aa44cc-d0a7-4745-922a-27507a35baf2",{}]  
382 INFO:ocpp:CP_TEST: receive message [3,"b8018fd6-0b41-4784-811a-476d2ddc8f48",{"status":"Accepted"}]  
383 INFO:ocpp:CP_TEST: send [2,"bf5758ef-248e-4da0-8caa-dfa87652f57b","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:39.959543","transactionId":123,"reason":"Remote"}]  
384 INFO:ocpp:CP_TEST: receive message [2,"bf5758ef-248e-4da0-8caa-dfa87652f57b","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:39.959543","transactionId":123,"reason":"Remote"}]  
385 INFO:MockSystemTest:3.16 RemoteStopTransaction: Accepted  
386 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:39.959543', 'transaction_id': 123, 'reason': 'Remote'}  
387 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
388 INFO:ocpp:CP_TEST: send [3,"bf5758ef-248e-4da0-8caa-dfa87652f57b",{"idTagInfo":{"status":"Accepted"}}]  
389 INFO:ocpp:CP_TEST: receive message [3,"bf5758ef-248e-4da0-8caa-dfa87652f57b",{"idTagInfo":{"status":"Accepted"}}]  
390 INFO:ocpp_16_interface:Transaction stopped on 1: 123  
391 INFO:MockSystemTest:HARDWARE: Charger stopped.
```

```
392 WARNING:ocpp_16_interface:No transaction to stop for connector 1.
393 INFO:MockSystemTest:3.17 StopTransaction: Triggered by RemoteStop
394 INFO:ocpp:CP_TEST: send [2,"0af3ee8a-1379-41f5-9a23-8eb0bbd1fccf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
395 INFO:ocpp:CP_TEST: receive message [2,"0af3ee8a-1379-41f5-9a23-8eb0bbd1fccf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
396 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
397 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
398 INFO:ocpp:CP_TEST: send [3,"0af3ee8a-1379-41f5-9a23-8eb0bbd1fccf",{}]
399 INFO:ocpp:CP_TEST: receive message [3,"0af3ee8a-1379-41f5-9a23-8eb0bbd1fccf",{}]
400 INFO:MockSystemTest:3.18 Status: Finishing
401 INFO:ocpp:CP_TEST: send [2,"42e4f71c-a2d9-49f7-88f2-4ae4f0b09464","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
402 INFO:ocpp:CP_TEST: receive message [2,"42e4f71c-a2d9-49f7-88f2-4ae4f0b09464","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
403 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
404 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
405 INFO:ocpp:CP_TEST: send [3,"42e4f71c-a2d9-49f7-88f2-4ae4f0b09464",{}]
406 INFO:ocpp:CP_TEST: receive message [3,"42e4f71c-a2d9-49f7-88f2-4ae4f0b09464",{}]
407 INFO:MockSystemTest:3.19 Status: Available
408 INFO:MockSystemTest:
409 --- 4. Reset Verification (Full Sequence) ---
410 INFO:ocpp:CP_TEST: send [2,"07036e16-c9bb-4db4-85b2-171c9e4722e0","Reset",{"type":"Hard"}]
411 INFO:ocpp:CP_TEST: receive message [2,"07036e16-c9bb-4db4-85b2-171c9e4722e0","Reset",{"type":"Hard"}]
412 INFO:ocpp_16_interface:Received Reset type: Hard
413 INFO:ocpp:CP_TEST: send [3,"07036e16-c9bb-4db4-85b2-171c9e4722e0",{"status":"Accepted"}]
414 INFO:ocpp:CP_TEST: receive message [3,"07036e16-c9bb-4db4-85b2-171c9e4722e0",{"status":"Accepted"}]
415 INFO:MockSystemTest:4.1 Reset (Hard): Accepted
416 INFO:MockSystemTest:4.2 Waiting for BootNotification...
417 INFO:ocpp:CP_TEST: send [2,"97cd44e4-dbe5-4dc4-8e1e-b7e93a285b5a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:41.961778","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]
418 INFO:ocpp:CP_TEST: receive message [2,"97cd44e4-dbe5-4dc4-8e1e-b7e93a285b5a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:41.961778","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],{"transactionId":123}]
419 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T08:19:41.961778', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
420 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
421 INFO:ocpp:CP_TEST: send [3,"97cd44e4-dbe5-4dc4-8e1e-b7e93a285b5a",{}]
422 INFO:ocpp:CP_TEST: receive message [3,"97cd44e4-dbe5-4dc4-8e1e-b7e93a285b5a",{}]
423 INFO:ocpp:CP_TEST: send [2,"7412b211-3921-477d-a5a0-a4f046cebd30","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
424 INFO:ocpp:CP_TEST: receive message [2,"7412b211-3921-477d-a5a0-a4f046cebd30","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
425 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
426 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:42.969527', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
427 INFO:ocpp:CP_TEST: send [3,"7412b211-3921-477d-a5a0-a4f046cebd30",{"currentTime":"2026-01-06T08:19:42.969527","interval":10,"status":"Accepted"}]
428 INFO:ocpp:CP_TEST: receive message [3,"7412b211-3921-477d-a5a0-a4f046cebd30",{"currentTime":"2026-01-06T08:19:42.969527","interval":10,"status":"Accepted"}]
429 INFO:ocpp_16_interface:Connected to central system.
430 INFO:MockSystemTest:HARDWARE: Charger started.
431 INFO:MockSystemTest:4.2 BootNotification: Sent
432 INFO:ocpp:CP_TEST: send [2,"d4f7e0fa-2fdd-487d-8670-33f3cac49c69","Heartbeat",{}]
433 INFO:ocpp:CP_TEST: receive message [2,"d4f7e0fa-2fdd-487d-8670-33f3cac49c69","Heartbeat",{}]
434 INFO:MockSystemTest:[CSMS] <- Heartbeat: {}
435 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:60: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    current_time=datetime.utcnow().isoformat()
436 INFO:MockSystemTest:[CSMS] -> HeartbeatConf: Heartbeat(current_time='2026-01-06T08:19:42.972884')
437 INFO:ocpp:CP_TEST: send [3,"d4f7e0fa-2fdd-487d-8670-33f3cac49c69",{"currentTime":"2026-01-06T08:19:42.972884"}]
438 INFO:ocpp:CP_TEST: receive message [3,"d4f7e0fa-2fdd-487d-8670-33f3cac49c69",{"currentTime":"2026-01-06T08:19:42.972884"}]
439 INFO:MockSystemTest:4.3 Heartbeat: Sent
440 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:449: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    await cp.call(call.MeterValues(connector_id=0, meter_value=[{"timestamp": datetime.utcnow().isoformat(), "sampledValue": [{"value": "0"}]}]))
441 INFO:ocpp:CP_TEST: send [2,"5da0514f-a53e-420f-90b9-840549b77ed6","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T08:19:42.974248","sampledValue":[{"value":"0"}]}]]]
```

```
444 INFO:ocpp:CP_TEST: receive message [2,"5da0514f-a53e-420f-90b9-840549b77ed6","MeterValues",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T08:19:42.974248","sampledValue":[{"value":0}]}]]
445 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 0, 'meter_value': [{'timestamp': '2026-01-06T08:19:42.974248', 'sampled_value': [{'value': '0'}]}]}
446 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
447 INFO:ocpp:CP_TEST: send [3,"5da0514f-a53e-420f-90b9-840549b77ed6",{}]
448 INFO:ocpp:CP_TEST: receive message [3,"5da0514f-a53e-420f-90b9-840549b77ed6",{}]
449 INFO:MockSystemTest:4.4 MeterValues: Sent
450 INFO:ocpp:CP_TEST: send [2,"0d7f85c3-f39c-4070-887d-15c72524a4be","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
451 INFO:ocpp:CP_TEST: receive message [2,"0d7f85c3-f39c-4070-887d-15c72524a4be","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
452 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
453 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
454 INFO:ocpp:CP_TEST: send [3,"0d7f85c3-f39c-4070-887d-15c72524a4be",{}]
455 INFO:ocpp:CP_TEST: receive message [3,"0d7f85c3-f39c-4070-887d-15c72524a4be",{}]
456 INFO:MockSystemTest:4.5 StatusNotification: Available
457 INFO:ocpp:CP_TEST: send [2,"f763a341-ddf6-4ad7-b671-3fa26d9a7497","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
458 INFO:ocpp:CP_TEST: receive message [2,"f763a341-ddf6-4ad7-b671-3fa26d9a7497","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
459 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
460 INFO:ocpp:CP_TEST: send [3,"f763a341-ddf6-4ad7-b671-3fa26d9a7497",{"status":"Accepted"}]
461 INFO:ocpp:CP_TEST: receive message [3,"f763a341-ddf6-4ad7-b671-3fa26d9a7497",{"status":"Accepted"}]
462 INFO:MockSystemTest:4.6 ChangeConfiguration (Heartbeat): Accepted
463 INFO:ocpp:CP_TEST: send [2,"c6f99c40-55cb-49fa-8ce2-891142e3d4bd","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
464 INFO:ocpp:CP_TEST: receive message [2,"c6f99c40-55cb-49fa-8ce2-891142e3d4bd","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
465 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60
466 INFO:ocpp:CP_TEST: send [3,"c6f99c40-55cb-49fa-8ce2-891142e3d4bd",{"status":"Accepted"}]
467 INFO:ocpp:CP_TEST: receive message [3,"c6f99c40-55cb-49fa-8ce2-891142e3d4bd",{"status":"Accepted"}]
468 INFO:MockSystemTest:4.7 ChangeConfiguration (MeterValue): Accepted
469 INFO:ocpp:CP_TEST: send [2,"fdb244f9-d1c1-4329-bda0-2f7c503527ba","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
470 INFO:ocpp:CP_TEST: receive message [2,"fdb244f9-d1c1-4329-bda0-2f7c503527ba","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
471 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
472 INFO:ocpp:CP_TEST: send [3,"fdb244f9-d1c1-4329-bda0-2f7c503527ba",{"status":"Accepted"}]
473 INFO:ocpp:CP_TEST: receive message [3,"fdb244f9-d1c1-4329-bda0-2f7c503527ba",{"status":"Accepted"}]
474 INFO:MockSystemTest:4.8 ChangeConfiguration (LocalAuth): Accepted
475 INFO:ocpp:CP_TEST: send [2,"b55f2281-2037-4df3-9004-b1cf4845e03f","Reset",{"type":"Soft"}]
476 INFO:ocpp:CP_TEST: receive message [2,"b55f2281-2037-4df3-9004-b1cf4845e03f","Reset",{"type":"Soft"}]
477 INFO:ocpp_16_interface:Received Reset type: Soft
478 INFO:ocpp:CP_TEST: send [3,"b55f2281-2037-4df3-9004-b1cf4845e03f",{"status":"Accepted"}]
479 INFO:ocpp:CP_TEST: receive message [3,"b55f2281-2037-4df3-9004-b1cf4845e03f",{"status":"Accepted"}]
480 INFO:MockSystemTest:4.9 Reset (Soft): Accepted
481 INFO:ocpp:CP_TEST: send [2,"d5175ccb-68fe-4b1d-833b-8c636bae4a6a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:43.965808","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
482 INFO:ocpp:CP_TEST: receive message [2,"d5175ccb-68fe-4b1d-833b-8c636bae4a6a","MeterValues",{"connectorId":1,"meterValue":[{"timestamp":"2026-01-06T08:19:43.965808","sampledValue":[{"value":"230.0","context":"Sample.Periodic","format":"Raw","measurand":"Voltage","unit":"V"},{"value":"16.0","context":"Sample.Periodic","format":"Raw","measurand":"Current.Import","unit":"A"},{"value":"3680.0","context":"Sample.Periodic","format":"Raw","measurand":"Power.Active.Import","unit":"W"}]}],"transactionId":123}]
483 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 1, 'meter_value': [{'timestamp': '2026-01-06T08:19:43.965808', 'sampled_value': [{'value': '230.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Voltage', 'unit': 'V'}, {'value': '16.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Current.Import', 'unit': 'A'}, {'value': '3680.0', 'context': 'Sample.Periodic', 'format': 'Raw', 'measurand': 'Power.Active.Import', 'unit': 'W'}]}], 'transaction_id': 123}
484 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
485 INFO:ocpp:CP_TEST: send [3,"d5175ccb-68fe-4b1d-833b-8c636bae4a6a",{}]
486 INFO:ocpp:CP_TEST: receive message [3,"d5175ccb-68fe-4b1d-833b-8c636bae4a6a",{}]
487 INFO:ocpp:CP_TEST: send [2,"f06977a6-babd-4769-8012-ddb87cc6d431","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
488 INFO:ocpp:CP_TEST: receive message [2,"f06977a6-babd-4769-8012-ddb87cc6d431","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
489 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
490 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:43.983938', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
491 INFO:ocpp:CP_TEST: send [3,"f06977a6-babd-4769-8012-ddb87cc6d431",{"currentTime":"2026-01-06T08:19:43.983938","interval":10,"status":"Accepted"}]
492 INFO:ocpp:CP_TEST: receive message [3,"f06977a6-babd-4769-8012-ddb87cc6d431",{"currentTime":"2026-01-06T08:19:43.983938","interval":10,"status":"Accepted"}]
493 INFO:ocpp_16_interface:Connected to central system.
494 INFO:MockSystemTest:HARDWARE: Charger started.
495 INFO:MockSystemTest:4.10 BootNotification: Sent
496 INFO:ocpp:CP_TEST: send [2,"4ffd9940-c6f6-42a8-a631-87b4b194e3a2","Heartbeat",{}]
497 INFO:ocpp:CP_TEST: receive message [2,"4ffd9940-c6f6-42a8-a631-87b4b194e3a2","Heartbeat",{}]
```



```
498 INFO:MockSystemTest:[CSMS] <- Heartbeat: {}
499 INFO:MockSystemTest:[CSMS] -> HeartbeatConf: Heartbeat(current_time='2026-01-06T08:19:43.984846')
500 INFO:ocpp:CP_TEST: send [3,"4ffd9940-c6f6-42a8-a631-87b4b194e3a2",{"currentTime":"2026-01-06T08:19:43.984846"}]
501 INFO:ocpp:CP_TEST: receive message [3,"4ffd9940-c6f6-42a8-a631-87b4b194e3a2",{"currentTime":"2026-01-06T08:19:43.984846"}]
502 INFO:MockSystemTest:4.11 Heartbeat: Sent
503 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:482: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to
    represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    await cp.call(call.MeterValues(connector_id=0, meter_value=[{"timestamp": datetime.datetime.utcnow().isoformat(), "sampledValue": [{"value": "0"}]}]))
504 await cp.call(call.MeterValues(connector_id=0, meter_value=[{"timestamp": datetime.datetime.utcnow().isoformat(), "sampledValue": [{"value": "0"}]}]))
505 INFO:ocpp:CP_TEST: send [2,"bfeeb267-035c-42d3-8349-9e5183a6c1d7",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T08:19:43.985335","sampledValue":[{"value":"0"}]}]]
506 INFO:ocpp:CP_TEST: receive message [2,"bfeeb267-035c-42d3-8349-9e5183a6c1d7",{"connectorId":0,"meterValue":[{"timestamp":"2026-01-06T08:19:43.985335","sampledValue":[{"value":"0"}]}]]
507 INFO:MockSystemTest:[CSMS] <- MeterValues: {'connector_id': 0, 'meter_value': [{"timestamp": '2026-01-06T08:19:43.985335', 'sampled_value': [{'value': '0'}]}]}
508 INFO:MockSystemTest:[CSMS] -> MeterValuesConf: {}
509 INFO:ocpp:CP_TEST: send [3,"bfeeb267-035c-42d3-8349-9e5183a6c1d7",{}]
510 INFO:ocpp:CP_TEST: receive message [3,"bfeeb267-035c-42d3-8349-9e5183a6c1d7",{}]
511 INFO:MockSystemTest:4.12 MeterValues: Sent
512 INFO:ocpp:CP_TEST: send [2,"3d07e5d6-bf23-4731-bd89-0addf3de8040","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
513 INFO:ocpp:CP_TEST: receive message [2,"3d07e5d6-bf23-4731-bd89-0addf3de8040","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
514 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
515 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
516 INFO:ocpp:CP_TEST: send [3,"3d07e5d6-bf23-4731-bd89-0addf3de8040",{}]
517 INFO:ocpp:CP_TEST: receive message [3,"3d07e5d6-bf23-4731-bd89-0addf3de8040",{}]
518 INFO:MockSystemTest:4.13 StatusNotification: Available
519 INFO:ocpp:CP_TEST: send [2,"41bf88bb-4548-4cee-b9ad-c0f7223c5daf","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
520 INFO:ocpp:CP_TEST: receive message [2,"41bf88bb-4548-4cee-b9ad-c0f7223c5daf","ChangeConfiguration",{"key":"HeartbeatInterval","value":"600"}]
521 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 600
522 INFO:ocpp:CP_TEST: send [3,"41bf88bb-4548-4cee-b9ad-c0f7223c5daf",{"status":"Accepted"}]
523 INFO:ocpp:CP_TEST: receive message [3,"41bf88bb-4548-4cee-b9ad-c0f7223c5daf",{"status":"Accepted"}]
524 INFO:MockSystemTest:4.14 ChangeConfiguration (Heartbeat): Accepted
525 INFO:ocpp:CP_TEST: send [2,"e2c688e9-99c6-4a42-9652-817f36c12a44","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
526 INFO:ocpp:CP_TEST: receive message [2,"e2c688e9-99c6-4a42-9652-817f36c12a44","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]
527 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60
528 INFO:ocpp:CP_TEST: send [3,"e2c688e9-99c6-4a42-9652-817f36c12a44",{"status":"Accepted"}]
529 INFO:ocpp:CP_TEST: receive message [3,"e2c688e9-99c6-4a42-9652-817f36c12a44",{"status":"Accepted"}]
530 INFO:MockSystemTest:4.15 ChangeConfiguration (MeterValue): Accepted
531 INFO:ocpp:CP_TEST: send [2,"8ff4beda-1e74-42ce-b197-29525a70ba66","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
532 INFO:ocpp:CP_TEST: receive message [2,"8ff4beda-1e74-42ce-b197-29525a70ba66","ChangeConfiguration",{"key":"LocalAuthorizeOffline","value":"True"}]
533 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
534 INFO:ocpp:CP_TEST: send [3,"8ff4beda-1e74-42ce-b197-29525a70ba66",{"status":"Accepted"}]
535 INFO:ocpp:CP_TEST: receive message [3,"8ff4beda-1e74-42ce-b197-29525a70ba66",{"status":"Accepted"}]
536 INFO:MockSystemTest:4.16 ChangeConfiguration (LocalAuth): Accepted
537 INFO:ocpp:CP_TEST: send [2,"fe6a71f1-d18b-4e95-ab6d-7c6359d660f1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
538 INFO:ocpp:CP_TEST: receive message [2,"fe6a71f1-d18b-4e95-ab6d-7c6359d660f1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
539 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
540 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
541 INFO:ocpp:CP_TEST: send [3,"fe6a71f1-d18b-4e95-ab6d-7c6359d660f1",{}]
542 INFO:ocpp:CP_TEST: receive message [3,"fe6a71f1-d18b-4e95-ab6d-7c6359d660f1",{}]
543 INFO:MockSystemTest:4.17 StatusNotification: Available
544 INFO:ocpp:CP_TEST: send [2,"0c4ce3ce-f500-4ea4-9f08-c9fea86d7559","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
545 INFO:ocpp:CP_TEST: receive message [2,"0c4ce3ce-f500-4ea4-9f08-c9fea86d7559","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
546 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
547 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
548 INFO:ocpp:CP_TEST: send [3,"0c4ce3ce-f500-4ea4-9f08-c9fea86d7559",{}]
549 INFO:ocpp:CP_TEST: receive message [3,"0c4ce3ce-f500-4ea4-9f08-c9fea86d7559",{}]
550 INFO:ocpp:CP_TEST: send [2,"fc3ec69e-0aff-4b03-801d-3955ef5a0d09","StartTransaction",{"connectorId":1,"idTag":"RESET_TEST_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:43.990792"}]
551 INFO:ocpp:CP_TEST: receive message [2,"fc3ec69e-0aff-4b03-801d-3955ef5a0d09","StartTransaction",{"connectorId":1,"idTag":"RESET_TEST_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:43.990792"}]
552 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RESET_TEST_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:43.990792'}
553 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': 'Accepted'})
554 INFO:ocpp:CP_TEST: send [3,"fc3ec69e-0aff-4b03-801d-3955ef5a0d09",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
555 INFO:ocpp:CP_TEST: receive message [3,"fc3ec69e-0aff-4b03-801d-3955ef5a0d09",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
556 INFO:ocpp_16_interface:Transaction started on 1: 123
```

```
557 INFO:MockSystemTest:HARDWARE: Charger started.
558 INFO:MockSystemTest:4.18 StartTransaction: Sent
559 INFO:ocpp:CP_TEST: send [2,"4fa8a92e-b4f0-4654-a381-e003aa234a96","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
560 INFO:ocpp:CP_TEST: receive message [2,"4fa8a92e-b4f0-4654-a381-e003aa234a96","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
561 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
562 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
563 INFO:ocpp:CP_TEST: send [3,"4fa8a92e-b4f0-4654-a381-e003aa234a96",{}]
564 INFO:ocpp:CP_TEST: receive message [3,"4fa8a92e-b4f0-4654-a381-e003aa234a96",{}]
565 INFO:ocpp:CP_TEST: send [2,"eb1f6511-05d9-4bd3-8e60-3691129530e9","Reset",{"type":"Hard"}]
566 INFO:ocpp:CP_TEST: receive message [2,"eb1f6511-05d9-4bd3-8e60-3691129530e9","Reset",{"type":"Hard"}]
567 INFO:ocpp_16_interface:Received Reset type: Hard
568 INFO:ocpp:CP_TEST: send [3,"eb1f6511-05d9-4bd3-8e60-3691129530e9",{"status":"Accepted"}]
569 INFO:ocpp:CP_TEST: receive message [3,"eb1f6511-05d9-4bd3-8e60-3691129530e9",{"status":"Accepted"}]
570 INFO:MockSystemTest:4.19 Reset (Hard): Accepted
571 INFO:ocpp:CP_TEST: send [2,"3af6ac96-7801-4df7-85fe-fdb9dca7ec95","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:43.993072","transactionId":123,"reason":"HardReset"}]
572 INFO:ocpp:CP_TEST: receive message [2,"3af6ac96-7801-4df7-85fe-fdb9dca7ec95","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:43.993072","transactionId":123,"reason":"HardReset"}]
573 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:43.993072', 'transaction_id': 123, 'reason': 'HardReset'}
574 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
575 INFO:ocpp:CP_TEST: send [3,"3af6ac96-7801-4df7-85fe-fdb9dca7ec95",{"idTagInfo":{"status":"Accepted"}}]
576 INFO:ocpp:CP_TEST: receive message [3,"3af6ac96-7801-4df7-85fe-fdb9dca7ec95",{"idTagInfo":{"status":"Accepted"}}]
577 INFO:ocpp_16_interface:Transaction stopped on 1: 123
578 INFO:MockSystemTest:HARDWARE: Charger stopped.
579 INFO:MockSystemTest:4.20 StopTransaction: Sent
580 INFO:ocpp:CP_TEST: send [2,"d6bb03e8-48fd-49a6-998b-f1f23914299e","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
581 INFO:ocpp:CP_TEST: receive message [2,"d6bb03e8-48fd-49a6-998b-f1f23914299e","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
582 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
583 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:44.997355', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
584 INFO:ocpp:CP_TEST: send [3,"d6bb03e8-48fd-49a6-998b-f1f23914299e",{"currentTime":"2026-01-06T08:19:44.997355","interval":10,"status":"Accepted"}]
585 INFO:ocpp:CP_TEST: receive message [3,"d6bb03e8-48fd-49a6-998b-f1f23914299e",{"currentTime":"2026-01-06T08:19:44.997355","interval":10,"status":"Accepted"}]
586 INFO:ocpp_16_interface:Connected to central system.
587 INFO:MockSystemTest:HARDWARE: Charger started.
588 INFO:MockSystemTest:4.21 BootNotification: Sent
589 INFO:ocpp:CP_TEST: send [2,"a58d43f4-71a9-43d2-928f-1cdd378b5792","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
590 INFO:ocpp:CP_TEST: receive message [2,"a58d43f4-71a9-43d2-928f-1cdd378b5792","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
591 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
592 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
593 INFO:ocpp:CP_TEST: send [3,"a58d43f4-71a9-43d2-928f-1cdd378b5792",{}]
594 INFO:ocpp:CP_TEST: receive message [3,"a58d43f4-71a9-43d2-928f-1cdd378b5792",{}]
595 INFO:MockSystemTest:4.21 StatusNotification (Unplug): Available
596 INFO:ocpp:CP_TEST: send [2,"c266910f-97a8-48bc-b34e-67f9f5aad790","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
597 INFO:ocpp:CP_TEST: receive message [2,"c266910f-97a8-48bc-b34e-67f9f5aad790","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
598 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
599 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:19:45.001085', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
600 INFO:ocpp:CP_TEST: send [3,"c266910f-97a8-48bc-b34e-67f9f5aad790",{"currentTime":"2026-01-06T08:19:45.001085","interval":10,"status":"Accepted"}]
601 INFO:ocpp:CP_TEST: receive message [3,"c266910f-97a8-48bc-b34e-67f9f5aad790",{"currentTime":"2026-01-06T08:19:45.001085","interval":10,"status":"Accepted"}]
602 INFO:ocpp_16_interface:Connected to central system.
603 INFO:MockSystemTest:HARDWARE: Charger started.
604 INFO:MockSystemTest:
605 --- 5. Reservation Verification (Full Sequence) ---
606 INFO:ocpp:CP_TEST: send [2,"c9a92fdf-5d75-4db9-804e-e25521a45e27","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
607 INFO:ocpp:CP_TEST: receive message [2,"c9a92fdf-5d75-4db9-804e-e25521a45e27","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
608 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
609 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
610 INFO:ocpp:CP_TEST: send [3,"c9a92fdf-5d75-4db9-804e-e25521a45e27",{}]
611 INFO:ocpp:CP_TEST: receive message [3,"c9a92fdf-5d75-4db9-804e-e25521a45e27",{}]
612 INFO:MockSystemTest:5.1 Status: Available
613 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:540: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to
    represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
    expiry = (datetime.utcnow().replace(microsecond=0).timestamp() + 3600)
```

```
615 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:543: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects
    to represent datetimes in UTC: datetime.datetime.fromtimestamp(timestamp, datetime.UTC).
616     expiry_date=datetime.datetime.utcnow().isoformat(),
617 INFO:ocpp:CP_TEST: send [2,"6c9f0a76-4928-4ecb-8157-d75faecf0d8b","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T02:19:45","idTag":"RES_TAG","reservationId":1}]
618 INFO:ocpp:CP_TEST: receive message [2,"6c9f0a76-4928-4ecb-8157-d75faecf0d8b","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T02:19:45","idTag":"RES_TAG","reservationId":1}]
619 INFO:MockSystemTest:16_interface:Received ReserveNow for RES_TAG
620 INFO:ocpp:CP_TEST: send [3,"6c9f0a76-4928-4ecb-8157-d75faecf0d8b",{"status":"Accepted"}]
621 INFO:ocpp:CP_TEST: receive message [3,"6c9f0a76-4928-4ecb-8157-d75faecf0d8b",{"status":"Accepted"}]
622 INFO:MockSystemTest:5.2 ReserveNow: Accepted
623 INFO:ocpp:CP_TEST: send [2,"a34122cb-12ce-40d0-83ce-3ca0b66e1835","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
624 INFO:ocpp:CP_TEST: receive message [2,"a34122cb-12ce-40d0-83ce-3ca0b66e1835","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
625 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Reserved'}
626 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
627 INFO:ocpp:CP_TEST: send [3,"a34122cb-12ce-40d0-83ce-3ca0b66e1835",{}]
628 INFO:ocpp:CP_TEST: receive message [3,"a34122cb-12ce-40d0-83ce-3ca0b66e1835",{}]
629 INFO:MockSystemTest:5.3 Status: Reserved
630 INFO:ocpp:CP_TEST: send [2,"bab3ec2d-ea71-4c04-b985-683a36cc51b4","CancelReservation",{"reservationId":1}]
631 INFO:ocpp:CP_TEST: receive message [2,"bab3ec2d-ea71-4c04-b985-683a36cc51b4","CancelReservation",{"reservationId":1}]
632 INFO:ocpp:16_interface:Received CancelReservation for 1
633 INFO:ocpp:CP_TEST: send [3,"bab3ec2d-ea71-4c04-b985-683a36cc51b4",{"status":"Accepted"}]
634 INFO:ocpp:CP_TEST: receive message [3,"bab3ec2d-ea71-4c04-b985-683a36cc51b4",{"status":"Accepted"}]
635 INFO:MockSystemTest:5.4 CancelReservation: Accepted
636 INFO:ocpp:CP_TEST: send [2,"6930674b-be8a-40e4-b1b9-5c44c30a8c1d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
637 INFO:ocpp:CP_TEST: receive message [2,"6930674b-be8a-40e4-b1b9-5c44c30a8c1d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
638 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
639 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
640 INFO:ocpp:CP_TEST: send [3,"6930674b-be8a-40e4-b1b9-5c44c30a8c1d",{}]
641 INFO:ocpp:CP_TEST: receive message [3,"6930674b-be8a-40e4-b1b9-5c44c30a8c1d",{}]
642 INFO:MockSystemTest:5.5 Status: Available
643 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:562: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects to
    represent datetimes in UTC: datetime.datetime.now(datetime.UTC).
644     expiry_short = (datetime.utcnow().replace(microsecond=0).timestamp() + 2) # 2 seconds
645 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:565: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects
    to represent datetimes in UTC: datetime.datetime.fromtimestamp(timestamp, datetime.UTC).
646     expiry_date=datetime.datetime.utcnow().isoformat(),
647 INFO:ocpp:CP_TEST: send [2,"d69a20ca-085d-47ff-bceb-917eee1e8229","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T01:19:47","idTag":"RES_TAG_EXP","reservationId":2}]
648 INFO:ocpp:CP_TEST: receive message [2,"d69a20ca-085d-47ff-bceb-917eee1e8229","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T01:19:47","idTag":"RES_TAG_EXP","reservationId":2}]
649 INFO:ocpp:16_interface:Received ReserveNow for RES_TAG_EXP
650 INFO:ocpp:CP_TEST: send [3,"d69a20ca-085d-47ff-bceb-917eee1e8229",{"status":"Accepted"}]
651 INFO:ocpp:CP_TEST: receive message [3,"d69a20ca-085d-47ff-bceb-917eee1e8229",{"status":"Accepted"}]
652 INFO:MockSystemTest:5.6 ReserveNow (Short): Accepted
653 INFO:ocpp:CP_TEST: send [2,"07bab99e-ed57-413f-a7fa-bcddcde4d722","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
654 INFO:ocpp:CP_TEST: receive message [2,"07bab99e-ed57-413f-a7fa-bcddcde4d722","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Reserved"}]
655 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Reserved'}
656 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
657 INFO:ocpp:CP_TEST: send [3,"07bab99e-ed57-413f-a7fa-bcddcde4d722",{}]
658 INFO:ocpp:CP_TEST: receive message [3,"07bab99e-ed57-413f-a7fa-bcddcde4d722",{}]
659 INFO:MockSystemTest:5.7 Status: Reserved
660 INFO:MockSystemTest:5.8 Waiting for reservation expiry...
661 INFO:ocpp:CP_TEST: send [2,"9b7994a4-d42c-4478-a354-c8ec53b09344","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
662 INFO:ocpp:CP_TEST: receive message [2,"9b7994a4-d42c-4478-a354-c8ec53b09344","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
663 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
664 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
665 INFO:ocpp:CP_TEST: send [3,"9b7994a4-d42c-4478-a354-c8ec53b09344",{}]
666 INFO:ocpp:CP_TEST: receive message [3,"9b7994a4-d42c-4478-a354-c8ec53b09344",{}]
667 INFO:MockSystemTest:5.9 Status: Available (Auto Revert)
668 /Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py:586: DeprecationWarning: datetime.datetime.utcnow() is deprecated and scheduled for removal in a future version. Use timezone-aware objects
    to represent datetimes in UTC: datetime.datetime.fromtimestamp(timestamp, datetime.UTC).
669     expiry_date=datetime.datetime.utcnow().isoformat(),
670 INFO:ocpp:CP_TEST: send [2,"f5a084df-f9b1-4134-9f6c-075db32676c8","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T02:19:45","idTag":"RES_TAG_TX","reservationId":3}]
```

```
671 INFO:ocpp:CP_TEST: receive message [2,"f5a084df-f9b1-4134-9f6c-075db32676c8","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T02:19:45","idTag":"RES_TAG_TX","reservationId":3}]
672 INFO:ocpp:CP_TEST: receive message [2,"f5a084df-f9b1-4134-9f6c-075db32676c8","ReserveNow",{"connectorId":1,"expiryDate":"2026-01-06T02:19:45","idTag":"RES_TAG_TX","reservationId":3}]
673 INFO:ocpp:CP_TEST: send [3,"f5a084df-f9b1-4134-9f6c-075db32676c8",{"status":"Accepted"}]
674 INFO:ocpp:CP_TEST: receive message [3,"f5a084df-f9b1-4134-9f6c-075db32676c8",{"status":"Accepted"}]
675 INFO:MockSystemTest:5.10 ReserveNow: Accepted
676 INFO:ocpp:CP_TEST: send [2,"832f7f1a-1557-46d2-a0dd-cff119d92ded","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
677 INFO:ocpp:CP_TEST: receive message [2,"832f7f1a-1557-46d2-a0dd-cff119d92ded","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
678 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
679 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
680 INFO:ocpp:CP_TEST: send [3,"832f7f1a-1557-46d2-a0dd-cff119d92ded",{}]
681 INFO:ocpp:CP_TEST: receive message [3,"832f7f1a-1557-46d2-a0dd-cff119d92ded",{}]
682 INFO:MockSystemTest:5.11 Status (Plug): Preparing
683 INFO:ocpp:CP_TEST: send [2,"b7dbb4ce-6e9d-4ea5-9da1-818321a3ce77","RemoteStartTransaction",{"idTag":"RES_TAG_TX"}]
684 INFO:ocpp:CP_TEST: receive message [2,"b7dbb4ce-6e9d-4ea5-9da1-818321a3ce77","RemoteStartTransaction",{"idTag":"RES_TAG_TX"}]
685 INFO:ocpp:CP_TEST: receive message [3,"b7dbb4ce-6e9d-4ea5-9da1-818321a3ce77",{"status":"Accepted"}]
686 INFO:ocpp:CP_TEST: send [3,"b7dbb4ce-6e9d-4ea5-9da1-818321a3ce77",{"status":"Accepted"}]
687 INFO:ocpp:CP_TEST: send [2,"31570fbc-9adb-4e3c-a5fe-cfa405153c3d","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.026751"}]
688 INFO:ocpp:CP_TEST: receive message [3,"b7dbb4ce-6e9d-4ea5-9da1-818321a3ce77",{"status":"Accepted"}]
689 INFO:ocpp:CP_TEST: receive message [2,"31570fbc-9adb-4e3c-a5fe-cfa405153c3d","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.026751"}]
690 INFO:MockSystemTest:5.12 RemoteStartTransaction: Accepted
691 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RES_TAG_TX', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:48.026751'}
692 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
693 INFO:ocpp:CP_TEST: send [3,"31570fbc-9adb-4e3c-a5fe-cfa405153c3d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
694 INFO:ocpp:CP_TEST: receive message [3,"31570fbc-9adb-4e3c-a5fe-cfa405153c3d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
695 INFO:ocpp:CP_TEST: send [2,"dca65796-98a4-462d-ba1c-1f54e20af745","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.027987"}]
696 INFO:ocpp:CP_TEST: receive message [2,"dca65796-98a4-462d-ba1c-1f54e20af745","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.027987"}]
697 INFO:MockSystemTest:HARDWARE: Charger started.
698 INFO:ocpp:CP_TEST: receive message [2,"dca65796-98a4-462d-ba1c-1f54e20af745","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.027987"}]
699 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'RES_TAG_TX', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:48.027987'}
700 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
701 INFO:ocpp:CP_TEST: send [3,"dca65796-98a4-462d-ba1c-1f54e20af745",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
702 INFO:ocpp:CP_TEST: receive message [3,"dca65796-98a4-462d-ba1c-1f54e20af745",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
703 INFO:ocpp:CP_TEST: receive message [2,"dca65796-98a4-462d-ba1c-1f54e20af745","StartTransaction",{"connectorId":1,"idTag":"RES_TAG_TX","meterStart":0,"timestamp":"2026-01-06T08:19:48.027987"}]
704 INFO:MockSystemTest:HARDWARE: Charger started.
705 INFO:MockSystemTest:5.13 StartTransaction: Sent
706 INFO:ocpp:CP_TEST: send [2,"a2b1efea-1b0a-411c-9f2d-d2ee173a4cc1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
707 INFO:ocpp:CP_TEST: receive message [2,"a2b1efea-1b0a-411c-9f2d-d2ee173a4cc1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
708 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
709 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
710 INFO:ocpp:CP_TEST: send [3,"a2b1efea-1b0a-411c-9f2d-d2ee173a4cc1",{}]
711 INFO:ocpp:CP_TEST: receive message [3,"a2b1efea-1b0a-411c-9f2d-d2ee173a4cc1",{}]
712 INFO:MockSystemTest:5.14 Status: Charging
713 INFO:MockSystemTest:5.15 MeterValues received (assumed).
714 INFO:ocpp:CP_TEST: send [2,"1575db43-9878-48a5-9208-01e203855238","RemoteStopTransaction",{"transactionId":123}]
715 INFO:ocpp:CP_TEST: receive message [2,"1575db43-9878-48a5-9208-01e203855238","RemoteStopTransaction",{"transactionId":123}]
716 INFO:ocpp:CP_TEST: receive message [3,"1575db43-9878-48a5-9208-01e203855238",{"status":"Accepted"}]
717 INFO:ocpp:CP_TEST: send [3,"1575db43-9878-48a5-9208-01e203855238",{"status":"Accepted"}]
718 INFO:ocpp:CP_TEST: receive message [3,"1575db43-9878-48a5-9208-01e203855238",{"status":"Accepted"}]
719 INFO:ocpp:CP_TEST: send [2,"3d0dd864-cb37-4426-973a-94a7bf87e938","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:50.035846","transactionId":123,"reason":"Remote"}]
720 INFO:MockSystemTest:5.16 RemoteStopTransaction: Accepted
721 INFO:ocpp:CP_TEST: receive message [2,"3d0dd864-cb37-4426-973a-94a7bf87e938","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:50.035846","transactionId":123,"reason":"Remote"}]
722 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:50.035846', 'transaction_id': 123, 'reason': 'Remote'}
723 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
724 INFO:ocpp:CP_TEST: send [3,"3d0dd864-cb37-4426-973a-94a7bf87e938",{"idTagInfo":{"status":"Accepted"}}]
725 INFO:ocpp:CP_TEST: receive message [3,"3d0dd864-cb37-4426-973a-94a7bf87e938",{"idTagInfo":{"status":"Accepted"}}]
726 INFO:ocpp:CP_TEST: receive message [2,"8110bf67-26ae-47bb-96eb-669b690c49d1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
727 INFO:MockSystemTest:HARDWARE: Charger stopped.
728 INFO:MockSystemTest:5.17 StopTransaction: Triggered by RemoteStop
729 INFO:ocpp:CP_TEST: send [2,"8110bf67-26ae-47bb-96eb-669b690c49d1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
730 INFO:ocpp:CP_TEST: receive message [2,"8110bf67-26ae-47bb-96eb-669b690c49d1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
```

```
731 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
732 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
733 INFO:ocpp:CP_TEST: send [3, "8110bf67-26ae-47bb-96eb-669b690c49d1", {}]
734 INFO:ocpp:CP_TEST: receive message [3, "8110bf67-26ae-47bb-96eb-669b690c49d1", {}]
735 INFO:MockSystemTest:5.18 StatusNotification: Finishing
736 INFO:ocpp:CP_TEST: send [2, "4d26efe5-af8d-4138-a427-9653bb7ba87f", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Available"}]
737 INFO:ocpp:CP_TEST: receive message [2, "4d26efe5-af8d-4138-a427-9653bb7ba87f", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Available"}]
738 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
739 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
740 INFO:ocpp:CP_TEST: send [3, "4d26efe5-af8d-4138-a427-9653bb7ba87f", {}]
741 INFO:ocpp:CP_TEST: receive message [3, "4d26efe5-af8d-4138-a427-9653bb7ba87f", {}]
742 INFO:MockSystemTest:5.19 StatusNotification: Available
743 INFO:MockSystemTest:
744 --- 6. Charging Profile Verification (Full Sequence) ---
745 INFO:ocpp:CP_TEST: send [2, "f779b463-a0ca-4fce-bf80-2f3d4d55f117", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Available"}]
746 INFO:ocpp:CP_TEST: receive message [2, "f779b463-a0ca-4fce-bf80-2f3d4d55f117", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Available"}]
747 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
748 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
749 INFO:ocpp:CP_TEST: send [3, "f779b463-a0ca-4fce-bf80-2f3d4d55f117", {}]
750 INFO:ocpp:CP_TEST: receive message [3, "f779b463-a0ca-4fce-bf80-2f3d4d55f117", {}]
751 INFO:MockSystemTest:6.1 StatusNotification (Unplug): Available
752 INFO:ocpp:CP_TEST: send [2, "d024e737-22ec-4245-bceb-9bf35a55f2c6", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Preparing"}]
753 INFO:ocpp:CP_TEST: receive message [2, "d024e737-22ec-4245-bceb-9bf35a55f2c6", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Preparing"}]
754 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
755 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
756 INFO:ocpp:CP_TEST: send [3, "d024e737-22ec-4245-bceb-9bf35a55f2c6", {}]
757 INFO:ocpp:CP_TEST: receive message [3, "d024e737-22ec-4245-bceb-9bf35a55f2c6", {}]
758 INFO:MockSystemTest:6.2 StatusNotification (Plug): Preparing
759 INFO:ocpp:CP_TEST: send [2, "98e877b2-8ccd-4b61-810a-96382c3f4495", "Authorize", {"idTag": "CARD_1234"}]
760 INFO:ocpp:CP_TEST: receive message [2, "98e877b2-8ccd-4b61-810a-96382c3f4495", "Authorize", {"idTag": "CARD_1234"}]
761 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'CARD_1234'}
762 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
763 INFO:ocpp:CP_TEST: send [3, "98e877b2-8ccd-4b61-810a-96382c3f4495", {"idTagInfo": {"status": "Accepted"}}]
764 INFO:ocpp:CP_TEST: receive message [3, "98e877b2-8ccd-4b61-810a-96382c3f4495", {"idTagInfo": {"status": "Accepted"}}]
765 INFO:MockSystemTest:6.3 Authorize: Accepted
766 INFO:ocpp:CP_TEST: send [2, "37571ec8-413d-49e2-8195-a2b70b3abae2", "StartTransaction", {"connectorId":1, "idTag": "CARD_1234", "meterStart":0, "timestamp": "2026-01-06T08:19:51.049158"}]
767 INFO:ocpp:CP_TEST: receive message [2, "37571ec8-413d-49e2-8195-a2b70b3abae2", "StartTransaction", {"connectorId":1, "idTag": "CARD_1234", "meterStart":0, "timestamp": "2026-01-06T08:19:51.049158"}]
768 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'CARD_1234', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:51.049158'}
769 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
770 INFO:ocpp:CP_TEST: send [3, "37571ec8-413d-49e2-8195-a2b70b3abae2", {"transactionId":123, "idTagInfo": {"status": "Accepted"}}]
771 INFO:ocpp:CP_TEST: receive message [3, "37571ec8-413d-49e2-8195-a2b70b3abae2", {"transactionId":123, "idTagInfo": {"status": "Accepted"}}]
772 INFO:ocpp_16_interface:Transaction started on 1: 123
773 INFO:MockSystemTest:HARDWARE: Charger started.
774 INFO:MockSystemTest:6.4 StartTransaction: Sent
775 INFO:ocpp:CP_TEST: send [2, "6c700732-4705-4491-af7e-4ae973735bef", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Charging"}]
776 INFO:ocpp:CP_TEST: receive message [2, "6c700732-4705-4491-af7e-4ae973735bef", "StatusNotification", {"connectorId":1, "errorCode": "NoError", "status": "Charging"}]
777 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
778 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
779 INFO:ocpp:CP_TEST: send [3, "6c700732-4705-4491-af7e-4ae973735bef", {}]
780 INFO:ocpp:CP_TEST: receive message [3, "6c700732-4705-4491-af7e-4ae973735bef", {}]
781 INFO:MockSystemTest:6.5 StatusNotification: Charging
782 INFO:MockSystemTest:6.6 Waiting for MeterValues...
783 ERROR:MockSystemTest:FAIL: 6.6 No MeterValues received.
784 INFO:ocpp:CP_TEST: send [2, "de0fc5d4-7519-439f-8b0e-b7347e18304e", "SetChargingProfile", {"connectorId":1, "csChargingProfiles": {"chargingProfileId":1, "stackLevel":1, "chargingProfilePurpose": "TxProfile", "chargingProfileKind": "Absolute", "chargingSchedule": {"chargingRateUnit": "W", "chargingSchedulePeriod": [{"startPeriod":0, "limit":5000}]}}}]
785 INFO:ocpp:CP_TEST: receive message [2, "de0fc5d4-7519-439f-8b0e-b7347e18304e", "SetChargingProfile", {"connectorId":1, "csChargingProfiles": {"chargingProfileId":1, "stackLevel":1, "chargingProfilePurpose": "TxProfile", "chargingProfileKind": "Absolute", "chargingSchedule": {"chargingRateUnit": "W", "chargingSchedulePeriod": [{"startPeriod":0, "limit":5000}]}}}]
786 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
787 INFO:ocpp:CP_TEST: send [3, "de0fc5d4-7519-439f-8b0e-b7347e18304e", {"status": "Accepted"}]
788 INFO:ocpp:CP_TEST: receive message [3, "de0fc5d4-7519-439f-8b0e-b7347e18304e", {"status": "Accepted"}]
```

```
789 INFO:MockSystemTest:6.7 SetChargingProfile: Accepted
790 INFO:MockSystemTest:6.8 MeterValues received (assumed valid).
791 INFO:ocpp:CP_TEST: send [2,"3f37eae7-f171-4584-b7d3-b1aa6ebf8538","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":1,"stackLevel":1,"chargingProfilePurpose":"TxProfile",
    chargingProfileKind:"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
792 INFO:ocpp:CP_TEST: receive message [2,"3f37eae7-f171-4584-b7d3-b1aa6ebf8538","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":1,"stackLevel":1,"chargingProfilePurpose":"TxProfile
    ","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]
793 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
794 INFO:ocpp:CP_TEST: send [3,"3f37eae7-f171-4584-b7d3-b1aa6ebf8538",{"status":"Accepted"}]
795 INFO:ocpp:CP_TEST: receive message [3,"3f37eae7-f171-4584-b7d3-b1aa6ebf8538",{"status":"Accepted"}]
796 INFO:MockSystemTest:6.9 SetChargingProfile (Update): Accepted
797 INFO:MockSystemTest:6.10 MeterValues received.
798 INFO:ocpp:CP_TEST: send [2,"8dddeb7c-eeb0-459a-9c72-52433ffd8656","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:57.069257","transactionId":123,"reason":"Local"}]
799 INFO:ocpp:CP_TEST: receive message [2,"8dddeb7c-eeb0-459a-9c72-52433ffd8656","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:19:57.069257","transactionId":123,"reason":"Local"}]
800 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:19:57.069257', 'transaction_id': 123, 'reason': 'Local'}
801 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
802 INFO:ocpp:CP_TEST: send [3,"8dddeb7c-eeb0-459a-9c72-52433ffd8656",{"idTagInfo":{"status":"Accepted"}}]
803 INFO:ocpp:CP_TEST: receive message [3,"8dddeb7c-eeb0-459a-9c72-52433ffd8656",{"idTagInfo":{"status":"Accepted"}}]
804 INFO:ocpp_16_interface:Transaction stopped on 1: 123
805 INFO:MockSystemTest:HARDWARE: Charger stopped.
806 INFO:MockSystemTest:6.11 StopTransaction: Sent
807 INFO:ocpp:CP_TEST: send [2,"3b1623e0-9ade-4e3f-8b82-219c0542adc6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
808 INFO:ocpp:CP_TEST: receive message [2,"3b1623e0-9ade-4e3f-8b82-219c0542adc6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
809 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
810 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
811 INFO:ocpp:CP_TEST: send [3,"3b1623e0-9ade-4e3f-8b82-219c0542adc6",{}]
812 INFO:ocpp:CP_TEST: receive message [3,"3b1623e0-9ade-4e3f-8b82-219c0542adc6",{}]
813 INFO:MockSystemTest:6.12 StatusNotification: Finishing
814 INFO:ocpp:CP_TEST: send [2,"c2c0aac1-b33a-442d-bacc-f4592e54cc51","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
815 INFO:ocpp:CP_TEST: receive message [2,"c2c0aac1-b33a-442d-bacc-f4592e54cc51","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
816 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
817 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
818 INFO:ocpp:CP_TEST: send [3,"c2c0aac1-b33a-442d-bacc-f4592e54cc51",{}]
819 INFO:ocpp:CP_TEST: receive message [3,"c2c0aac1-b33a-442d-bacc-f4592e54cc51",{}]
820 INFO:MockSystemTest:6.13 StatusNotification: Available
821 INFO:ocpp:CP_TEST: send [2,"b9c1bce9-388f-4ae7-b46b-57bd90dd8a69","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
822 INFO:ocpp:CP_TEST: receive message [2,"b9c1bce9-388f-4ae7-b46b-57bd90dd8a69","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
823 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
824 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
825 INFO:ocpp:CP_TEST: send [3,"b9c1bce9-388f-4ae7-b46b-57bd90dd8a69",{}]
826 INFO:ocpp:CP_TEST: receive message [3,"b9c1bce9-388f-4ae7-b46b-57bd90dd8a69",{}]
827 INFO:MockSystemTest:6.14 StatusNotification: Preparing
828 INFO:ocpp:CP_TEST: send [2,"4a283c5d-75e2-4e51-86e6-25b7ce83ba2c","RemoteStartTransaction",{"idTag":"REMOTE_TAG"}]
829 INFO:ocpp:CP_TEST: receive message [2,"4a283c5d-75e2-4e51-86e6-25b7ce83ba2c","RemoteStartTransaction",{"idTag":"REMOTE_TAG"}]
830 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_TAG
831 INFO:ocpp:CP_TEST: send [3,"4a283c5d-75e2-4e51-86e6-25b7ce83ba2c",{"status":"Accepted"}]
832 INFO:ocpp:CP_TEST: send [2,"868196eb-f230-400d-b0d3-b29de372c8be","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:57.079830"}]
833 INFO:ocpp:CP_TEST: receive message [3,"4a283c5d-75e2-4e51-86e6-25b7ce83ba2c",{"status":"Accepted"}]
834 INFO:ocpp:CP_TEST: receive message [2,"868196eb-f230-400d-b0d3-b29de372c8be","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:57.079830"}]
835 INFO:MockSystemTest:6.15 RemoteStartTransaction: Accepted
836 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:57.079830'}
837 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
838 INFO:ocpp:CP_TEST: send [3,"868196eb-f230-400d-b0d3-b29de372c8be",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
839 INFO:ocpp:CP_TEST: receive message [3,"868196eb-f230-400d-b0d3-b29de372c8be",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
840 INFO:ocpp:CP_TEST: send [2,"2de02490-d830-4627-9a3f-1752ae570fa1","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:57.080928"}]
841 INFO:ocpp_16_interface:Transaction started on 1: 123
842 INFO:MockSystemTest:HARDWARE: Charger started.
843 INFO:ocpp:CP_TEST: receive message [2,"2de02490-d830-4627-9a3f-1752ae570fa1","StartTransaction",{"connectorId":1,"idTag":"REMOTE_TAG","meterStart":0,"timestamp":"2026-01-06T08:19:57.080928"}]
844 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:19:57.080928'}
845 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
846 INFO:ocpp:CP_TEST: send [3,"2de02490-d830-4627-9a3f-1752ae570fa1",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
```

```
847 INFO:ocpp:CP_TEST: receive message [3,"2de02490-d830-4627-9a3f-1752ae570fa1",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
848 INFO:ocpp_16_interface:Transaction started on 1: 123
849 INFO:MockSystemTest:HARDWARE: Charger started.
850 INFO:MockSystemTest:6.16 StartTransaction: Sent
851 INFO:ocpp:CP_TEST: send [2,"cd67b362-7a6b-4dda-84b4-821d87de5536","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
852 INFO:ocpp:CP_TEST: receive message [2,"cd67b362-7a6b-4dda-84b4-821d87de5536","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
853 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
854 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
855 INFO:ocpp:CP_TEST: send [3,"cd67b362-7a6b-4dda-84b4-821d87de5536",{}]
856 INFO:ocpp:CP_TEST: receive message [3,"cd67b362-7a6b-4dda-84b4-821d87de5536",{}]
857 INFO:MockSystemTest:6.17 StatusNotification: Charging
858 INFO:MockSystemTest:6.18 MeterValues received.
859 INFO:ocpp:CP_TEST: send [2,"53196c61-e6a8-4ee4-8543-2b653e05f647","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile",
    chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]]
860 INFO:ocpp:CP_TEST: receive message [2,"53196c61-e6a8-4ee4-8543-2b653e05f647","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile
    ","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":7000}]}}}]]
861 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
862 INFO:ocpp:CP_TEST: send [3,"53196c61-e6a8-4ee4-8543-2b653e05f647",{"status":"Accepted"}]
863 INFO:ocpp:CP_TEST: receive message [3,"53196c61-e6a8-4ee4-8543-2b653e05f647",{"status":"Accepted"}]
864 INFO:MockSystemTest:6.19 SetChargingProfile: Accepted
865 INFO:MockSystemTest:6.20 MeterValues received.
866 INFO:ocpp:CP_TEST: send [2,"3bdec27-8bc8-4974-b0c4-2ac3a9f68180","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile",
    chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":3000}]}}}]]
867 INFO:ocpp:CP_TEST: receive message [2,"3bdec27-8bc8-4974-b0c4-2ac3a9f68180","SetChargingProfile",{"connectorId":1,"csChargingProfiles":{"chargingProfileId":2,"stackLevel":1,"chargingProfilePurpose":"TxProfile
    ","chargingProfileKind":"Absolute","chargingSchedule":{"chargingRateUnit":"W","chargingSchedulePeriod":[{"startPeriod":0,"limit":3000}]}}}]]
868 INFO:ocpp_16_interface:Received SetChargingProfile for connector 1
869 INFO:ocpp:CP_TEST: send [3,"3bdec27-8bc8-4974-b0c4-2ac3a9f68180",{"status":"Accepted"}]
870 INFO:ocpp:CP_TEST: receive message [3,"3bdec27-8bc8-4974-b0c4-2ac3a9f68180",{"status":"Accepted"}]
871 INFO:MockSystemTest:6.21 SetChargingProfile: Accepted
872 INFO:MockSystemTest:6.22 MeterValues received.
873 INFO:ocpp:CP_TEST: send [2,"f7a6599a-8556-409f-a196-4bd1cfc89ea5","RemoteStopTransaction",{"transactionId":123}]
874 INFO:ocpp:CP_TEST: receive message [2,"f7a6599a-8556-409f-a196-4bd1cfc89ea5","RemoteStopTransaction",{"transactionId":123}]
875 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
876 INFO:ocpp:CP_TEST: send [3,"f7a6599a-8556-409f-a196-4bd1cfc89ea5",{"status":"Accepted"}]
877 INFO:ocpp:CP_TEST: receive message [3,"f7a6599a-8556-409f-a196-4bd1cfc89ea5",{"status":"Accepted"}]
878 INFO:ocpp:CP_TEST: send [2,"51db2802-ded5-490a-8101-2c37bf715249","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:03.098259","transactionId":123,"reason":"Remote"}]
879 INFO:ocpp:CP_TEST: receive message [2,"51db2802-ded5-490a-8101-2c37bf715249","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:03.098259","transactionId":123,"reason":"Remote"}]
880 INFO:MockSystemTest:6.23 RemoteStopTransaction: Accepted
881 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:03.098259', 'transaction_id': 123, 'reason': 'Remote'}
882 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
883 INFO:ocpp:CP_TEST: send [3,"51db2802-ded5-490a-8101-2c37bf715249",{"idTagInfo":{"status":"Accepted"}}]
884 INFO:ocpp:CP_TEST: receive message [3,"51db2802-ded5-490a-8101-2c37bf715249",{"idTagInfo":{"status":"Accepted"}}]
885 INFO:ocpp_16_interface:Transaction stopped on 1: 123
886 INFO:MockSystemTest:HARDWARE: Charger stopped.
887 INFO:MockSystemTest:6.24 StopTransaction: Triggered by RemoteStop
888 INFO:ocpp:CP_TEST: send [2,"e8dc2f5a-2f13-4cec-bab9-6ca1d102b06c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
889 INFO:ocpp:CP_TEST: receive message [2,"e8dc2f5a-2f13-4cec-bab9-6ca1d102b06c","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
890 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
891 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
892 INFO:ocpp:CP_TEST: send [3,"e8dc2f5a-2f13-4cec-bab9-6ca1d102b06c",{}]
893 INFO:ocpp:CP_TEST: receive message [3,"e8dc2f5a-2f13-4cec-bab9-6ca1d102b06c",{}]
894 INFO:MockSystemTest:6.25 StatusNotification: Finishing
895 INFO:ocpp:CP_TEST: send [2,"ef6c5836-c01b-40a8-9a65-5b21f7a11f5f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
896 INFO:ocpp:CP_TEST: receive message [2,"ef6c5836-c01b-40a8-9a65-5b21f7a11f5f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
897 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
898 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
899 INFO:ocpp:CP_TEST: send [3,"ef6c5836-c01b-40a8-9a65-5b21f7a11f5f",{}]
900 INFO:ocpp:CP_TEST: receive message [3,"ef6c5836-c01b-40a8-9a65-5b21f7a11f5f",{}]
901 INFO:MockSystemTest:6.26 StatusNotification: Available
902 INFO:MockSystemTest:
```

```
903 --- 7. Abnormal Operation Verification (Detailed) ---
904 INFO:MockSystemTest:--- 7.1 Remote Start (Unplugged) ---
905 INFO:ocpp:CP_TEST: send [2,"3e7ab377-df13-47c8-ad89-c9d3254c4952","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
906 INFO:ocpp:CP_TEST: receive message [2,"3e7ab377-df13-47c8-ad89-c9d3254c4952","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
907 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
908 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
909 INFO:ocpp:CP_TEST: send [3,"3e7ab377-df13-47c8-ad89-c9d3254c4952",{}]
910 INFO:ocpp:CP_TEST: receive message [3,"3e7ab377-df13-47c8-ad89-c9d3254c4952",{}]
911 INFO:MockSystemTest:7.1.1 Status: Available
912 INFO:ocpp:CP_TEST: send [2,"eccdbcd9-6296-47fd-8a6d-54bf82d3e87a","RemoteStartTransaction",{"idTag":"REMOTE_UNPLUGGED"}]
913 INFO:ocpp:CP_TEST: receive message [2,"eccdbcd9-6296-47fd-8a6d-54bf82d3e87a","RemoteStartTransaction",{"idTag":"REMOTE_UNPLUGGED"}]
914 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_UNPLUGGED
915 INFO:ocpp:CP_TEST: send [3,"eccdbcd9-6296-47fd-8a6d-54bf82d3e87a",{"status":"Accepted"}]
916 INFO:ocpp:CP_TEST: send [2,"40c2bd76-df44-4e92-aad5-a9e7c5393f5d","StartTransaction",{"connectorId":1,"idTag":"REMOTE_UNPLUGGED","meterStart":0,"timestamp":"2026-01-06T08:20:04.105911"}]
917 INFO:ocpp:CP_TEST: receive message [3,"eccdbcd9-6296-47fd-8a6d-54bf82d3e87a",{"status":"Accepted"}]
918 INFO:ocpp:CP_TEST: receive message [2,"40c2bd76-df44-4e92-aad5-a9e7c5393f5d","StartTransaction",{"connectorId":1,"idTag":"REMOTE_UNPLUGGED","meterStart":0,"timestamp":"2026-01-06T08:20:04.105911"}]
919 INFO:MockSystemTest:7.1.2 RemoteStart (Unplugged): Accepted
920 INFO:MockSystemTest:--- 7.2 Concurrent Remote Start ---
921 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'REMOTE_UNPLUGGED', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:04.105911'}
922 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
923 INFO:ocpp:CP_TEST: send [3,"40c2bd76-df44-4e92-aad5-a9e7c5393f5d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
924 INFO:ocpp:CP_TEST: receive message [3,"40c2bd76-df44-4e92-aad5-a9e7c5393f5d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
925 INFO:ocpp:CP_TEST: send [2,"a19d6823-13e6-4fe3-aaed-e66a09e51da6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
926 INFO:MockSystemTest:7.2.1 Status: Preparing
927 INFO:MockSystemTest:HARDWARE: Charger started.
928 INFO:ocpp:CP_TEST: receive message [2,"a19d6823-13e6-4fe3-aaed-e66a09e51da6","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
929 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
930 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
931 INFO:ocpp:CP_TEST: send [3,"a19d6823-13e6-4fe3-aaed-e66a09e51da6",{}]
932 INFO:ocpp:CP_TEST: receive message [3,"a19d6823-13e6-4fe3-aaed-e66a09e51da6",{}]
933 INFO:MockSystemTest:7.2.1 Status: Preparing
934 INFO:MockSystemTest:--- 7.2 Remote Start Same Connector ID ---
935 INFO:ocpp:CP_TEST: send [2,"2e590738-5e1e-49a3-84d8-29946643dce1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
936 INFO:ocpp:CP_TEST: receive message [2,"2e590738-5e1e-49a3-84d8-29946643dce1","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
937 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
938 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
939 INFO:ocpp:CP_TEST: send [3,"2e590738-5e1e-49a3-84d8-29946643dce1",{}]
940 INFO:ocpp:CP_TEST: receive message [3,"2e590738-5e1e-49a3-84d8-29946643dce1",{}]
941 INFO:MockSystemTest:7.2.1 Status: Unplugged
942 INFO:ocpp:CP_TEST: send [2,"2b7943b2-6aaa-42e5-b889-510bf05fb10b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
943 INFO:ocpp:CP_TEST: receive message [2,"2b7943b2-6aaa-42e5-b889-510bf05fb10b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
944 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
945 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
946 INFO:ocpp:CP_TEST: send [3,"2b7943b2-6aaa-42e5-b889-510bf05fb10b",{}]
947 INFO:ocpp:CP_TEST: receive message [3,"2b7943b2-6aaa-42e5-b889-510bf05fb10b",{}]
948 INFO:MockSystemTest:7.2.2 Status: Plugged
949 INFO:ocpp:CP_TEST: send [2,"64ba3565-966e-4384-952b-af850255925d","RemoteStartTransaction",{"idTag":"REMOTE_1","connectorId":1}]
950 INFO:ocpp:CP_TEST: receive message [2,"64ba3565-966e-4384-952b-af850255925d","RemoteStartTransaction",{"idTag":"REMOTE_1","connectorId":1}]
951 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_1
952 INFO:ocpp:CP_TEST: send [3,"64ba3565-966e-4384-952b-af850255925d",{"status":"Rejected"}]
953 INFO:ocpp:CP_TEST: receive message [3,"64ba3565-966e-4384-952b-af850255925d",{"status":"Rejected"}]
954 INFO:MockSystemTest:7.2.3 RemoteStart (1): Rejected
955 INFO:ocpp:CP_TEST: send [2,"ff211e4e-6c4b-4cfe-9bab-a90cbca65b08","RemoteStartTransaction",{"idTag":"REMOTE_2","connectorId":1}]
956 INFO:ocpp:CP_TEST: receive message [2,"ff211e4e-6c4b-4cfe-9bab-a90cbca65b08","RemoteStartTransaction",{"idTag":"REMOTE_2","connectorId":1}]
957 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: REMOTE_2
958 INFO:ocpp:CP_TEST: send [3,"ff211e4e-6c4b-4cfe-9bab-a90cbca65b08",{"status":"Rejected"}]
959 INFO:ocpp:CP_TEST: receive message [3,"ff211e4e-6c4b-4cfe-9bab-a90cbca65b08",{"status":"Rejected"}]
960 INFO:MockSystemTest:7.2.4 RemoteStart (2) Same ID: Rejected
961 WARNING:ocpp_16_interface:Transaction already in progress for connector 1.
962 INFO:MockSystemTest:7.2.5 StartTransaction: Sent
```



```
963 INFO:ocpp:CP_TEST: send [2,"994c5da5-a97e-43db-b5d4-7819d37f1643","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
964 INFO:ocpp:CP_TEST: receive message [2,"994c5da5-a97e-43db-b5d4-7819d37f1643","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
965 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
966 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
967 INFO:ocpp:CP_TEST: send [3,"994c5da5-a97e-43db-b5d4-7819d37f1643",{}]
968 INFO:ocpp:CP_TEST: receive message [3,"994c5da5-a97e-43db-b5d4-7819d37f1643",{}]
969 INFO:MockSystemTest:7.2.6 Status: Charging
970 INFO:MockSystemTest:7.2.7 MeterValues: Simulated
971 INFO:ocpp:CP_TEST: send [2,"d0da40e4-cc7d-4c40-acb4-db5896dbc647","RemoteStopTransaction",{"transactionId":123}]
972 INFO:ocpp:CP_TEST: receive message [2,"d0da40e4-cc7d-4c40-acb4-db5896dbc647","RemoteStopTransaction",{"transactionId":123}]
973 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
974 INFO:ocpp:CP_TEST: send [3,"d0da40e4-cc7d-4c40-acb4-db5896dbc647",{"status":"Accepted"}]
975 INFO:ocpp:CP_TEST: receive message [3,"d0da40e4-cc7d-4c40-acb4-db5896dbc647",{"status":"Accepted"}]
976 INFO:ocpp:CP_TEST: send [2,"43486198-1d0c-41f4-967d-bd791dc0f3f6","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:05.118114","transactionId":123,"reason":"Remote"}]
977 INFO:ocpp:CP_TEST: receive message [2,"43486198-1d0c-41f4-967d-bd791dc0f3f6","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:05.118114","transactionId":123,"reason":"Remote"}]
978 INFO:MockSystemTest:7.2.8 RemoteStop: Sent
979 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:05.118114', 'transaction_id': 123, 'reason': 'Remote'}
980 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
981 INFO:ocpp:CP_TEST: send [3,"43486198-1d0c-41f4-967d-bd791dc0f3f6",{"idTagInfo":{"status":"Accepted"}}]
982 INFO:ocpp:CP_TEST: receive message [3,"43486198-1d0c-41f4-967d-bd791dc0f3f6",{"idTagInfo":{"status":"Accepted"}}]
983 INFO:ocpp:CP_TEST: send [2,"266b92e8-cfb3-47a4-a07f-d842ecf8c3ab","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:05.119527","transactionId":123,"reason":"Remote"}]
984 INFO:ocpp_16_interface:Transaction stopped on 1: 123
985 INFO:MockSystemTest:HARDWARE: Charger stopped.
986 INFO:ocpp:CP_TEST: receive message [2,"266b92e8-cfb3-47a4-a07f-d842ecf8c3ab","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:05.119527","transactionId":123,"reason":"Remote"}]
987 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:05.119527', 'transaction_id': 123, 'reason': 'Remote'}
988 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
989 INFO:ocpp:CP_TEST: send [3,"266b92e8-cfb3-47a4-a07f-d842ecf8c3ab",{"idTagInfo":{"status":"Accepted"}}]
990 INFO:ocpp:CP_TEST: receive message [3,"266b92e8-cfb3-47a4-a07f-d842ecf8c3ab",{"idTagInfo":{"status":"Accepted"}}]
991 INFO:ocpp_16_interface:Transaction stopped on 1: 123
992 INFO:MockSystemTest:HARDWARE: Charger stopped.
993 INFO:MockSystemTest:7.2.9 StopTransaction: Sent
994 INFO:ocpp:CP_TEST: send [2,"45bbf113-18bc-4c74-a548-e0ddfb8de215","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
995 INFO:ocpp:CP_TEST: receive message [2,"45bbf113-18bc-4c74-a548-e0ddfb8de215","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
996 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
997 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
998 INFO:ocpp:CP_TEST: send [3,"45bbf113-18bc-4c74-a548-e0ddfb8de215",{}]
999 INFO:ocpp:CP_TEST: receive message [3,"45bbf113-18bc-4c74-a548-e0ddfb8de215",{}]
1000 INFO:ocpp:CP_TEST: send [2,"a6850efa-b015-41af-bb7f-0c55c5bbdfa7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1001 INFO:ocpp:CP_TEST: receive message [2,"a6850efa-b015-41af-bb7f-0c55c5bbdfa7","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1002 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1003 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1004 INFO:ocpp:CP_TEST: send [3,"a6850efa-b015-41af-bb7f-0c55c5bbdfa7",{}]
1005 INFO:ocpp:CP_TEST: receive message [3,"a6850efa-b015-41af-bb7f-0c55c5bbdfa7",{}]
1006 INFO:MockSystemTest:7.2.11 Status: Unplugged
1007 INFO:MockSystemTest:--- 7.3 Swap Card ---
1008 INFO:ocpp:CP_TEST: send [2,"9a201436-aelc-4c49-87ab-62e2bbe12c7b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1009 INFO:ocpp:CP_TEST: receive message [2,"9a201436-aelc-4c49-87ab-62e2bbe12c7b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1010 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1011 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1012 INFO:ocpp:CP_TEST: send [3,"9a201436-aelc-4c49-87ab-62e2bbe12c7b",{}]
1013 INFO:ocpp:CP_TEST: receive message [3,"9a201436-aelc-4c49-87ab-62e2bbe12c7b",{}]
1014 INFO:ocpp:CP_TEST: send [2,"40050e29-f029-49d7-888f-83576e4f6070","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1015 INFO:ocpp:CP_TEST: receive message [2,"40050e29-f029-49d7-888f-83576e4f6070","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1016 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1017 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1018 INFO:ocpp:CP_TEST: send [3,"40050e29-f029-49d7-888f-83576e4f6070",{}]
1019 INFO:ocpp:CP_TEST: receive message [3,"40050e29-f029-49d7-888f-83576e4f6070",{}]
1020 INFO:ocpp:CP_TEST: send [2,"00b6c32a-cfe2-4885-94c0-beaf5daf4e7c","Authorize",{"idTag":"INVALID_CARD"}]
1021 INFO:ocpp:CP_TEST: receive message [2,"00b6c32a-cfe2-4885-94c0-beaf5daf4e7c","Authorize",{"idTag":"INVALID_CARD"}]
1022 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'INVALID_CARD'}
```

```
1023 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.invalid: 'Invalid'>})
1024 INFO:ocpp:CP_TEST: send [3,"00b6c32a-cfe2-4885-94c0-beaf5daf4e7c",{"idTagInfo":{"status":"Invalid"}}]
1025 INFO:ocpp:CP_TEST: receive message [3,"00b6c32a-cfe2-4885-94c0-beaf5daf4e7c",{"idTagInfo":{"status":"Invalid"}}]
1026 INFO:MockSystemTest:7.3.3 Authorize (Invalid): Invalid
1027 INFO:ocpp:CP_TEST: send [2,"66b5a2f6-fb50-4c3b-9d1b-2b126afa3624","Authorize",{"idTag":"VALID_CARD"}]
1028 INFO:ocpp:CP_TEST: receive message [2,"66b5a2f6-fb50-4c3b-9d1b-2b126afa3624","Authorize",{"idTag":"VALID_CARD"}]
1029 INFO:MockSystemTest:[CSMS] <- Authorize: {'id_tag': 'VALID_CARD'}
1030 INFO:MockSystemTest:[CSMS] -> AuthorizeConf: Authorize(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1031 INFO:ocpp:CP_TEST: send [3,"66b5a2f6-fb50-4c3b-9d1b-2b126afa3624",{"idTagInfo":{"status":"Accepted"}}]
1032 INFO:ocpp:CP_TEST: receive message [3,"66b5a2f6-fb50-4c3b-9d1b-2b126afa3624",{"idTagInfo":{"status":"Accepted"}}]
1033 INFO:MockSystemTest:7.3.4 Authorize (Accepted): Accepted
1034 INFO:ocpp:CP_TEST: send [2,"ba3c1442-67ca-4d5a-b969-c79633d2eeff","StartTransaction",{"connectorId":1,"idTag":"VALID_CARD","meterStart":0,"timestamp":"2026-01-06T08:20:05.133399"}]
1035 INFO:ocpp:CP_TEST: receive message [2,"ba3c1442-67ca-4d5a-b969-c79633d2eeff","StartTransaction",{"connectorId":1,"idTag":"VALID_CARD","meterStart":0,"timestamp":"2026-01-06T08:20:05.133399"}]
1036 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'VALID_CARD', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:05.133399'}
1037 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1038 INFO:ocpp:CP_TEST: send [3,"ba3c1442-67ca-4d5a-b969-c79633d2eeff",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1039 INFO:ocpp:CP_TEST: receive message [3,"ba3c1442-67ca-4d5a-b969-c79633d2eeff",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1040 INFO:ocpp_16_interface:Transaction started on 1: 123
1041 INFO:MockSystemTest:HARDWARE: Charger started.
1042 INFO:MockSystemTest:7.3.5 StartTransaction: Sent
1043 INFO:ocpp:CP_TEST: send [2,"69cef743-c063-46d6-b8e6-a5c063917291","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1044 INFO:ocpp:CP_TEST: receive message [2,"69cef743-c063-46d6-b8e6-a5c063917291","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1045 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1046 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1047 INFO:ocpp:CP_TEST: send [3,"69cef743-c063-46d6-b8e6-a5c063917291",{}]
1048 INFO:ocpp:CP_TEST: receive message [3,"69cef743-c063-46d6-b8e6-a5c063917291",{}]
1049 INFO:ocpp:CP_TEST: send [2,"075629e1-80e7-41e8-b5a3-0396d422ef0b","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:06.137604","transactionId":123,"reason":"Local"}]
1050 INFO:ocpp:CP_TEST: receive message [2,"075629e1-80e7-41e8-b5a3-0396d422ef0b","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:06.137604","transactionId":123,"reason":"Local"}]
1051 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:06.137604', 'transaction_id': 123, 'reason': 'Local'}
1052 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1053 INFO:ocpp:CP_TEST: send [3,"075629e1-80e7-41e8-b5a3-0396d422ef0b",{"idTagInfo":{"status":"Accepted"}}]
1054 INFO:ocpp:CP_TEST: receive message [3,"075629e1-80e7-41e8-b5a3-0396d422ef0b",{"idTagInfo":{"status":"Accepted"}}]
1055 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1056 INFO:MockSystemTest:HARDWARE: Charger stopped.
1057 INFO:MockSystemTest:7.3.9 StopTransaction: Sent
1058 INFO:ocpp:CP_TEST: send [2,"36180ca9-0c9e-4b3c-993c-a771d4a858f5","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1059 INFO:ocpp:CP_TEST: receive message [2,"36180ca9-0c9e-4b3c-993c-a771d4a858f5","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1060 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1061 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1062 INFO:ocpp:CP_TEST: send [3,"36180ca9-0c9e-4b3c-993c-a771d4a858f5",{}]
1063 INFO:ocpp:CP_TEST: receive message [3,"36180ca9-0c9e-4b3c-993c-a771d4a858f5",{}]
1064 INFO:ocpp:CP_TEST: send [2,"759ad5f1-2aac-45d9-a71e-b66e91da35b3","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1065 INFO:ocpp:CP_TEST: receive message [2,"759ad5f1-2aac-45d9-a71e-b66e91da35b3","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1066 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1067 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1068 INFO:ocpp:CP_TEST: send [3,"759ad5f1-2aac-45d9-a71e-b66e91da35b3",{}]
1069 INFO:ocpp:CP_TEST: receive message [3,"759ad5f1-2aac-45d9-a71e-b66e91da35b3",{}]
1070 INFO:MockSystemTest:--- 7.4 Emergency Stop ---
1071 INFO:ocpp:CP_TEST: send [2,"6bbf572d-9a25-46ea-be4c-767c4a72a02b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1072 INFO:ocpp:CP_TEST: receive message [2,"6bbf572d-9a25-46ea-be4c-767c4a72a02b","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1073 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1074 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1075 INFO:ocpp:CP_TEST: send [3,"6bbf572d-9a25-46ea-be4c-767c4a72a02b",{}]
1076 INFO:ocpp:CP_TEST: receive message [3,"6bbf572d-9a25-46ea-be4c-767c4a72a02b",{}]
1077 INFO:ocpp:CP_TEST: send [2,"81bdbel1-2eeb-436d-90a6-cdead36c7c78","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1078 INFO:ocpp:CP_TEST: receive message [2,"81bdbel1-2eeb-436d-90a6-cdead36c7c78","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1079 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1080 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1081 INFO:ocpp:CP_TEST: send [3,"81bdbel1-2eeb-436d-90a6-cdead36c7c78",{}]
1082 INFO:ocpp:CP_TEST: receive message [3,"81bdbel1-2eeb-436d-90a6-cdead36c7c78",{}]
```

```
1083 INFO:ocpp:CP_TEST: send [2,"d7c63b5e-5af5-47ce-804e-104d5e3a484b","RemoteStartTransaction",{"idTag":"EMERGENCY_TAG"}]
1084 INFO:ocpp:CP_TEST: receive message [2,"d7c63b5e-5af5-47ce-804e-104d5e3a484b","RemoteStartTransaction",{"idTag":"EMERGENCY_TAG"}]
1085 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: EMERGENCY_TAG
1086 INFO:ocpp:CP_TEST: send [3,"d7c63b5e-5af5-47ce-804e-104d5e3a484b",{"status":"Accepted"}]
1087 INFO:ocpp:CP_TEST: send [2,"6a6e4d00-8431-455b-8659-216f79c3f030","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:06.142674"}]
1088 INFO:ocpp:CP_TEST: receive message [3,"d7c63b5e-5af5-47ce-804e-104d5e3a484b",{"status":"Accepted"}]
1089 INFO:ocpp:CP_TEST: receive message [2,"6a6e4d00-8431-455b-8659-216f79c3f030","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:06.142674"}]
1090 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'EMERGENCY_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:06.142674'}
1091 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1092 INFO:ocpp:CP_TEST: send [3,"6a6e4d00-8431-455b-8659-216f79c3f030",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1093 INFO:ocpp:CP_TEST: receive message [3,"6a6e4d00-8431-455b-8659-216f79c3f030",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1094 INFO:ocpp:CP_TEST: send [2,"6d4471ab-104e-4b89-8ded-5c8cfb78b198","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:06.143204"}]
1095 INFO:ocpp_16_interface:Transaction started on 1: 123
1096 INFO:MockSystemTest:HARDWARE: Charger started.
1097 INFO:ocpp:CP_TEST: receive message [2,"6d4471ab-104e-4b89-8ded-5c8cfb78b198","StartTransaction",{"connectorId":1,"idTag":"EMERGENCY_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:06.143204"}]
1098 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'EMERGENCY_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:06.143204'}
1099 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1100 INFO:ocpp:CP_TEST: send [3,"6d4471ab-104e-4b89-8ded-5c8cfb78b198",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1101 INFO:ocpp:CP_TEST: receive message [3,"6d4471ab-104e-4b89-8ded-5c8cfb78b198",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1102 INFO:ocpp_16_interface:Transaction started on 1: 123
1103 INFO:MockSystemTest:HARDWARE: Charger started.
1104 INFO:ocpp:CP_TEST: send [2,"692a781d-eba8-4f56-a313-98708cad3fbd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1105 INFO:ocpp:CP_TEST: receive message [2,"692a781d-eba8-4f56-a313-98708cad3fbd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1106 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1107 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1108 INFO:ocpp:CP_TEST: send [3,"692a781d-eba8-4f56-a313-98708cad3fbd",{}]
1109 INFO:ocpp:CP_TEST: receive message [3,"692a781d-eba8-4f56-a313-98708cad3fbd",{}]
1110 INFO:ocpp:CP_TEST: send [2,"62ce224f-6708-4f64-bab4-0b69a153afc3","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:07.146519","transactionId":123,"reason":"EmergencyStop"}]
1111 INFO:ocpp:CP_TEST: receive message [2,"62ce224f-6708-4f64-bab4-0b69a153afc3","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:07.146519","transactionId":123,"reason":"EmergencyStop"}]
1112 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:07.146519', 'transaction_id': 123, 'reason': 'EmergencyStop'}
1113 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1114 INFO:ocpp:CP_TEST: send [3,"62ce224f-6708-4f64-bab4-0b69a153afc3",{"idTagInfo":{"status":"Accepted"}}]
1115 INFO:ocpp:CP_TEST: receive message [3,"62ce224f-6708-4f64-bab4-0b69a153afc3",{"idTagInfo":{"status":"Accepted"}}]
1116 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1117 INFO:MockSystemTest:HARDWARE: Charger stopped.
1118 INFO:MockSystemTest:7.4.7 StopTransaction (Emergency): Sent
1119 INFO:ocpp:CP_TEST: send [2,"c6a1e8cf-1286-41da-83f3-83b207e6263e","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}]
1120 INFO:ocpp:CP_TEST: receive message [2,"c6a1e8cf-1286-41da-83f3-83b207e6263e","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"EmergencyStop"}]
1121 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'EmergencyStop'}
1122 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1123 INFO:ocpp:CP_TEST: send [3,"c6a1e8cf-1286-41da-83f3-83b207e6263e",{}]
1124 INFO:ocpp:CP_TEST: receive message [3,"c6a1e8cf-1286-41da-83f3-83b207e6263e",{}]
1125 INFO:MockSystemTest:7.4.8 Status: Faulted
1126 INFO:ocpp:CP_TEST: send [2,"c5bf43cb-aa04-4302-bc6f-98c9e467d120","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1127 INFO:ocpp:CP_TEST: receive message [2,"c5bf43cb-aa04-4302-bc6f-98c9e467d120","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1128 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1129 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1130 INFO:ocpp:CP_TEST: send [3,"c5bf43cb-aa04-4302-bc6f-98c9e467d120",{}]
1131 INFO:ocpp:CP_TEST: receive message [3,"c5bf43cb-aa04-4302-bc6f-98c9e467d120",{}]
1132 INFO:MockSystemTest:7.4.10 Status: Available
1133 INFO:MockSystemTest:--- 7.5 Open Door ---
1134 INFO:ocpp:CP_TEST: send [2,"c63ab8f2-aa85-40ed-9254-fb857900497d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1135 INFO:ocpp:CP_TEST: receive message [2,"c63ab8f2-aa85-40ed-9254-fb857900497d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1136 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1137 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1138 INFO:ocpp:CP_TEST: send [3,"c63ab8f2-aa85-40ed-9254-fb857900497d",{}]
1139 INFO:ocpp:CP_TEST: receive message [3,"c63ab8f2-aa85-40ed-9254-fb857900497d",{}]
1140 INFO:ocpp:CP_TEST: send [2,"f9608e31-d0e8-41c9-b099-019855d6f0d4","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"DoorOpen"}]
1141 INFO:ocpp:CP_TEST: receive message [2,"f9608e31-d0e8-41c9-b099-019855d6f0d4","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted","info":"DoorOpen"}]
1142 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted', 'info': 'DoorOpen'}
```

```
1143 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1144 INFO:ocpp:CP_TEST: send [3,"f9608e31-d0e8-41c9-b099-019855d6f0d4",{}]
1145 INFO:ocpp:CP_TEST: receive message [3,"f9608e31-d0e8-41c9-b099-019855d6f0d4",{}]
1146 INFO:MockSystemTest:7.5.2 Status: DoorOpen
1147 INFO:ocpp:CP_TEST: send [2,"6df09aae-1031-4908-8698-2c5eaa5f07cd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1148 INFO:ocpp:CP_TEST: receive message [2,"6df09aae-1031-4908-8698-2c5eaa5f07cd","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1149 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1150 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1151 INFO:ocpp:CP_TEST: send [3,"6df09aae-1031-4908-8698-2c5eaa5f07cd",{}]
1152 INFO:ocpp:CP_TEST: receive message [3,"6df09aae-1031-4908-8698-2c5eaa5f07cd",{}]
1153 INFO:MockSystemTest:7.5.3 Status: Closed/Available
1154 INFO:MockSystemTest:--- 7.6 Power Loss (Single) ---
1155 INFO:ocpp:CP_TEST: send [2,"ddb6151-8de9-45b1-bc9a-ce8a3dc0f0e9","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1156 INFO:ocpp:CP_TEST: receive message [2,"ddb6151-8de9-45b1-bc9a-ce8a3dc0f0e9","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1157 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1158 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1159 INFO:ocpp:CP_TEST: send [3,"ddb6151-8de9-45b1-bc9a-ce8a3dc0f0e9",{}]
1160 INFO:ocpp:CP_TEST: receive message [3,"ddb6151-8de9-45b1-bc9a-ce8a3dc0f0e9",{}]
1161 INFO:ocpp:CP_TEST: send [2,"1e898ce2-76ce-42d2-85bc-2e6a28d997ef","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1162 INFO:ocpp:CP_TEST: receive message [2,"1e898ce2-76ce-42d2-85bc-2e6a28d997ef","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]
1163 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1164 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1165 INFO:ocpp:CP_TEST: send [3,"1e898ce2-76ce-42d2-85bc-2e6a28d997ef",{}]
1166 INFO:ocpp:CP_TEST: receive message [3,"1e898ce2-76ce-42d2-85bc-2e6a28d997ef",{}]
1167 INFO:ocpp:CP_TEST: send [2,"0dd69dcb-78a7-46ef-9135-68b89f28c52c","RemoteStartTransaction",{"idTag":"POWER_TAG"}]
1168 INFO:ocpp:CP_TEST: receive message [2,"0dd69dcb-78a7-46ef-9135-68b89f28c52c","RemoteStartTransaction",{"idTag":"POWER_TAG"}]
1169 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: POWER_TAG
1170 INFO:ocpp:CP_TEST: send [3,"0dd69dcb-78a7-46ef-9135-68b89f28c52c",{"status":"Accepted"}]
1171 INFO:ocpp:CP_TEST: send [2,"d9e3c110-b507-4a58-b4f6-29ed71691401","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:07.163676"}]
1172 INFO:ocpp:CP_TEST: receive message [3,"0dd69dcb-78a7-46ef-9135-68b89f28c52c",{"status":"Accepted"}]
1173 INFO:ocpp:CP_TEST: receive message [2,"d9e3c110-b507-4a58-b4f6-29ed71691401","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:07.163676"}]
1174 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'POWER_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:07.163676'}
1175 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1176 INFO:ocpp:CP_TEST: send [3,"d9e3c110-b507-4a58-b4f6-29ed71691401",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1177 INFO:ocpp:CP_TEST: receive message [3,"d9e3c110-b507-4a58-b4f6-29ed71691401",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1178 INFO:ocpp:CP_TEST: send [2,"2e9d368a-a8b0-4f97-a8dc-fca93a7d554b","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:07.164718"}]
1179 INFO:ocpp_16_interface:Transaction started on 1: 123
1180 INFO:MockSystemTest:HARDWARE: Charger started.
1181 INFO:ocpp:CP_TEST: receive message [2,"2e9d368a-a8b0-4f97-a8dc-fca93a7d554b","StartTransaction",{"connectorId":1,"idTag":"POWER_TAG","meterStart":0,"timestamp":"2026-01-06T08:20:07.164718"}]
1182 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'POWER_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:07.164718'}
1183 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1184 INFO:ocpp:CP_TEST: send [3,"2e9d368a-a8b0-4f97-a8dc-fca93a7d554b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1185 INFO:ocpp:CP_TEST: receive message [3,"2e9d368a-a8b0-4f97-a8dc-fca93a7d554b",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1186 INFO:ocpp_16_interface:Transaction started on 1: 123
1187 INFO:MockSystemTest:HARDWARE: Charger started.
1188 INFO:ocpp:CP_TEST: send [2,"67a2c47b-28ed-4f1d-acb7-8056d93b0adf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1189 INFO:ocpp:CP_TEST: receive message [2,"67a2c47b-28ed-4f1d-acb7-8056d93b0adf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]
1190 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1191 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1192 INFO:ocpp:CP_TEST: send [3,"67a2c47b-28ed-4f1d-acb7-8056d93b0adf",{}]
1193 INFO:ocpp:CP_TEST: receive message [3,"67a2c47b-28ed-4f1d-acb7-8056d93b0adf",{}]
1194 INFO:ocpp:CP_TEST: send [2,"996a77cd-4bdb-432a-834d-1e4ff5eb7ae1","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:08.169772","transactionId":123,"reason":"PowerLoss"}]
1195 INFO:ocpp:CP_TEST: receive message [2,"996a77cd-4bdb-432a-834d-1e4ff5eb7ae1","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:08.169772","transactionId":123,"reason":"PowerLoss"}]
1196 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:08.169772', 'transaction_id': 123, 'reason': 'PowerLoss'}
1197 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1198 INFO:ocpp:CP_TEST: send [3,"996a77cd-4bdb-432a-834d-1e4ff5eb7ae1",{"idTagInfo":{"status":"Accepted"}}]
1199 INFO:ocpp:CP_TEST: receive message [3,"996a77cd-4bdb-432a-834d-1e4ff5eb7ae1",{"idTagInfo":{"status":"Accepted"}}]
1200 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1201 INFO:MockSystemTest:HARDWARE: Charger stopped.
1202 INFO:MockSystemTest:7.6.7 StopTransaction (PowerLoss): Sent
```

```
1203 INFO:ocpp:CP_TEST: send [2,"22103d2c-e926-44f8-9696-aca2692f6ad5","BootNotification",{ "chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB" }]
1204 INFO:ocpp:CP_TEST: receive message [2,"22103d2c-e926-44f8-9696-aca2692f6ad5","BootNotification",{ "chargePointModel": "MEA-V2G-01", "chargePointVendor": "KMUTNB" }]
1205 INFO:MockSystemTest:[CSMS] <- BootNotification: { 'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB' }
1206 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:20:08.175916', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>))
1207 INFO:ocpp:CP_TEST: send [3,"22103d2c-e926-44f8-9696-aca2692f6ad5",{ "currentTime": "2026-01-06T08:20:08.175916", "interval": 10, "status": "Accepted" }]
1208 INFO:ocpp:CP_TEST: receive message [3,"22103d2c-e926-44f8-9696-aca2692f6ad5",{ "currentTime": "2026-01-06T08:20:08.175916", "interval": 10, "status": "Accepted" }]
1209 INFO:ocpp_16_interface:Connected to central system.
1210 INFO:MockSystemTest:HARDWARE: Charger started.
1211 INFO:MockSystemTest:7.6.8 BootNotification: Sent
1212 INFO:ocpp:CP_TEST: send [2,"57d0a781-a990-4dd1-850f-6bb1cca96e9e","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Preparing" }]
1213 INFO:ocpp:CP_TEST: receive message [2,"57d0a781-a990-4dd1-850f-6bb1cca96e9e","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Preparing" }]
1214 INFO:MockSystemTest:[CSMS] <- StatusNotification: { 'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing' }
1215 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1216 INFO:ocpp:CP_TEST: send [3,"57d0a781-a990-4dd1-850f-6bb1cca96e9e",{}]
1217 INFO:ocpp:CP_TEST: receive message [3,"57d0a781-a990-4dd1-850f-6bb1cca96e9e",{}]
1218 INFO:ocpp:CP_TEST: send [2,"aa3465b6-bff7-4c40-842e-1a03cb276dd6","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Available" }]
1219 INFO:ocpp:CP_TEST: receive message [2,"aa3465b6-bff7-4c40-842e-1a03cb276dd6","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Available" }]
1220 INFO:MockSystemTest:[CSMS] <- StatusNotification: { 'connector_id': 1, 'error_code': 'NoError', 'status': 'Available' }
1221 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1222 INFO:ocpp:CP_TEST: send [3,"aa3465b6-bff7-4c40-842e-1a03cb276dd6",{}]
1223 INFO:ocpp:CP_TEST: receive message [3,"aa3465b6-bff7-4c40-842e-1a03cb276dd6",{}]
1224 INFO:MockSystemTest:--- 7.7 Local List Offline ---
1225 INFO:ocpp:CP_TEST: send [2,"44b3411b-1165-42f9-aa0d-4ab9082fab4b","ChangeConfiguration",{ "key": "LocalAuthorizeOffline", "value": "True" }]
1226 INFO:ocpp:CP_TEST: receive message [2,"44b3411b-1165-42f9-aa0d-4ab9082fab4b","ChangeConfiguration",{ "key": "LocalAuthorizeOffline", "value": "True" }]
1227 INFO:ocpp_16_interface:Received ChangeConfiguration for LocalAuthorizeOffline to True
1228 INFO:ocpp:CP_TEST: send [3,"44b3411b-1165-42f9-aa0d-4ab9082fab4b",{ "status": "Accepted" }]
1229 INFO:ocpp:CP_TEST: receive message [3,"44b3411b-1165-42f9-aa0d-4ab9082fab4b",{ "status": "Accepted" }]
1230 INFO:ocpp:CP_TEST: send [2,"db2c1a7d-965c-4e49-b0d4-3033633014c0","SendLocalList",{ "listVersion": 1, "updateType": "Full", "localAuthorizationList": [{ "idTag": "OFFLINE_TAG", "idTagInfo": { "status": "Accepted" } } ]}]
1231 INFO:ocpp:CP_TEST: receive message [2,"db2c1a7d-965c-4e49-b0d4-3033633014c0","SendLocalList",{ "listVersion": 1, "updateType": "Full", "localAuthorizationList": [{ "idTag": "OFFLINE_TAG", "idTagInfo": { "status": "Accepted" } } ]}]
1232 INFO:ocpp_16_interface:Received SendLocalList
1233 INFO:ocpp:CP_TEST: send [3,"db2c1a7d-965c-4e49-b0d4-3033633014c0",{ "status": "Accepted" }]
1234 INFO:ocpp:CP_TEST: receive message [3,"db2c1a7d-965c-4e49-b0d4-3033633014c0",{ "status": "Accepted" }]
1235 INFO:MockSystemTest:7.7.2 Start by Local List (Offline Mock)
1236 INFO:ocpp:CP_TEST: send [2,"4054b9ad-25ea-41fc-99a5-aa78391fa6ac","StartTransaction",{ "connectorId": 1, "idTag": "OFFLINE_TAG", "meterStart": 0, "timestamp": "2026-01-06T08:20:08.184281" }]
1237 INFO:ocpp:CP_TEST: receive message [2,"4054b9ad-25ea-41fc-99a5-aa78391fa6ac","StartTransaction",{ "connectorId": 1, "idTag": "OFFLINE_TAG", "meterStart": 0, "timestamp": "2026-01-06T08:20:08.184281" }]
1238 INFO:MockSystemTest:[CSMS] <- StartTransaction: { 'connector_id': 1, 'id_tag': 'OFFLINE_TAG', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:08.184281' }
1239 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={ 'status': <AuthorizationStatus.accepted: 'Accepted'> })
1240 INFO:ocpp:CP_TEST: send [3,"4054b9ad-25ea-41fc-99a5-aa78391fa6ac",{ "transactionId": 123, "idTagInfo": { "status": "Accepted" } }]
1241 INFO:ocpp:CP_TEST: receive message [3,"4054b9ad-25ea-41fc-99a5-aa78391fa6ac",{ "transactionId": 123, "idTagInfo": { "status": "Accepted" } }]
1242 INFO:ocpp_16_interface:Transaction started on 1: 123
1243 INFO:MockSystemTest:HARDWARE: Charger started.
1244 INFO:MockSystemTest:7.7.2 StartTransaction: Success
1245 INFO:ocpp:CP_TEST: send [2,"cb194ed8-496d-4124-9a34-5f1d7c85e7fd","StopTransaction",{ "meterStop": 100, "timestamp": "2026-01-06T08:20:08.186916", "transactionId": 123, "reason": "Local" }]
1246 INFO:ocpp:CP_TEST: receive message [2,"cb194ed8-496d-4124-9a34-5f1d7c85e7fd","StopTransaction",{ "meterStop": 100, "timestamp": "2026-01-06T08:20:08.186916", "transactionId": 123, "reason": "Local" }]
1247 INFO:MockSystemTest:[CSMS] <- StopTransaction: { 'meter_stop': 100, 'timestamp': '2026-01-06T08:20:08.186916', 'transaction_id': 123, 'reason': 'Local' }
1248 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={ 'status': <AuthorizationStatus.accepted: 'Accepted'> })
1249 INFO:ocpp:CP_TEST: send [3,"cb194ed8-496d-4124-9a34-5f1d7c85e7fd",{ "idTagInfo": { "status": "Accepted" } }]
1250 INFO:ocpp:CP_TEST: receive message [3,"cb194ed8-496d-4124-9a34-5f1d7c85e7fd",{ "idTagInfo": { "status": "Accepted" } }]
1251 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1252 INFO:MockSystemTest:HARDWARE: Charger stopped.
1253 INFO:MockSystemTest:7.7.3 StopTransaction: Success
1254 INFO:MockSystemTest:
1255 --- 8. Dual Connector Verification (Detailed) ---
1256 INFO:MockSystemTest:--- 8.1 Concurrent Remote Start ---
1257 INFO:ocpp:CP_TEST: send [2,"5d1b3503-3a1e-42db-bfd4-d785a1cbb8d8","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Available" }]
1258 INFO:ocpp:CP_TEST: receive message [2,"5d1b3503-3a1e-42db-bfd4-d785a1cbb8d8","StatusNotification",{ "connectorId": 1, "errorCode": "NoError", "status": "Available" }]
1259 INFO:MockSystemTest:[CSMS] <- StatusNotification: { 'connector_id': 1, 'error_code': 'NoError', 'status': 'Available' }
1260 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1261 INFO:ocpp:CP_TEST: send [3,"5d1b3503-3a1e-42db-bfd4-d785a1cbb8d8",{}]
```

```
1262 INFO:ocpp:CP_TEST: receive message [3,"5d1b3503-3a1e-42db-bfd4-d785a1cbb8d8",{}]  
1263 INFO:ocpp:CP_TEST: send [2,"1b5a6fd8-3810-4ee0-8633-69308c4811db","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]  
1264 INFO:ocpp:CP_TEST: receive message [2,"1b5a6fd8-3810-4ee0-8633-69308c4811db","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]  
1265 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}  
1266 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
1267 INFO:ocpp:CP_TEST: send [3,"1b5a6fd8-3810-4ee0-8633-69308c4811db",{}]  
1268 INFO:ocpp:CP_TEST: receive message [3,"1b5a6fd8-3810-4ee0-8633-69308c4811db",{}]  
1269 INFO:MockSystemTest:8.1.1 Status (Both): Available  
1270 INFO:ocpp:CP_TEST: send [2,"7d1a208c-a07c-445c-8a7b-5151f4fdd16f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
1271 INFO:ocpp:CP_TEST: receive message [2,"7d1a208c-a07c-445c-8a7b-5151f4fdd16f","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]  
1272 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}  
1273 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
1274 INFO:ocpp:CP_TEST: send [3,"7d1a208c-a07c-445c-8a7b-5151f4fdd16f",{}]  
1275 INFO:ocpp:CP_TEST: receive message [3,"7d1a208c-a07c-445c-8a7b-5151f4fdd16f",{}]  
1276 INFO:ocpp:CP_TEST: send [2,"ec90a177-10d7-4eb0-b23b-941007fa3c21","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]  
1277 INFO:ocpp:CP_TEST: receive message [2,"ec90a177-10d7-4eb0-b23b-941007fa3c21","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]  
1278 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}  
1279 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
1280 INFO:ocpp:CP_TEST: send [3,"ec90a177-10d7-4eb0-b23b-941007fa3c21",{}]  
1281 INFO:ocpp:CP_TEST: receive message [3,"ec90a177-10d7-4eb0-b23b-941007fa3c21",{}]  
1282 INFO:MockSystemTest:8.1.2 Plug Both: Preparing  
1283 INFO:ocpp:CP_TEST: send [2,"32c34196-2e15-465d-9734-bac4a71cbb9","RemoteStartTransaction",{"idTag":"DUAL_1","connectorId":1}]  
1284 INFO:ocpp:CP_TEST: receive message [2,"32c34196-2e15-465d-9734-bac4a71cbb9","RemoteStartTransaction",{"idTag":"DUAL_1","connectorId":1}]  
1285 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: DUAL_1  
1286 INFO:ocpp:CP_TEST: send [3,"32c34196-2e15-465d-9734-bac4a71cbb9",{"status":"Accepted"}]  
1287 INFO:ocpp:CP_TEST: send [2,"5f5261f9-58e8-4ec0-9b96-763d756f687d","StartTransaction",{"connectorId":1,"idTag":"DUAL_1","meterStart":0,"timestamp":"2026-01-06T08:20:08.195795"}]  
1288 INFO:ocpp:CP_TEST: receive message [3,"32c34196-2e15-465d-9734-bac4a71cbb9",{"status":"Accepted"}]  
1289 INFO:ocpp:CP_TEST: receive message [2,"5f5261f9-58e8-4ec0-9b96-763d756f687d","StartTransaction",{"connectorId":1,"idTag":"DUAL_1","meterStart":0,"timestamp":"2026-01-06T08:20:08.195795"}]  
1290 INFO:MockSystemTest:8.1.3 RemoteStart (Conn 1): Accepted  
1291 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'DUAL_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:08.195795'}  
1292 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
1293 INFO:ocpp:CP_TEST: send [2,"5e2af224-2bc4-4f53-b163-e5b6dde01eb0","RemoteStartTransaction",{"idTag":"DUAL_2","connectorId":2}]  
1294 INFO:ocpp:CP_TEST: send [3,"5f5261f9-58e8-4ec0-9b96-763d756f687d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
1295 INFO:ocpp:CP_TEST: receive message [2,"5e2af224-2bc4-4f53-b163-e5b6dde01eb0","RemoteStartTransaction",{"idTag":"DUAL_2","connectorId":2}]  
1296 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: DUAL_2  
1297 INFO:ocpp:CP_TEST: send [3,"5e2af224-2bc4-4f53-b163-e5b6dde01eb0",{"status":"Accepted"}]  
1298 INFO:ocpp:CP_TEST: receive message [3,"5f5261f9-58e8-4ec0-9b96-763d756f687d",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
1299 INFO:ocpp:CP_TEST: send [2,"0359af8f-79fe-4e12-ab58-116d3052d03a","StartTransaction",{"connectorId":2,"idTag":"DUAL_2","meterStart":0,"timestamp":"2026-01-06T08:20:08.197839"}]  
1300 INFO:ocpp:CP_TEST: receive message [3,"5e2af224-2bc4-4f53-b163-e5b6dde01eb0",{"status":"Accepted"}]  
1301 INFO:ocpp_16_interface:Transaction started on 1: 123  
1302 INFO:MockSystemTest:HARDWARE: Charger started.  
1303 INFO:ocpp:CP_TEST: receive message [2,"0359af8f-79fe-4e12-ab58-116d3052d03a","StartTransaction",{"connectorId":2,"idTag":"DUAL_2","meterStart":0,"timestamp":"2026-01-06T08:20:08.197839"}]  
1304 INFO:MockSystemTest:8.1.4 RemoteStart (Conn 2): Accepted  
1305 WARNING:ocpp_16_interface:Transaction already in progress for connector 1.  
1306 INFO:MockSystemTest:8.1.5 StartTx (Conn 1): Sent  
1307 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'DUAL_2', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:08.197839'}  
1308 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})  
1309 INFO:ocpp:CP_TEST: send [3,"0359af8f-79fe-4e12-ab58-116d3052d03a",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
1310 INFO:ocpp:CP_TEST: receive message [3,"0359af8f-79fe-4e12-ab58-116d3052d03a",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]  
1311 INFO:ocpp:CP_TEST: send [2,"1a2d3b59-d456-459c-bb0b-af6fe0e29daf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
1312 INFO:ocpp_16_interface:Transaction started on 2: 123  
1313 INFO:MockSystemTest:HARDWARE: Charger started.  
1314 INFO:ocpp:CP_TEST: receive message [2,"1a2d3b59-d456-459c-bb0b-af6fe0e29daf","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]  
1315 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}  
1316 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}  
1317 INFO:ocpp:CP_TEST: send [3,"1a2d3b59-d456-459c-bb0b-af6fe0e29daf",{}]  
1318 INFO:ocpp:CP_TEST: receive message [3,"1a2d3b59-d456-459c-bb0b-af6fe0e29daf",{}]  
1319 INFO:MockSystemTest:8.1.6 Status (Conn 1): Charging  
1320 WARNING:ocpp_16_interface:Transaction already in progress for connector 2.  
1321 INFO:MockSystemTest:8.1.7 StartTx (Conn 2): Sent
```

```
1322 INFO:ocpp:CP_TEST: send [2,"1f7a7374-4e6d-4c0c-9da9-40125519c8ed","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1323 INFO:ocpp:CP_TEST: receive message [2,"1f7a7374-4e6d-4c0c-9da9-40125519c8ed","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1324 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1325 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1326 INFO:ocpp:CP_TEST: send [3,"1f7a7374-4e6d-4c0c-9da9-40125519c8ed",{}]
1327 INFO:ocpp:CP_TEST: receive message [3,"1f7a7374-4e6d-4c0c-9da9-40125519c8ed",{}]
1328 INFO:MockSystemTest:8.1.8 Status (Conn 2): Charging
1329 INFO:MockSystemTest:8.1.9 MeterValues (Conn 1): Verifying receipt
1330 INFO:MockSystemTest:8.1.10 MeterValues (Conn 2): Verifying receipt
1331 INFO:ocpp:CP_TEST: send [2,"f4f8a7a4-2aab-44b4-9f13-24d623510cee","RemoteStopTransaction",{"transactionId":123}]
1332 INFO:ocpp:CP_TEST: receive message [2,"f4f8a7a4-2aab-44b4-9f13-24d623510cee","RemoteStopTransaction",{"transactionId":123}]
1333 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 123
1334 INFO:ocpp:CP_TEST: send [3,"f4f8a7a4-2aab-44b4-9f13-24d623510cee",{"status":"Accepted"}]
1335 INFO:ocpp:CP_TEST: receive message [3,"f4f8a7a4-2aab-44b4-9f13-24d623510cee",{"status":"Accepted"}]
1336 INFO:ocpp:CP_TEST: send [2,"3550bc25-c439-4536-93df-2334530a25f5","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:10.205827","transactionId":123,"reason":"Remote"}]
1337 INFO:MockSystemTest:8.1.11 RemoteStop (Conn 1): Sent
1338 INFO:ocpp:CP_TEST: receive message [2,"3550bc25-c439-4536-93df-2334530a25f5","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:10.205827","transactionId":123,"reason":"Remote"}]
1339 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:10.205827', 'transaction_id': 123, 'reason': 'Remote'}
1340 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1341 INFO:ocpp:CP_TEST: send [3,"3550bc25-c439-4536-93df-2334530a25f5",{"idTagInfo":{"status":"Accepted"}}]
1342 INFO:ocpp:CP_TEST: receive message [3,"3550bc25-c439-4536-93df-2334530a25f5",{"idTagInfo":{"status":"Accepted"}}]
1343 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1344 INFO:ocpp:CP_TEST: send [2,"f9c74b1a-7db2-45f5-a263-49fb6913a08a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1345 INFO:ocpp:CP_TEST: receive message [2,"f9c74b1a-7db2-45f5-a263-49fb6913a08a","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Finishing"}]
1346 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Finishing'}
1347 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1348 INFO:ocpp:CP_TEST: send [3,"f9c74b1a-7db2-45f5-a263-49fb6913a08a",{}]
1349 INFO:ocpp:CP_TEST: receive message [3,"f9c74b1a-7db2-45f5-a263-49fb6913a08a",{}]
1350 INFO:MockSystemTest:8.1.12 StopTx (Conn 1): Completed
1351 INFO:ocpp:CP_TEST: send [2,"bc1ef991-6c50-4326-adb2-6c9d4ee6154d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1352 INFO:ocpp:CP_TEST: receive message [2,"bc1ef991-6c50-4326-adb2-6c9d4ee6154d","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1353 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1354 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1355 INFO:ocpp:CP_TEST: send [3,"bc1ef991-6c50-4326-adb2-6c9d4ee6154d",{}]
1356 INFO:ocpp:CP_TEST: receive message [3,"bc1ef991-6c50-4326-adb2-6c9d4ee6154d",{}]
1357 INFO:MockSystemTest:8.1.14 Status (Conn 1): Available
1358 INFO:ocpp:CP_TEST: send [2,"63c7dd63-3db0-4a5e-8ce3-a2e340972795","RemoteStopTransaction",{"transactionId":456}]
1359 INFO:ocpp:CP_TEST: receive message [2,"63c7dd63-3db0-4a5e-8ce3-a2e340972795","RemoteStopTransaction",{"transactionId":456}]
1360 INFO:ocpp_16_interface:Received RemoteStopTransaction for transaction_id: 456
1361 INFO:ocpp:CP_TEST: send [3,"63c7dd63-3db0-4a5e-8ce3-a2e340972795",{"status":"Rejected"}]
1362 INFO:ocpp:CP_TEST: receive message [3,"63c7dd63-3db0-4a5e-8ce3-a2e340972795",{"status":"Rejected"}]
1363 INFO:MockSystemTest:8.1.15 RemoteStop (Conn 2): Sent
1364 INFO:ocpp:CP_TEST: send [2,"ff9fda1c-057a-40fe-954d-739043625961","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Finishing"}]
1365 INFO:ocpp:CP_TEST: receive message [2,"ff9fda1c-057a-40fe-954d-739043625961","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Finishing"}]
1366 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Finishing'}
1367 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1368 INFO:ocpp:CP_TEST: send [3,"ff9fda1c-057a-40fe-954d-739043625961",{}]
1369 INFO:ocpp:CP_TEST: receive message [3,"ff9fda1c-057a-40fe-954d-739043625961",{}]
1370 INFO:MockSystemTest:8.1.16 StopTx (Conn 2): Completed
1371 INFO:ocpp:CP_TEST: send [2,"d6febfbcd28e-460c-b85d-9f19183a70a1","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1372 INFO:ocpp:CP_TEST: receive message [2,"d6febfbcd28e-460c-b85d-9f19183a70a1","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1373 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1374 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1375 INFO:ocpp:CP_TEST: send [3,"d6febfbcd28e-460c-b85d-9f19183a70a1",{}]
1376 INFO:ocpp:CP_TEST: receive message [3,"d6febfbcd28e-460c-b85d-9f19183a70a1",{}]
1377 INFO:MockSystemTest:8.1.18 Status (Conn 2): Available
1378 INFO:MockSystemTest:
1379 --- 8.2 Shared E-Stop ---
1380 INFO:ocpp:CP_TEST: send [2,"6c8df274-2b89-469c-a025-1784b1607cb2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1381 INFO:ocpp:CP_TEST: receive message [2,"6c8df274-2b89-469c-a025-1784b1607cb2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
```

```
1382 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1383 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1384 INFO:ocpp:CP_TEST: send [3,"6c8df274-2b89-469c-a025-1784b1607cb2",{}]]
1385 INFO:ocpp:CP_TEST: receive message [3,"6c8df274-2b89-469c-a025-1784b1607cb2",{}]]
1386 INFO:ocpp:CP_TEST: send [2,"aa4fda11-36d2-4b2d-b145-37a72d8e3f45","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]]
1387 INFO:ocpp:CP_TEST: receive message [2,"aa4fda11-36d2-4b2d-b145-37a72d8e3f45","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]]
1388 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1389 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1390 INFO:ocpp:CP_TEST: send [3,"aa4fda11-36d2-4b2d-b145-37a72d8e3f45",{}]]
1391 INFO:ocpp:CP_TEST: receive message [3,"aa4fda11-36d2-4b2d-b145-37a72d8e3f45",{}]]
1392 INFO:ocpp:CP_TEST: send [2,"d78ef8d8-0154-45e3-b4f9-42b0a6a8dc22","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1393 INFO:ocpp:CP_TEST: receive message [2,"d78ef8d8-0154-45e3-b4f9-42b0a6a8dc22","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Preparing"}]]
1394 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1395 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1396 INFO:ocpp:CP_TEST: send [3,"d78ef8d8-0154-45e3-b4f9-42b0a6a8dc22",{}]]
1397 INFO:ocpp:CP_TEST: receive message [3,"d78ef8d8-0154-45e3-b4f9-42b0a6a8dc22",{}]]
1398 INFO:MockSystemTest:8.2.2 Conn 1 Plug: Preparing
1399 INFO:ocpp:CP_TEST: send [2,"66ae543f-23db-4823-a4e5-adc33c7e3004","RemoteStartTransaction",{"idTag":"ESTOP_1","connectorId":1}]]
1400 INFO:ocpp:CP_TEST: receive message [2,"66ae543f-23db-4823-a4e5-adc33c7e3004","RemoteStartTransaction",{"idTag":"ESTOP_1","connectorId":1}]]
1401 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: ESTOP_1
1402 INFO:ocpp:CP_TEST: send [3,"66ae543f-23db-4823-a4e5-adc33c7e3004",{"status":"Accepted"}]]
1403 INFO:ocpp:CP_TEST: send [2,"3a5d8f71-aad4-441f-b85d-ffa9832a3fb","StartTransaction",{"connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T08:20:12.228215"}]]
1404 INFO:ocpp:CP_TEST: receive message [3,"66ae543f-23db-4823-a4e5-adc33c7e3004",{"status":"Accepted"}]]
1405 INFO:ocpp:CP_TEST: receive message [2,"3a5d8f71-aad4-441f-b85d-ffa9832a3fb","StartTransaction",{"connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T08:20:12.228215"}]]
1406 INFO:MockSystemTest:8.2.3 RemoteStart (Conn 1): Accepted
1407 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'ESTOP_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:12.228215'}
1408 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1409 INFO:ocpp:CP_TEST: send [3,"3a5d8f71-aad4-441f-b85d-ffa9832a3fb",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1410 INFO:ocpp:CP_TEST: receive message [3,"3a5d8f71-aad4-441f-b85d-ffa9832a3fb",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1411 INFO:ocpp:CP_TEST: send [2,"6891fd0a-baf1-4a84-8d12-b53a08060dc8","StartTransaction",{"connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T08:20:12.229056"}]]
1412 INFO:ocpp_16_interface:Transaction started on 1: 123
1413 INFO:MockSystemTest:HARDWARE: Charger started.
1414 INFO:ocpp:CP_TEST: receive message [2,"6891fd0a-baf1-4a84-8d12-b53a08060dc8","StartTransaction",{"connectorId":1,"idTag":"ESTOP_1","meterStart":0,"timestamp":"2026-01-06T08:20:12.229056"}]]
1415 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'ESTOP_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:12.229056'}
1416 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1417 INFO:ocpp:CP_TEST: send [3,"6891fd0a-baf1-4a84-8d12-b53a08060dc8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1418 INFO:ocpp:CP_TEST: receive message [3,"6891fd0a-baf1-4a84-8d12-b53a08060dc8",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]]
1419 INFO:ocpp_16_interface:Transaction started on 1: 123
1420 INFO:MockSystemTest:HARDWARE: Charger started.
1421 INFO:MockSystemTest:8.2.4 StartTx (Conn 1): Sent
1422 INFO:ocpp:CP_TEST: send [2,"3904230a-1415-4128-89b5-23c6e8d9f65e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]]
1423 INFO:ocpp:CP_TEST: receive message [2,"3904230a-1415-4128-89b5-23c6e8d9f65e","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Charging"}]]
1424 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1425 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1426 INFO:ocpp:CP_TEST: send [3,"3904230a-1415-4128-89b5-23c6e8d9f65e",{}]]
1427 INFO:ocpp:CP_TEST: receive message [3,"3904230a-1415-4128-89b5-23c6e8d9f65e",{}]]
1428 INFO:ocpp:CP_TEST: send [2,"e87c9e37-d0ad-474f-a697-13e2662163df","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]]
1429 INFO:ocpp:CP_TEST: receive message [2,"e87c9e37-d0ad-474f-a697-13e2662163df","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Preparing"}]]
1430 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1431 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1432 INFO:ocpp:CP_TEST: send [3,"e87c9e37-d0ad-474f-a697-13e2662163df",{}]]
1433 INFO:ocpp:CP_TEST: receive message [3,"e87c9e37-d0ad-474f-a697-13e2662163df",{}]]
1434 INFO:MockSystemTest:8.2.7 Conn 2 Plug: Preparing
1435 INFO:ocpp:CP_TEST: send [2,"3172611f-cf18-4c67-badf-16547e13cb64","RemoteStartTransaction",{"idTag":"ESTOP_2","connectorId":2}]]
1436 INFO:ocpp:CP_TEST: receive message [2,"3172611f-cf18-4c67-badf-16547e13cb64","RemoteStartTransaction",{"idTag":"ESTOP_2","connectorId":2}]]
1437 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: ESTOP_2
1438 INFO:ocpp:CP_TEST: send [3,"3172611f-cf18-4c67-badf-16547e13cb64",{"status":"Rejected"}]]
1439 INFO:ocpp:CP_TEST: receive message [3,"3172611f-cf18-4c67-badf-16547e13cb64",{"status":"Rejected"}]]
1440 INFO:MockSystemTest:8.2.8 RemoteStart (Conn 2): Rejected
1441 WARNING:ocpp_16_interface:Transaction already in progress for connector 2.
```



```
1442 INFO:MockSystemTest:8.2.9 StartTx (Conn 2): Sent
1443 INFO:ocpp:CP_TEST: send [2,"79e316fe-bc84-4291-95a1-6460c3b23414","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1444 INFO:ocpp:CP_TEST: receive message [2,"79e316fe-bc84-4291-95a1-6460c3b23414","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Charging"}]
1445 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1446 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1447 INFO:ocpp:CP_TEST: send [3,"79e316fe-bc84-4291-95a1-6460c3b23414",{}]
1448 INFO:ocpp:CP_TEST: receive message [3,"79e316fe-bc84-4291-95a1-6460c3b23414",{}]
1449 INFO:ocpp:CP_TEST: send [2,"76fbe940-3ac8-4615-90cb-aeb0ccaaf015","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:14.242169","transactionId":123,"reason":"EmergencyStop"}]
1450 INFO:ocpp:CP_TEST: receive message [2,"76fbe940-3ac8-4615-90cb-aeb0ccaaf015","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:14.242169","transactionId":123,"reason":"EmergencyStop"}]
1451 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:14.242169', 'transaction_id': 123, 'reason': 'EmergencyStop'}
1452 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1453 INFO:ocpp:CP_TEST: send [3,"76fbe940-3ac8-4615-90cb-aeb0ccaaf015",{"idTagInfo":{"status":"Accepted"}}]
1454 INFO:ocpp:CP_TEST: receive message [3,"76fbe940-3ac8-4615-90cb-aeb0ccaaf015",{"idTagInfo":{"status":"Accepted"}}]
1455 INFO:ocpp_16_interface:Transaction stopped on 1: 123
1456 INFO:MockSystemTest:8.2.12 StopTx (Conn 1 Emergency): Sent
1457 INFO:ocpp:CP_TEST: send [2,"4796b662-e88a-4905-a6d5-9697a49be746","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:14.246286","transactionId":123,"reason":"EmergencyStop"}]
1458 INFO:ocpp:CP_TEST: receive message [2,"4796b662-e88a-4905-a6d5-9697a49be746","StopTransaction",{"meterStop":100,"timestamp":"2026-01-06T08:20:14.246286","transactionId":123,"reason":"EmergencyStop"}]
1459 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:14.246286', 'transaction_id': 123, 'reason': 'EmergencyStop'}
1460 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1461 INFO:ocpp:CP_TEST: send [3,"4796b662-e88a-4905-a6d5-9697a49be746",{"idTagInfo":{"status":"Accepted"}}]
1462 INFO:ocpp:CP_TEST: receive message [3,"4796b662-e88a-4905-a6d5-9697a49be746",{"idTagInfo":{"status":"Accepted"}}]
1463 INFO:ocpp_16_interface:Transaction stopped on 2: 123
1464 INFO:MockSystemTest:HARDWARE: Charger stopped.
1465 INFO:MockSystemTest:8.2.13 StopTx (Conn 2 Emergency): Sent
1466 INFO:ocpp:CP_TEST: send [2,"cb9f8477-e8fe-41b7-b002-b6bf558fd915","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted"}]
1467 INFO:ocpp:CP_TEST: receive message [2,"cb9f8477-e8fe-41b7-b002-b6bf558fd915","StatusNotification",{"connectorId":1,"errorCode":"OtherError","status":"Faulted"}]
1468 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'OtherError', 'status': 'Faulted'}
1469 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1470 INFO:ocpp:CP_TEST: send [3,"cb9f8477-e8fe-41b7-b002-b6bf558fd915",{}]
1471 INFO:ocpp:CP_TEST: receive message [3,"cb9f8477-e8fe-41b7-b002-b6bf558fd915",{}]
1472 INFO:ocpp:CP_TEST: send [2,"0d8c847b-aa02-411e-9111-fb530eb56edc","StatusNotification",{"connectorId":2,"errorCode":"OtherError","status":"Faulted"}]
1473 INFO:ocpp:CP_TEST: receive message [2,"0d8c847b-aa02-411e-9111-fb530eb56edc","StatusNotification",{"connectorId":2,"errorCode":"OtherError","status":"Faulted"}]
1474 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'OtherError', 'status': 'Faulted'}
1475 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1476 INFO:ocpp:CP_TEST: send [3,"0d8c847b-aa02-411e-9111-fb530eb56edc",{}]
1477 INFO:ocpp:CP_TEST: receive message [3,"0d8c847b-aa02-411e-9111-fb530eb56edc",{}]
1478 INFO:MockSystemTest:8.2.14 Status (Both): Faulted (Emergency)
1479 INFO:ocpp:CP_TEST: send [2,"2c84a5ec-addb-4894-acfe-13fd3d196a04","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1480 INFO:ocpp:CP_TEST: receive message [2,"2c84a5ec-addb-4894-acfe-13fd3d196a04","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1481 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1482 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1483 INFO:ocpp:CP_TEST: send [3,"2c84a5ec-addb-4894-acfe-13fd3d196a04",{}]
1484 INFO:ocpp:CP_TEST: receive message [3,"2c84a5ec-addb-4894-acfe-13fd3d196a04",{}]
1485 INFO:ocpp:CP_TEST: send [2,"ce8fb308-2c3d-4424-9214-6d87a98c9e2a","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1486 INFO:ocpp:CP_TEST: receive message [2,"ce8fb308-2c3d-4424-9214-6d87a98c9e2a","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1487 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1488 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1489 INFO:ocpp:CP_TEST: send [3,"ce8fb308-2c3d-4424-9214-6d87a98c9e2a",{}]
1490 INFO:ocpp:CP_TEST: receive message [3,"ce8fb308-2c3d-4424-9214-6d87a98c9e2a",{}]
1491 INFO:MockSystemTest:8.2.16 Status (Both): Available (Recovered)
1492 INFO:MockSystemTest:
1493 --- 8.3 Power Loss (Dual) ---
1494 INFO:ocpp:CP_TEST: send [2,"320f5fd3-b5a2-4c30-9bf0-55b46ff496d2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1495 INFO:ocpp:CP_TEST: receive message [2,"320f5fd3-b5a2-4c30-9bf0-55b46ff496d2","StatusNotification",{"connectorId":1,"errorCode":"NoError","status":"Available"}]
1496 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1497 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1498 INFO:ocpp:CP_TEST: send [3,"320f5fd3-b5a2-4c30-9bf0-55b46ff496d2",{}]
1499 INFO:ocpp:CP_TEST: receive message [3,"320f5fd3-b5a2-4c30-9bf0-55b46ff496d2",{}]
1500 INFO:ocpp:CP_TEST: send [2,"81c01418-2359-4031-9c33-9085842f068e","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
1501 INFO:ocpp:CP_TEST: receive message [2,"81c01418-2359-4031-9c33-9085842f068e","StatusNotification",{"connectorId":2,"errorCode":"NoError","status":"Available"}]
```

```
1502 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1503 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1504 INFO:ocpp:CP_TEST: send [3,"81c01418-2359-4031-9c33-9085842f068e",{}]]
1505 INFO:ocpp:CP_TEST: receive message [3,"81c01418-2359-4031-9c33-9085842f068e",{}]]
1506 INFO:ocpp:CP_TEST: send [2,"abdbdf14-5852-44a3-8f11-e320d4f421bc",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Preparing"}}]
1507 INFO:ocpp:CP_TEST: receive message [2,"abdbdf14-5852-44a3-8f11-e320d4f421bc",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Preparing"}}]
1508 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1509 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1510 INFO:ocpp:CP_TEST: send [3,"abdbdf14-5852-44a3-8f11-e320d4f421bc",{}]]
1511 INFO:ocpp:CP_TEST: receive message [3,"abdbdf14-5852-44a3-8f11-e320d4f421bc",{}]]
1512 INFO:ocpp:CP_TEST: send [2,"16f3f0a4-9c60-465c-9c14-a3791a30d2cc",{"RemoteStartTransaction":{"idTag":"PLOSS_1","connectorId":1}}]
1513 INFO:ocpp:CP_TEST: receive message [2,"16f3f0a4-9c60-465c-9c14-a3791a30d2cc",{"RemoteStartTransaction":{"idTag":"PLOSS_1","connectorId":1}}]
1514 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: PLOSS_1
1515 INFO:ocpp:CP_TEST: send [3,"16f3f0a4-9c60-465c-9c14-a3791a30d2cc",{"status":"Accepted"}]]
1516 INFO:ocpp:CP_TEST: send [2,"6f81fd30-0075-447d-86ef-fafeb99de119",{"connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp":"2026-01-06T08:20:14.257742"}]]
1517 INFO:ocpp:CP_TEST: receive message [3,"16f3f0a4-9c60-465c-9c14-a3791a30d2cc",{"status":"Accepted"}]]
1518 INFO:ocpp:CP_TEST: receive message [2,"6f81fd30-0075-447d-86ef-fafeb99de119",{"connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp":"2026-01-06T08:20:14.257742"}]]
1519 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'PLOSS_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:14.257742'}
1520 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1521 INFO:ocpp:CP_TEST: send [3,"6f81fd30-0075-447d-86ef-fafeb99de119",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1522 INFO:ocpp:CP_TEST: receive message [3,"6f81fd30-0075-447d-86ef-fafeb99de119",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1523 INFO:ocpp:CP_TEST: send [2,"f340a831-faee-4b47-996f-985962783634",{"connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp":"2026-01-06T08:20:14.258529"}]]
1524 INFO:ocpp_16_interface:Transaction started on 1: 123
1525 INFO:MockSystemTest:HARDWARE: Charger started.
1526 INFO:ocpp:CP_TEST: receive message [2,"f340a831-faee-4b47-996f-985962783634",{"connectorId":1,"idTag":"PLOSS_1","meterStart":0,"timestamp":"2026-01-06T08:20:14.258529"}]]
1527 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 1, 'id_tag': 'PLOSS_1', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:14.258529'}
1528 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1529 INFO:ocpp:CP_TEST: send [3,"f340a831-faee-4b47-996f-985962783634",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1530 INFO:ocpp:CP_TEST: receive message [3,"f340a831-faee-4b47-996f-985962783634",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1531 INFO:ocpp_16_interface:Transaction started on 1: 123
1532 INFO:MockSystemTest:HARDWARE: Charger started.
1533 INFO:ocpp:CP_TEST: send [2,"04a6cf1c-ac1c-4c54-8f12-9004681ab302",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Charging"}}]
1534 INFO:ocpp:CP_TEST: receive message [2,"04a6cf1c-ac1c-4c54-8f12-9004681ab302",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Charging"}}]
1535 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Charging'}
1536 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1537 INFO:ocpp:CP_TEST: send [3,"04a6cf1c-ac1c-4c54-8f12-9004681ab302",{}]]
1538 INFO:ocpp:CP_TEST: receive message [3,"04a6cf1c-ac1c-4c54-8f12-9004681ab302",{}]]
1539 INFO:ocpp:CP_TEST: send [2,"59aa215b-4a71-4259-a781-ee8a795d7c4f",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Preparing"}}]
1540 INFO:ocpp:CP_TEST: receive message [2,"59aa215b-4a71-4259-a781-ee8a795d7c4f",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Preparing"}}]
1541 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1542 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1543 INFO:ocpp:CP_TEST: send [3,"59aa215b-4a71-4259-a781-ee8a795d7c4f",{}]]
1544 INFO:ocpp:CP_TEST: receive message [3,"59aa215b-4a71-4259-a781-ee8a795d7c4f",{}]]
1545 INFO:ocpp:CP_TEST: send [2,"ddc054bf-d15d-4dae-a56a-ffe2930a6465",{"RemoteStartTransaction":{"idTag":"PLOSS_2","connectorId":2}}]
1546 INFO:ocpp:CP_TEST: receive message [2,"ddc054bf-d15d-4dae-a56a-ffe2930a6465",{"RemoteStartTransaction":{"idTag":"PLOSS_2","connectorId":2}}]
1547 INFO:ocpp_16_interface:Received RemoteStartTransaction for id_tag: PLOSS_2
1548 INFO:ocpp:CP_TEST: send [3,"ddc054bf-d15d-4dae-a56a-ffe2930a6465",{"status":"Accepted"}]]
1549 INFO:ocpp:CP_TEST: send [2,"f4643bd2-b170-4d7c-95cb-7141fcbded0c",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":"2026-01-06T08:20:14.263275"}]]
1550 INFO:ocpp:CP_TEST: receive message [3,"ddc054bf-d15d-4dae-a56a-ffe2930a6465",{"status":"Accepted"}]]
1551 INFO:ocpp:CP_TEST: receive message [2,"f4643bd2-b170-4d7c-95cb-7141fcbded0c",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":"2026-01-06T08:20:14.263275"}]]
1552 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'PLOSS_2', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:14.263275'}
1553 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1554 INFO:ocpp:CP_TEST: send [3,"f4643bd2-b170-4d7c-95cb-7141fcbded0c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1555 INFO:ocpp:CP_TEST: receive message [3,"f4643bd2-b170-4d7c-95cb-7141fcbded0c",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1556 INFO:ocpp:CP_TEST: send [2,"a2cde95d-1945-4598-ac9a-cc7c8c5de6bb",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":"2026-01-06T08:20:14.263923"}]]
1557 INFO:ocpp_16_interface:Transaction started on 2: 123
1558 INFO:MockSystemTest:HARDWARE: Charger started.
1559 INFO:ocpp:CP_TEST: receive message [2,"a2cde95d-1945-4598-ac9a-cc7c8c5de6bb",{"connectorId":2,"idTag":"PLOSS_2","meterStart":0,"timestamp":"2026-01-06T08:20:14.263923"}]]
1560 INFO:MockSystemTest:[CSMS] <- StartTransaction: {'connector_id': 2, 'id_tag': 'PLOSS_2', 'meter_start': 0, 'timestamp': '2026-01-06T08:20:14.263923'}
1561 INFO:MockSystemTest:[CSMS] -> StartTransactionConf: StartTransaction(transaction_id=123, id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
```

```
1562 INFO:ocpp:CP_TEST: send [3,"a2cde95d-1945-4598-ac9a-cc7c8c5de6bb",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1563 INFO:ocpp:CP_TEST: receive message [3,"a2cde95d-1945-4598-ac9a-cc7c8c5de6bb",{"transactionId":123,"idTagInfo":{"status":"Accepted"}}]
1564 INFO:ocpp_16_interface:Transaction started on 2: 123
1565 INFO:MockSystemTest:HARDWARE: Charger started.
1566 INFO:ocpp:CP_TEST: send [2,"9901e449-2482-47ab-b4d3-cb0ea68dcf24",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Charging"}}]
1567 INFO:ocpp:CP_TEST: receive message [2,"9901e449-2482-47ab-b4d3-cb0ea68dcf24",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Charging"}}]
1568 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Charging'}
1569 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1570 INFO:ocpp:CP_TEST: send [3,"9901e449-2482-47ab-b4d3-cb0ea68dcf24",{}]]
1571 INFO:ocpp:CP_TEST: receive message [3,"9901e449-2482-47ab-b4d3-cb0ea68dcf24",{}]]
1572 INFO:MockSystemTest:8.3 Sequence: Both Charging
1573 INFO:ocpp:CP_TEST: send [2,"db66f3b3-d2c8-40af-aa75-5064344c0da6",{"StopTransaction":{"meterStop":100,"timestamp":"2026-01-06T08:20:15.267685","transactionId":123,"reason":"PowerLoss"}}]
1574 INFO:ocpp:CP_TEST: receive message [2,"db66f3b3-d2c8-40af-aa75-5064344c0da6",{"StopTransaction":{"meterStop":100,"timestamp":"2026-01-06T08:20:15.267685","transactionId":123,"reason":"PowerLoss"}}]
1575 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:15.267685', 'transaction_id': 123, 'reason': 'PowerLoss'}
1576 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1577 INFO:ocpp:CP_TEST: send [3,"db66f3b3-d2c8-40af-aa75-5064344c0da6",{"idTagInfo":{"status":"Accepted"}}]
1578 INFO:ocpp:CP_TEST: receive message [3,"db66f3b3-d2c8-40af-aa75-5064344c0da6",{"idTagInfo":{"status":"Accepted"}}]
1579 INFO:ocpp_16_interface:Transaction stopped on 2: 123
1580 INFO:MockSystemTest:8.3.12 StopTx (Conn 1 PowerLoss): Sent
1581 INFO:ocpp:CP_TEST: send [2,"272767f9-ca1d-4596-9461-7ffbb30a3f8c",{"StopTransaction":{"meterStop":100,"timestamp":"2026-01-06T08:20:15.270343","transactionId":123,"reason":"PowerLoss"}}]
1582 INFO:ocpp:CP_TEST: receive message [2,"272767f9-ca1d-4596-9461-7ffbb30a3f8c",{"StopTransaction":{"meterStop":100,"timestamp":"2026-01-06T08:20:15.270343","transactionId":123,"reason":"PowerLoss"}}]
1583 INFO:MockSystemTest:[CSMS] <- StopTransaction: {'meter_stop': 100, 'timestamp': '2026-01-06T08:20:15.270343', 'transaction_id': 123, 'reason': 'PowerLoss'}
1584 INFO:MockSystemTest:[CSMS] -> StopTransactionConf: StopTransaction(id_tag_info={'status': <AuthorizationStatus.accepted: 'Accepted'>})
1585 INFO:ocpp:CP_TEST: send [3,"272767f9-ca1d-4596-9461-7ffbb30a3f8c",{"idTagInfo":{"status":"Accepted"}}]
1586 INFO:ocpp:CP_TEST: receive message [3,"272767f9-ca1d-4596-9461-7ffbb30a3f8c",{"idTagInfo":{"status":"Accepted"}}]
1587 INFO:ocpp_16_interface:Transaction stopped on 2: 123
1588 INFO:MockSystemTest:HARDWARE: Charger stopped.
1589 INFO:MockSystemTest:8.3.13 StopTx (Conn 2 PowerLoss): Sent
1590 INFO:ocpp:CP_TEST: send [2,"c7d9347b-8b3f-4981-aaf9-a780436478b9",{"BootNotification":{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}}]
1591 INFO:ocpp:CP_TEST: receive message [2,"c7d9347b-8b3f-4981-aaf9-a780436478b9",{"BootNotification":{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}}]
1592 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
1593 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:20:15.273090', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
1594 INFO:ocpp:CP_TEST: send [3,"c7d9347b-8b3f-4981-aaf9-a780436478b9",{"currentTime":"2026-01-06T08:20:15.273090","interval":10,"status":"Accepted"}]
1595 INFO:ocpp:CP_TEST: receive message [3,"c7d9347b-8b3f-4981-aaf9-a780436478b9",{"currentTime":"2026-01-06T08:20:15.273090","interval":10,"status":"Accepted"}]
1596 INFO:ocpp_16_interface:Connected to central system.
1597 INFO:MockSystemTest:HARDWARE: Charger started.
1598 INFO:MockSystemTest:8.3.14 BootNotification: Sent
1599 INFO:ocpp:CP_TEST: send [2,"577d2bc5-d200-4579-8192-e0968aealdef",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Preparing"}}]
1600 INFO:ocpp:CP_TEST: receive message [2,"577d2bc5-d200-4579-8192-e0968aealdef",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Preparing"}}]
1601 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Preparing'}
1602 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1603 INFO:ocpp:CP_TEST: send [3,"577d2bc5-d200-4579-8192-e0968aealdef",{}]]
1604 INFO:ocpp:CP_TEST: receive message [3,"577d2bc5-d200-4579-8192-e0968aealdef",{}]]
1605 INFO:ocpp:CP_TEST: send [2,"eea63ce5-782a-4a8a-acd0-f67bd091c5f3",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Preparing"}}]
1606 INFO:ocpp:CP_TEST: receive message [2,"eea63ce5-782a-4a8a-acd0-f67bd091c5f3",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Preparing"}}]
1607 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Preparing'}
1608 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1609 INFO:ocpp:CP_TEST: send [3,"eea63ce5-782a-4a8a-acd0-f67bd091c5f3",{}]]
1610 INFO:ocpp:CP_TEST: receive message [3,"eea63ce5-782a-4a8a-acd0-f67bd091c5f3",{}]]
1611 INFO:ocpp:CP_TEST: send [2,"595d170f-3d9f-4e1a-9612-e4de4a92fe05",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
1612 INFO:ocpp:CP_TEST: receive message [2,"595d170f-3d9f-4e1a-9612-e4de4a92fe05",{"StatusNotification":{"connectorId":1,"errorCode":"NoError","status":"Available"}}]
1613 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 1, 'error_code': 'NoError', 'status': 'Available'}
1614 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1615 INFO:ocpp:CP_TEST: send [3,"595d170f-3d9f-4e1a-9612-e4de4a92fe05",{}]]
1616 INFO:ocpp:CP_TEST: receive message [3,"595d170f-3d9f-4e1a-9612-e4de4a92fe05",{}]]
1617 INFO:ocpp:CP_TEST: send [2,"e37aa2b6-ca4e-4ec1-9b07-6b51fb505dde",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Available"}}]
1618 INFO:ocpp:CP_TEST: receive message [2,"e37aa2b6-ca4e-4ec1-9b07-6b51fb505dde",{"StatusNotification":{"connectorId":2,"errorCode":"NoError","status":"Available"}}]
1619 INFO:MockSystemTest:[CSMS] <- StatusNotification: {'connector_id': 2, 'error_code': 'NoError', 'status': 'Available'}
1620 INFO:MockSystemTest:[CSMS] -> StatusNotificationConf: {}
1621 INFO:ocpp:CP_TEST: send [3,"e37aa2b6-ca4e-4ec1-9b07-6b51fb505dde",{}]]
```

```
1622 INFO:ocpp:CP_TEST: receive message [3,"e37aa2b6-ca4e-4ec1-9b07-6b51fb505dde",{}]  
1623 INFO:MockSystemTest:  
1624 --- 9. MEA Specific Configuration (Full Sequence) ---  
1625 INFO:ocpp:CP_TEST: send [2,"acc9a246-4455-42a2-a853-dai70f9d3d83","ChangeConfiguration",{"key":"HeartbeatInterval","value":"3600"}]  
1626 INFO:ocpp:CP_TEST: receive message [2,"acc9a246-4455-42a2-a853-dai70f9d3d83","ChangeConfiguration",{"key":"HeartbeatInterval","value":"3600"}]  
1627 INFO:ocpp_16_interface:Received ChangeConfiguration for HeartbeatInterval to 3600  
1628 INFO:ocpp:CP_TEST: send [3,"acc9a246-4455-42a2-a853-dai70f9d3d83",{"status":"Accepted"}]  
1629 INFO:ocpp:CP_TEST: receive message [3,"acc9a246-4455-42a2-a853-dai70f9d3d83",{"status":"Accepted"}]  
1630 INFO:MockSystemTest:9.1 Heartbeat 3600: Accepted  
1631 INFO:ocpp:CP_TEST: send [2,"f049004c-b05d-4a33-b843-b27f7025a0f4","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]  
1632 INFO:ocpp:CP_TEST: receive message [2,"f049004c-b05d-4a33-b843-b27f7025a0f4","ChangeConfiguration",{"key":"MeterValueSampleInterval","value":"60"}]  
1633 INFO:ocpp_16_interface:Received ChangeConfiguration for MeterValueSampleInterval to 60  
1634 INFO:ocpp:CP_TEST: send [3,"f049004c-b05d-4a33-b843-b27f7025a0f4",{"status":"Accepted"}]  
1635 INFO:ocpp:CP_TEST: receive message [3,"f049004c-b05d-4a33-b843-b27f7025a0f4",{"status":"Accepted"}]  
1636 INFO:MockSystemTest:9.2 MeterValueSampleInterval 60: Accepted  
1637 INFO:ocpp:CP_TEST: send [2,"83e92a4f-3c0d-48f9-971e-1b3945de702d","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"-5000"}]  
1638 INFO:ocpp:CP_TEST: receive message [2,"83e92a4f-3c0d-48f9-971e-1b3945de702d","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"-5000"}]  
1639 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to -5000  
1640 INFO:ocpp_16_interface:[V2G] Grid Demand: Discharging 5000 W  
1641 INFO:ocpp:CP_TEST: send [3,"83e92a4f-3c0d-48f9-971e-1b3945de702d",{"status":"Accepted"}]  
1642 INFO:ocpp:CP_TEST: receive message [3,"83e92a4f-3c0d-48f9-971e-1b3945de702d",{"status":"Accepted"}]  
1643 INFO:MockSystemTest:9.3 V2G PowerDemand -5000 (Discharge): Accepted  
1644 INFO:ocpp:CP_TEST: send [2,"0c9c7f2e-faa7-4031-a98b-d85d392bae98","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"2000"}]  
1645 INFO:ocpp:CP_TEST: receive message [2,"0c9c7f2e-faa7-4031-a98b-d85d392bae98","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"2000"}]  
1646 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to 2000  
1647 INFO:ocpp_16_interface:[V2G] Grid Supply: Charging 2000 W  
1648 INFO:ocpp:CP_TEST: send [3,"0c9c7f2e-faa7-4031-a98b-d85d392bae98",{"status":"Accepted"}]  
1649 INFO:ocpp:CP_TEST: receive message [3,"0c9c7f2e-faa7-4031-a98b-d85d392bae98",{"status":"Accepted"}]  
1650 INFO:MockSystemTest:9.3 V2G PowerDemand 2000 (Charge): Accepted  
1651 INFO:ocpp:CP_TEST: send [2,"b47aa9ea-e19b-438d-9aa8-5f3b196fac17","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"0"}]  
1652 INFO:ocpp:CP_TEST: receive message [2,"b47aa9ea-e19b-438d-9aa8-5f3b196fac17","ChangeConfiguration",{"key":"MEA_V2G_PowerDemand","value":"0"}]  
1653 INFO:ocpp_16_interface:Received ChangeConfiguration for MEA_V2G_PowerDemand to 0  
1654 INFO:ocpp_16_interface:[V2G] Idle  
1655 INFO:ocpp:CP_TEST: send [3,"b47aa9ea-e19b-438d-9aa8-5f3b196fac17",{"status":"Accepted"}]  
1656 INFO:ocpp:CP_TEST: receive message [3,"b47aa9ea-e19b-438d-9aa8-5f3b196fac17",{"status":"Accepted"}]  
1657 INFO:MockSystemTest:9.3 V2G PowerDemand 0: Accepted  
1658 INFO:ocpp:CP_TEST: send [2,"4b0078ef-e393-4d2b-9c1a-9cb1938b9f96","DataTransfer",{"vendorId":"MEA","messageId":"Test","data":"Ping"}]  
1659 INFO:ocpp:CP_TEST: receive message [2,"4b0078ef-e393-4d2b-9c1a-9cb1938b9f96","DataTransfer",{"vendorId":"MEA","messageId":"Test","data":"Ping"}]  
1660 INFO:ocpp_16_interface:Received DataTransfer: MEA, Test, Ping  
1661 INFO:ocpp:CP_TEST: send [3,"4b0078ef-e393-4d2b-9c1a-9cb1938b9f96",{"status":"Accepted","data":"Pong"}]  
1662 INFO:ocpp:CP_TEST: receive message [3,"4b0078ef-e393-4d2b-9c1a-9cb1938b9f96",{"status":"Accepted","data":"Pong"}]  
1663 INFO:MockSystemTest:10.3 DataTransfer: Accepted  
1664 INFO:ocpp:CP_TEST: send [2,"4167c082-9f18-4a97-a5d8-5bf1fbbc8878","GetDiagnostics",{"location":"ftp://example.com/diagnostics"}]  
1665 INFO:ocpp:CP_TEST: receive message [2,"4167c082-9f18-4a97-a5d8-5bf1fbbc8878","GetDiagnostics",{"location":"ftp://example.com/diagnostics"}]  
1666 INFO:ocpp_16_interface:Received GetDiagnostics for ftp://example.com/diagnostics  
1667 INFO:ocpp:CP_TEST: send [3,"4167c082-9f18-4a97-a5d8-5bf1fbbc8878",{"fileName":"diagnostics.log"}]  
1668 INFO:ocpp:CP_TEST: receive message [3,"4167c082-9f18-4a97-a5d8-5bf1fbbc8878",{"fileName":"diagnostics.log"}]  
1669 INFO:MockSystemTest:10.19 GetDiagnostics: diagnostics.log  
1670 INFO:ocpp:CP_TEST: send [2,"8e85fca1-ab2f-4bc3-b67f-d430ea095e5b","UpdateFirmware",{"location":"ftp://example.com/firmware","retrieveDate":"2026-01-01T00:00:00Z"}]  
1671 INFO:ocpp:CP_TEST: receive message [2,"8e85fca1-ab2f-4bc3-b67f-d430ea095e5b","UpdateFirmware",{"location":"ftp://example.com/firmware","retrieveDate":"2026-01-01T00:00:00Z"}]  
1672 INFO:ocpp_16_interface:Received UpdateFirmware from ftp://example.com/firmware  
1673 INFO:ocpp:CP_TEST: send [3,"8e85fca1-ab2f-4bc3-b67f-d430ea095e5b",{}]  
1674 INFO:ocpp:CP_TEST: receive message [3,"8e85fca1-ab2f-4bc3-b67f-d430ea095e5b",{}]  
1675 INFO:MockSystemTest:10.20 UpdateFirmware: Sent  
1676 INFO:ocpp:CP_TEST: send [2,"555a7267-432e-47fb-ae7c-ec36ffb4cc3a","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[{"idTag":"TAG1","idTagInfo":{"status":"Accepted"}}]}]  
1677 INFO:ocpp:CP_TEST: receive message [2,"555a7267-432e-47fb-ae7c-ec36ffb4cc3a","SendLocalList",{"listVersion":1,"updateType":"Full","localAuthorizationList":[{"idTag":"TAG1","idTagInfo":{"status":"Accepted"}}]}]  
1678 INFO:ocpp_16_interface:Received SendLocalList  
1679 INFO:ocpp:CP_TEST: send [3,"555a7267-432e-47fb-ae7c-ec36ffb4cc3a",{"status":"Accepted"}]  
1680 INFO:ocpp:CP_TEST: receive message [3,"555a7267-432e-47fb-ae7c-ec36ffb4cc3a",{"status":"Accepted"}]  
1681 INFO:MockSystemTest:10.21 SendLocalList: Accepted
```

```
1682 INFO:ocpp:CP_TEST: send [2,"293b21ee-4233-469d-8ef8-fcb39a0de541","GetLocallistVersion",{}]
1683 INFO:ocpp:CP_TEST: receive message [2,"293b21ee-4233-469d-8ef8-fcb39a0de541","GetLocallistVersion",{}]
1684 INFO:ocpp_16_interface:Received GetLocallistVersion
1685 INFO:ocpp:CP_TEST: send [3,"293b21ee-4233-469d-8ef8-fcb39a0de541",{"listVersion":1}]
1686 INFO:ocpp:CP_TEST: receive message [3,"293b21ee-4233-469d-8ef8-fcb39a0de541",{"listVersion":1}]
1687 INFO:MockSystemTest:10.22 GetLocallistVersion: 1
1688 INFO:MockSystemTest:
1689 --- 10. Summary Verification ---
1690 INFO:MockSystemTest:10.1 Log verification: Implicit via this test execution log.
1691 INFO:MockSystemTest:
1692 --- 11. Other Verification ---
1693 INFO:MockSystemTest:11.1 Simulating LAN Disconnect...
1694 INFO:MockSystemTest:11.1 Reconnecting...
1695 INFO:websockets.server:connection open
1696 INFO:MockSystemTest:CSMS: Client connected! CP_TEST
1697 INFO:ocpp:CP_TEST: send [2,"a81d6d4a-fa03-4a6f-b1ad-c4cd4eacccb63","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
1698 INFO:ocpp:CP_TEST: receive message [2,"a81d6d4a-fa03-4a6f-b1ad-c4cd4eacccb63","BootNotification",{"chargePointModel":"MEA-V2G-01","chargePointVendor":"KMUTNB"}]
1699 INFO:MockSystemTest:[CSMS] <- BootNotification: {'charge_point_model': 'MEA-V2G-01', 'charge_point_vendor': 'KMUTNB'}
1700 INFO:MockSystemTest:[CSMS] -> BootNotificationConf: BootNotification(current_time='2026-01-06T08:20:17.302447', interval=10, status=<RegistrationStatus.accepted: 'Accepted'>)
1701 INFO:ocpp:CP_TEST: send [3,"a81d6d4a-fa03-4a6f-b1ad-c4cd4eacccb63",{"currentTime":"2026-01-06T08:20:17.302447","interval":10,"status":"Accepted"}]
1702 INFO:ocpp:CP_TEST: receive message [3,"a81d6d4a-fa03-4a6f-b1ad-c4cd4eacccb63",{"currentTime":"2026-01-06T08:20:17.302447","interval":10,"status":"Accepted"}]
1703 INFO:ocpp_16_interface:Connected to central system.
1704 INFO:MockSystemTest:HARDWARE: Charger started.
1705 INFO:MockSystemTest:11.1 Reconnect BootNotification: Sent
1706 INFO:MockSystemTest:Test Suite Completed.
1707 ERROR:websockets.server:connection handler failed
1708 Traceback (most recent call last):
1709   File "/opt/homebrew/lib/python3.14/site-packages/websockets/asyncio/server.py", line 376, in conn_handler
1710     await self.handler(connection)
1711   File "/Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py", line 143, in on_connect
1712     await cp.start()
1713   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 246, in start
1714     message = await self._connection.recv()
1715     ~~~~~
1716   File "/opt/homebrew/lib/python3.14/site-packages/websockets/asyncio/connection.py", line 322, in recv
1717     raise self.protocol.close_exc from self.recv_exc
1718 websockets.exceptions.ConnectionClosedOK: received 1000 (OK); then sent 1000 (OK)
1719 INFO:websockets.server:server closing
1720 ERROR:websockets.server:connection handler failed
1721 Traceback (most recent call last):
1722   File "/opt/homebrew/lib/python3.14/site-packages/websockets/asyncio/server.py", line 376, in conn_handler
1723     await self.handler(connection)
1724   File "/Users/rus/Development/MEA-V2G/tests/system/test_mea_mock.py", line 143, in on_connect
1725     await cp.start()
1726   File "/opt/homebrew/lib/python3.14/site-packages/ocpp/charge_point.py", line 246, in start
1727     message = await self._connection.recv()
1728     ~~~~~
1729   File "/opt/homebrew/lib/python3.14/site-packages/websockets/asyncio/connection.py", line 322, in recv
1730     raise self.protocol.close_exc from self.recv_exc
1731 websockets.exceptions.ConnectionClosedOK: sent 1001 (going away); then received 1001 (going away)
1732 INFO:websockets.server:server closed
```