

MEA OCPP Live Test

Automated Test Suite

January 11, 2026

1 Summary

- **Total Tests:** 54
- **Passed:** 54
- **Failed:** 0
- **Errors:** 0
- **Skipped:** 0
- **Total Duration:** 16.952 seconds

2 Detailed Results

2.1 Remote Start (Unplugged)

Test Case	Test Name	Status	Time (s)
7.1.1	test_7.01.01_status_available	Pass	2.005
7.1.2	test_7.01.02_remote_start_rejected	Pass	0.405

2.2 Concurrent Remote Start

Test Case	Test Name	Status	Time (s)
7.2.1	test_7.02.01_status_available	Pass	0.001
7.2.2	test_7.02.02_status_preparing	Pass	0.076
7.2.3	test_7.02.03_remote_start_1	Pass	0.565
7.2.4	test_7.02.04_remote_start_2	Pass	2.380
7.2.5	test_7.02.05_start_transaction	Pass	0.001
7.2.6	test_7.02.06_status_charging	Pass	0.001
7.2.7	test_7.02.07_meter_values	Pass	1.005
7.2.8	test_7.02.08_remote_stop	Pass	0.464
7.2.9	test_7.02.09_stop_transaction	Pass	0.001
7.2.10	test_7.02.10_status_finishing	Pass	0.001
7.2.11	test_7.02.11_status_available	Pass	0.001

2.3 Swap Card

Test Case	Test Name	Status	Time (s)
7.3.1	test_7.03.01_status_available	Pass	0.000
7.3.2	test_7.03.02_status_preparing	Pass	0.001
7.3.3	test_7.03.03_authorize_invalid	Pass	0.263

Test Case	Test Name	Status	Time (s)
7.3.4	test_7.03.04_authorize_valid	Pass	0.180
7.3.5	test_7.03.05_start_transaction	Pass	0.237
7.3.6	test_7.03.06_status_charging	Pass	0.040
7.3.7	test_7.03.07_meter_values	Pass	1.004
7.3.8	test_7.03.08_authorize_invalid_stop	Pass	0.128
7.3.9	test_7.03.09_stop_transaction	Pass	0.219
7.3.10	test_7.03.10_status_finishing	Pass	0.001
7.3.11	test_7.03.11_status_available	Pass	0.000

2.4 Emergency Stop

Test Case	Test Name	Status	Time (s)
7.4.1	test_7.04.01_status_available	Pass	0.001
7.4.2	test_7.04.02_status_preparing	Pass	0.001
7.4.3	test_7.04.03_remote_start	Pass	0.456
7.4.4	test_7.04.04_start_transaction	Pass	0.001
7.4.5	test_7.04.05_status_charging	Pass	0.001
7.4.6	test_7.04.06_meter_values	Pass	1.004
7.4.7	test_7.04.07_stop_emergency	Pass	0.162
7.4.8	test_7.04.08_status_faulted	Pass	0.078
7.4.9	test_7.04.09_status_available	Pass	0.001
7.4.10	test_7.04.10_status_available	Pass	0.001

2.5 Open Door

Test Case	Test Name	Status	Time (s)
7.5.1	test_7.05.01_status_available	Pass	0.001
7.5.2	test_7.05.02_status_faulted_door	Pass	0.215
7.5.3	test_7.05.03_status_available	Pass	0.001

2.6 Power Loss

Test Case	Test Name	Status	Time (s)
7.6.1	test_7.06.01_status_available	Pass	0.001
7.6.2	test_7.06.02_status_preparing	Pass	0.001
7.6.3	test_7.06.03_remote_start	Pass	0.455
7.6.4	test_7.06.04_start_transaction	Pass	0.001
7.6.5	test_7.06.05_status_charging	Pass	0.001
7.6.6	test_7.06.06_meter_values	Pass	1.005
7.6.7	test_7.06.07_stop_power_loss	Pass	0.203
7.6.8	test_7.06.08_boot_notification	Pass	0.001
7.6.9	test_7.06.09_status_preparing	Pass	0.001
7.6.10	test_7.06.10_status_available	Pass	0.001

2.7 Local List (Offline)

Test Case	Test Name	Status	Time (s)
7.7.1	test_7.07.01_send_local_list	Pass (Injected)	0.199
7.7.2	test_7.07.02_disconnect	Pass	1.004

Test Case	Test Name	Status	Time (s)
7.7.3	test_7_07_03_start_transaction	Pass	1.002
7.7.4	test_7_07_04_stop_transaction	Pass	1.001
7.7.5	test_7_07_05_reconnect	Pass	1.003
7.7.6	test_7_07_06_send_start	Pass	0.001
7.7.7	test_7_07_07_send_stop	Pass	0.001

3 Individual Test Case Logs

test_7_01_01_status_available

```

----- Captured Out -----
[EVSE] RAW RECV: [3,"e7fb97f3-87ef-4131-bb1a-df477e1862d6",{"currentTime":"2026-01-11T09:26:57Z","interval":3600,"status":"Accepted"}]
[EVSE] BootNotification ACCEPTED
[EVSE] RAW RECV: [3,"111ba040-47a0-4a59-9dc4-3d5276a45639",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"93142807-8e3e-4cab-a6f4-1a629cf0572e",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"5510418c-167f-4150-afdd-c8178d8e936b",{"currentTime":"2026-01-11T09:26:57Z"}]
[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:26:57Z)
--- 7.1.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 0)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Available)

```

test_7_01_02_remote_start_rejected

```

----- Captured Out -----
--- 7.1.2 Remote Start (Rejected/Accepted) ---
[EVSE] RAW RECV: [3,"aa5d38c2-33d4-4861-b17f-0c7a13440a4d",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [2,"ad7dbb34eecf11f08c770242c0a8300e","RemoteStartTransaction",{"connectorId":1,"idTag":"RFID_SIM"}]
[EVSE] RECV Packet: RemoteStartTransaction
Payload: {
  "idTag": "RFID_SIM",
  "connectorId": 1
}
[EVSE] Sending RemoteStartTransaction Response (Rejected)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Rejected)' (Size: 6)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Rejected)

```

test_7_02_01_status_available

```

----- Captured Out -----
--- 7.2.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 16)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

```

test_7_02_02_status_preparing

```

----- Captured Out -----

--- 7.2.2 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 15)

[EVSE] RAW RECV: [3,"d807824a-6e6b-4e1a-8435-817d9acaa1e9",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"a39b2bfa-d24f-4ec1-9247-7b5cfa3426ea",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

```

test_7_02_03_remote_start_1

```

----- Captured Out -----

--- 7.2.3 Remote Start 1 (Accepted) ---

[EVSE] RAW RECV: [2,"adc0d91eeecf11f0b7c80242c0a8300e","RemoteStartTransaction",{"connectorId":1,"idTag":"RFID_SIM"}]

[EVSE] RECV Packet: RemoteStartTransaction
Payload: {
  "idTag": "RFID_SIM",
  "connectorId": 1
}

[EVSE] Sending RemoteStartTransaction Response (Accepted)

[EVSE] RAW RECV: [3,"c9ec1bb6-33f8-485d-93f8-6a7032a381c9",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"bac24e1d-2886-489c-9a03-cf6d28b80228",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7554}]

[EVSE] RAW RECV: [3,"aebf0755-35a8-4e3c-bc61-229d4ba48e86",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Charging)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 18)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)

```

test_7_02_04_remote_start_2

```

----- Captured Out -----

--- 7.2.4 Remote Start 2 (Rejected) ---
DEBUG: RemoteStart 2 API Response: 200 {"status":"Bad Request","code":400,"messages":"The connector status is Charging.", "server-time":"2026-01-11T09:26:59Z","result":{}}
NOTE: The second Remote Start is denied by the API itself.
WARNING: concurrent RemoteStart accepted by API (200 OK) but no packet sent to EVSE. CSMS likely blocked it.

```

test_7_02_05_start_transaction

```

----- Captured Out -----

--- 7.2.5 Start Transaction (Conn 1) ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 20)
DEBUG: Found in queue: Transaction started on 1: 7554

```

test_7_02_06_status_charging

```

----- Captured Out -----

--- 7.2.6 Status Charging ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 23)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)

```

test_7_02_07_meter_values

```
----- Captured Out -----  
  
--- 7.2.7 Meter Values ---  
  
[EVSE] RAW RECV: [3,"bc10e7d0-9e77-40e6-a3b3-5cda18e20d1b",{}]  
  
[EVSE] MeterValues ACKNOWLEDGED
```

test_7_02_08_remote_stop

```
----- Captured Out -----  
  
--- 7.2.8 Remote Stop ---  
  
[EVSE] RAW RECV: [2,"b01a546ceecf11f094550242c0a8300e","RemoteStopTransaction",{"transactionId  
":7554}]  
  
[EVSE] Sending RemoteStopTransaction Response (Accepted)  
  
[EVSE] RAW RECV: [3,"dc8812f4-928d-4fc9-bfb7-46fa9e2cacfb",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Finishing)  
  
[EVSE] RAW RECV: [3,"93e427eb-7ff6-4352-acbd-936977081992",{}]  
  
[EVSE] RAW RECV: [3,"a21f0ecc-0895-43b6-8dfc-c2d57ab42a94",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
DEBUG: Checking buffer for 'RemoteStopTransaction Response (Accepted)' (Size: 24)  
DEBUG: Found in queue: [EVSE] Sending RemoteStopTransaction Response (Accepted)
```

test_7_02_09_stop_transaction

```
----- Captured Out -----  
  
--- 7.2.9 Stop Transaction ---  
DEBUG: Checking buffer for 'Transaction stopped' (Size: 27)  
DEBUG: Found in queue: Transaction stopped on 1: 7554
```

test_7_02_10_status_finishing

```
----- Captured Out -----  
  
--- 7.2.10 Status Finishing ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Finishing)' (Size: 30)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Finishing)
```

test_7_02_11_status_available

```
----- Captured Out -----  
  
--- 7.2.11 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 29)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_03_01_status_available

```
----- Captured Out -----  
  
--- 7.3.1 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 28)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_03_02_status_preparing

```
----- Captured Out -----  
  
--- 7.3.2 Status Preparing ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 27)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)
```

test_7_03_03_authorize_invalid

```
----- Captured Out -----  
  
--- 7.3.3 Authorize Invalid ---  
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Invalid)' (Size: 26)  
  
[EVSE] RAW RECV: [3,"aed82244-a5db-46aa-b1a5-ea2a7a2a138f",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"d16d43c3-1186-4d15-a311-3888c86071af",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [3,"56ca23b8-87ed-4cb4-b8a7-12cbe1cf0760",{"idTagInfo":{"status":"Invalid"}}]  
  
[EVSE] Authorize ACKNOWLEDGED (Invalid)  
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Invalid)
```

test_7_03_04_authorize_valid

```
----- Captured Out -----  
  
--- 7.3.4 Authorize Valid ---  
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Accepted)' (Size: 33)  
  
[EVSE] RAW RECV: [3,"8ad3e150-39d5-476e-931f-1ee64a012a68",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"}}]  
  
[EVSE] Authorize ACKNOWLEDGED (Accepted)  
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Accepted)
```

test_7_03_05_start_transaction

```
----- Captured Out -----  
  
--- 7.3.5 Start Transaction ---  
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 34)  
  
[EVSE] RAW RECV: [3,"ea84e305-68e9-4838-a00c-b8b20c8959cc",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [3,"458c7bb6-0517-476e-a847-2d5229805c3f",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7555}]  
DEBUG: Found in queue: Transaction started on 1: 7555
```

test_7_03_06_status_charging

```
----- Captured Out -----  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 37)  
  
[EVSE] RAW RECV: [3,"baa93dd2-1219-4a65-9ec4-28ecb21a2605",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Charging)  
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)
```

test_7_03_07_meter_values

```
----- Captured Out -----  
[EVSE] RAW RECV: [3,"bc1c5912-79d3-4f38-9616-3512e2da01c8",{}]  
[EVSE] MeterValues ACKNOWLEDGED
```

test_7_03_08_authorize_invalid_stop

```
----- Captured Out -----  
--- 7.3.8 Authorize Invalid (Stop) ---  
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Invalid)' (Size: 38)  
[EVSE] RAW RECV: [3,"58253f1e-3175-4bc7-a092-63a845cce274",{ "idTagInfo":{"status":"Invalid"}}]  
[EVSE] Authorize ACKNOWLEDGED (Invalid)  
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Invalid)
```

test_7_03_09_stop_transaction

```
----- Captured Out -----  
--- 7.3.9 Stop Transaction ---  
DEBUG: Checking buffer for 'Transaction stopped' (Size: 41)  
[EVSE] RAW RECV: [3,"d29252be-d615-4af5-ab63-2ea4399a82a7",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Finishing)  
[EVSE] RAW RECV: [3,"f16e8e00-d50e-4c62-9f3d-f1cc394297ee",{}]  
DEBUG: Found in queue: Transaction stopped on 1: 7555
```

test_7_03_10_status_finishing

```
----- Captured Out -----  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Finishing)' (Size: 44)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Finishing)
```

test_7_03_11_status_available

```
----- Captured Out -----  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 43)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_04_01_status_available

```
----- Captured Out -----  
--- 7.4.1 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 42)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_04_02_status_preparing

```
----- Captured Out -----  
--- 7.4.2 Status Preparing ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 41)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)
```

test_7_04_03_remote_start

```
----- Captured Out -----  
  
--- 7.4.3 Remote Start (Accepted) ---  
  
[EVSE] RAW RECV: [3,"762acc92-b136-4bf7-8a3c-96561f78e670",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"a089b016-1104-42a7-a8cc-8a86912c2dab",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"43f159f1-e915-4fca-9a3c-7ea3e87a1141",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [2,"b19fb612eecf11f0b8e70242c0a8300e","RemoteStartTransaction",{  
  "connectorId":1,"  
  idTag":"RFID_SIM"}]  
  
[EVSE] RECV Packet: RemoteStartTransaction  
Payload: {  
  "idTag": "RFID_SIM",  
  "connectorId": 1  
}  
  
[EVSE] Sending RemoteStartTransaction Response (Accepted)  
  
[EVSE] RAW RECV: [3,"8c9a0d3f-0515-45c6-872a-4f9bb93292c3",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [3,"5737148f-3233-424e-903e-df1d9e7e7aaf",{  
  "idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z",  
    "parentIdTag":"pid2025","status":"Accepted"},  
  "transactionId":7556}  
]  
  
[EVSE] RAW RECV: [3,"35331bae-9dac-468a-9c6c-45a9ce536652",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Charging)  
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 40)  
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)
```

test_7_04_04_start_transaction

```
----- Captured Out -----  
  
--- 7.4.4 Start Transaction ---  
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 48)  
DEBUG: Found in queue: Transaction started on 1: 7556
```

test_7_04_05_status_charging

```
----- Captured Out -----  
  
--- 7.4.5 Status Charging ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 51)  
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)
```

test_7_04_06_meter_values

```
----- Captured Out -----  
  
--- 7.4.6 Meter Values ---  
  
[EVSE] RAW RECV: [3,"c6411c11-e56c-419c-9f25-69c468ee092d",{}]  
  
[EVSE] MeterValues ACKNOWLEDGED
```

test_7_04_07_stop_emergency


```

----- Captured Out -----

--- 7.4.7 Stop Transaction (Emergency) ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 52)

[EVSE] RAW RECV: [3,"dc2b1cee-ecd3-4709-a9ad-1eec5aa9fb55",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Finishing)

[EVSE] RAW RECV: [3,"3168cf69-f1c6-4633-aceb-99a795573465",{}}]
DEBUG: Found in queue: Transaction stopped on 1: 7556

```

test_7_04_08_status_faulted

```

----- Captured Out -----

--- 7.4.8 Status Faulted (EmergencyStop) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Faulted)' (Size: 57)

[EVSE] RAW RECV: [3,"2e6c9d15-f45b-4bce-88c3-d136dc1ad434",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"2323876f-e9c5-453c-94bc-bba9b7d426d0",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Faulted)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Faulted)

```

test_7_04_09_status_available

```

----- Captured Out -----

--- 7.4.9 Status Available (Reset) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 60)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

```

test_7_04_10_status_available

```

----- Captured Out -----

--- 7.4.10 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 59)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

```

test_7_05_01_status_available

```

----- Captured Out -----

--- 7.5.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 58)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

```

test_7_05_02_status_faulted_door

```

----- Captured Out -----

--- 7.5.2 Status Faulted (DoorOpen) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Faulted)' (Size: 57)

[EVSE] RAW RECV: [3,"72e009be-d617-49e7-a943-817dfab128a6",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"c19954d2-ec19-42d6-a13f-69075c4f4718",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"377e360d-4122-4a17-b769-d4cf4d9d7442",{}}]

[EVSE] StatusNotification ACKNOWLEDGED (Faulted)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Faulted)

```

test_7_05_03_status_available

```
----- Captured Out -----  
  
--- 7.5.3 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 62)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_06_01_status_available

```
----- Captured Out -----  
  
--- 7.6.1 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 61)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_06_02_status_preparing

```
----- Captured Out -----  
  
--- 7.6.2 Status Preparing ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 60)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)
```

test_7_06_03_remote_start

```
----- Captured Out -----  
  
--- 7.6.3 Remote Start (Accepted) ---  
  
[EVSE] RAW RECV: [3,"1dad4ebc-e84a-48b2-9357-a06169a3619d",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"e5af8dd1-cf12-4cd8-b9c4-8f7f087aa3e9",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Available)  
  
[EVSE] RAW RECV: [3,"e67e726a-1ea6-4162-987c-ff4ea10878bd",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [2,"b2c74fd1eecf11f0a4ac0242c0a8300e","RemoteStartTransaction",{"connectorId":1,"idTag":"RFID_SIM"}]  
[EVSE] RECV Packet: RemoteStartTransaction  
Payload: {  
  "idTag": "RFID_SIM",  
  "connectorId": 1  
}  
  
[EVSE] Sending RemoteStartTransaction Response (Accepted)  
  
[EVSE] RAW RECV: [3,"843a52db-6660-436b-8c7d-5dcab87594cc",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)  
  
[EVSE] RAW RECV: [3,"0aa3d95f-b54e-41c8-bc45-27834ddee0cd",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7557}]  
  
[EVSE] RAW RECV: [3,"6c7c6ed2-9f78-4d26-a1ad-ebcec29eaf1b",{}]  
[EVSE] StatusNotification ACKNOWLEDGED (Charging)  
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 59)  
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)
```

test_7_06_04_start_transaction

```
----- Captured Out -----  
  
--- 7.6.4 Start Transaction ---  
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 67)  
DEBUG: Found in queue: Transaction started on 1: 7557
```

test_7_06_05_status_charging

```
----- Captured Out -----  
  
--- 7.6.5 Status Charging ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 70)  
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)
```

test_7_06_06_meter_values

```
----- Captured Out -----  
  
--- 7.6.6 Meter Values ---  
  
[EVSE] RAW RECV: [3,"3c4e567a-6b9a-4922-aa9c-5d4ae4f4a477",{}]  
  
[EVSE] MeterValues ACKNOWLEDGED
```

test_7_06_07_stop_power_loss

```
----- Captured Out -----  
  
--- 7.6.7 Stop Transaction (PowerLoss) ---  
DEBUG: Checking buffer for 'Transaction stopped' (Size: 71)  
  
[EVSE] RAW RECV: [3,"fe311829-652d-465e-b323-cd34249ffcc7",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Finishing)  
  
[EVSE] RAW RECV: [3,"ba4ba4d2-1f35-4bbe-99b7-d031f053dc7a",{}]  
DEBUG: Found in queue: Transaction stopped on 1: 7557
```

test_7_06_08_boot_notification

```
----- Captured Out -----  
  
--- 7.6.8 BootNotification (Reboot) ---  
DEBUG: Checking buffer for 'BootNotification ACCEPTED' (Size: 76)  
DEBUG: Found in buffer: [EVSE] BootNotification ACCEPTED
```

test_7_06_09_status_preparing

```
----- Captured Out -----  
  
--- 7.6.9 Status Preparing ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 75)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)
```

test_7_06_10_status_available

```
----- Captured Out -----  
  
--- 7.6.10 Status Available ---  
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 74)  
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_07_01_send_local_list

```
----- Captured Out -----  
  
--- 7.7.1 Send Local List (Simulated) ---  
[RESULT_ANNOTATION] (Injected)  
DEBUG: Checking buffer for 'SendLocalList (ver=1, type=Full, len=1)' (Size: 73)  
  
[EVSE] RAW RECV: [3,"8db2aec9-c729-4e6b-b7a5-ef432277329a",{}]  
  
[EVSE] StatusNotification ACKNOWLEDGED (Available)
```

```
[EVSE] RAW RECV: [3,"2922497f-1f2d-46c5-b00a-ef753ad313b2",{"currentTime":"2026-01-11T09:27:08Z","interval":3600,"status":"Accepted"}]

[EVSE] BootNotification ACCEPTEd

[EVSE] RAW RECV: [3,"d46527cb-8c08-465a-931e-296a5c395c17",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"39fd76d6-9394-4d84-bac7-b6de87791709",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [2, "uuid-locallist", "SendLocalList", {"listVersion": 1, "localAuthorizationList": [{"idTag": "RFID_SIM", "idTagInfo": {"status": "Accepted"}}, {"updateType": "Full"}]]

[EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=1)
DEBUG: Found in queue: [EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=1)
```

test_7_07_02_disconnect

```
----- Captured Out -----

--- 7.7.2 Disconnect LAN ---
[EVSE] Went OFFLINE
```

test_7_07_03_start_transaction

```
----- Captured Out -----

--- 7.7.3 Start Transaction (Offline) ---
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.preparing: 'Preparing'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
[EVSE] OFFLINE: Buffering StartTransaction(connector_id=1, id_tag='RFID_SIM', meter_start=0, timestamp='2026-01-11T09:26:33Z', reservation_id=None)
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.charging: 'Charging'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Charging)
```

test_7_07_04_stop_transaction

```
----- Captured Out -----

--- 7.7.4 Stop Transaction (Local) ---
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status='Finishing', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Finishing)
[EVSE] OFFLINE: Buffering StopTransaction(meter_stop=100, timestamp='2026-01-11T09:26:34Z', transaction_id=1, reason=None, id_tag=None, transaction_data=None)
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status='Available', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Available)
```

test_7_07_05_reconnect

```
----- Captured Out -----

--- 7.7.5 Reconnect LAN ---
[EVSE] Went ONLINE. Flushing 6 messages...
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.preparing: 'Preparing'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"9a65c566-9b93-47b9-94a0-31607f349852",{}]
[EVSE] FLUSHING: StartTransaction(connector_id=1, id_tag='RFID_SIM', meter_start=0, timestamp='2026-01-11T09:26:33Z', reservation_id=None)
```

```
[EVSE] RAW RECV: [3,"b9181245-3774-4503-a5bb-b3374af7d57c",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z"},"parentIdTag":"pid2025","status":"Accepted"},"transactionId":7558}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status='ChargePointStatus.charging: 'Charging'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"aeab849d-b48d-48e1-a094-bedb64c23536",{}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status='Finishing', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"e182013a-8111-4e9a-9105-f3c7ed5ee337",{}]
[EVSE] FLUSHING: StopTransaction(meter_stop=100, timestamp='2026-01-11T09:26:34Z', transaction_id=1, reason=None, id_tag=None, transaction_data=None)

[EVSE] RAW RECV: [3,"03ee8866-0479-4f68-99f0-5eeeb7f9139",{}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status='Available', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"2d628c24-23b4-4e26-899b-6e25edcc8c36",{}]
```

test_7_07_06_send_start

```
----- Captured Out -----

--- 7.7.6 Send Buffered Start ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 82)
DEBUG: Found in queue: Transaction started on 1: 1
```

test_7_07_07_send_stop

```
----- Captured Out -----

--- 7.7.7 Send Buffered Stop ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 83)
DEBUG: Found in queue: Transaction stopped on 1: 1
```

4 Global Execution Log

```
--- Test Case: test_7_01_01_status_available ---
----- Captured Out -----

[EVSE] RAW RECV: [3,"e7fb97f3-87ef-4131-bb1a-df477e1862d6",{"currentTime":"2026-01-11T09:26:57Z","interval":3600,"status":"Accepted"}]

[EVSE] BootNotification ACCEPTED

[EVSE] RAW RECV: [3,"111ba040-47a0-4a59-9dc4-3d5276a45639",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"93142807-8e3e-4cab-a6f4-1a629cf0572e",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"5510418c-167f-4150-afdd-c8178d8e936b",{"currentTime":"2026-01-11T09:26:57Z"}]

[EVSE] Heartbeat ACKNOWLEDGED (Time: 2026-01-11T09:26:57Z)

--- 7.1.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 0)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_01_02_remote_start_rejected ---
----- Captured Out -----

--- 7.1.2 Remote Start (Rejected/Accepted) ---

[EVSE] RAW RECV: [3,"aa5d38c2-33d4-4861-b17f-0c7a13440a4d",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [2,"ad7dbb34eecf11f08c770242c0a8300e","RemoteStartTransaction",{"connectorId":1,"idTag":"RFID_SIM"}]

[EVSE] RECV Packet: RemoteStartTransaction
```

```

Payload: {
  "idTag": "RFID_SIM",
  "connectorId": 1
}

[EVSE] Sending RemoteStartTransaction Response (Rejected)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Rejected)' (Size: 6)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Rejected)

--- Test Case: test_7_02_01_status_available ---
----- Captured Out -----

--- 7.2.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 16)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_02_02_status_preparing ---
----- Captured Out -----

--- 7.2.2 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 15)

[EVSE] RAW RECV: [3,"d807824a-6e6b-4e1a-8435-817d9acaa1e9",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"a39b2bfa-d24f-4ec1-9247-7b5cfa3426ea",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

--- Test Case: test_7_02_03_remote_start_1 ---
----- Captured Out -----

--- 7.2.3 Remote Start 1 (Accepted) ---

[EVSE] RAW RECV: [2,"adc0d91eeecf11f0b7c80242c0a8300e","RemoteStartTransaction",{"connectorId":1,"idTag":"RFID_SIM"}]

[EVSE] RECV Packet: RemoteStartTransaction
Payload: {
  "idTag": "RFID_SIM",
  "connectorId": 1
}

[EVSE] Sending RemoteStartTransaction Response (Accepted)

[EVSE] RAW RECV: [3,"c9ec1bb6-33f8-485d-93f8-6a7032a381c9",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"bac24e1d-2886-489c-9a03-cf6d28b80228",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7554}]

[EVSE] RAW RECV: [3,"aebf0755-35a8-4e3c-bc61-229d4ba48e86",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Charging)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 18)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)

--- Test Case: test_7_02_04_remote_start_2 ---
----- Captured Out -----

--- 7.2.4 Remote Start 2 (Rejected) ---
DEBUG: RemoteStart 2 API Response: 200 {"status":"Bad Request","code":400,"messages":"The connector status is Charging.", "server-time":"2026-01-11T09:26:59Z","result":{}}
NOTE: The second Remote Start is denied by the API itself.
WARNING: concurrent RemoteStart accepted by API (200 OK) but no packet sent to EVSE. CSMS likely blocked it.

--- Test Case: test_7_02_05_start_transaction ---
----- Captured Out -----

--- 7.2.5 Start Transaction (Conn 1) ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 20)
DEBUG: Found in queue: Transaction started on 1: 7554

--- Test Case: test_7_02_06_status_charging ---
----- Captured Out -----

--- 7.2.6 Status Charging ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 23)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)

--- Test Case: test_7_02_07_meter_values ---
----- Captured Out -----

```

```

--- 7.2.7 Meter Values ---
[EVSE] RAW RECV: [3,"bc10e7d0-9e77-40e6-a3b3-5cda18e20d1b",{}]
[EVSE] MeterValues ACKNOWLEDGED

--- Test Case: test_7_02_08_remote_stop ---
----- Captured Out -----

--- 7.2.8 Remote Stop ---
[EVSE] RAW RECV: [2,"b01a546ceecf11f094550242c0a8300e","RemoteStopTransaction",{"transactionId":7554}]
[EVSE] Sending RemoteStopTransaction Response (Accepted)
[EVSE] RAW RECV: [3,"dc8812f4-928d-4fc9-bfb7-46fa9e2cacfb",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Finishing)
[EVSE] RAW RECV: [3,"93e427eb-7ff6-4352-acbd-936977081992",{}]
[EVSE] RAW RECV: [3,"a21f0ecc-0895-43b6-8dfc-c2d57ab42a94",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
DEBUG: Checking buffer for 'RemoteStopTransaction Response (Accepted)' (Size: 24)
DEBUG: Found in queue: [EVSE] Sending RemoteStopTransaction Response (Accepted)

--- Test Case: test_7_02_09_stop_transaction ---
----- Captured Out -----

--- 7.2.9 Stop Transaction ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 27)
DEBUG: Found in queue: Transaction stopped on 1: 7554

--- Test Case: test_7_02_10_status_finishing ---
----- Captured Out -----

--- 7.2.10 Status Finishing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Finishing)' (Size: 30)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Finishing)

--- Test Case: test_7_02_11_status_available ---
----- Captured Out -----

--- 7.2.11 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 29)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_03_01_status_available ---
----- Captured Out -----

--- 7.3.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 28)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_03_02_status_preparing ---
----- Captured Out -----

--- 7.3.2 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 27)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

--- Test Case: test_7_03_03_authorize_invalid ---
----- Captured Out -----

--- 7.3.3 Authorize Invalid ---
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Invalid)' (Size: 26)
[EVSE] RAW RECV: [3,"aed82244-a5db-46aa-b1a5-ea2a7a2a138f",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"d16d43c3-1186-4d15-a311-3888c86071af",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
[EVSE] RAW RECV: [3,"56ca23b8-87ed-4cb4-b8a7-12cbe1cf0760",{"idTagInfo":{"status":"Invalid"}}]
[EVSE] Authorize ACKNOWLEDGED (Invalid)
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Invalid)

--- Test Case: test_7_03_04_authorize_valid ---
----- Captured Out -----

--- 7.3.4 Authorize Valid ---
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Accepted)' (Size: 33)

```

```

[EVSE] RAW RECV: [3,"8ad3e150-39d5-476e-931f-1ee64a012a68",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"}}]

[EVSE] Authorize ACKNOWLEDGED (Accepted)
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Accepted)

--- Test Case: test_7_03_05_start_transaction ---
----- Captured Out -----

--- 7.3.5 Start Transaction ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 34)

[EVSE] RAW RECV: [3,"ea84e305-68e9-4838-a00c-b8b20c8959cc",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"458c7bb6-0517-476e-a847-2d5229805c3f",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7555}]
DEBUG: Found in queue: Transaction started on 1: 7555

--- Test Case: test_7_03_06_status_charging ---
----- Captured Out -----
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 37)

[EVSE] RAW RECV: [3,"baa93dd2-1219-4a65-9ec4-28ecb21a2605",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Charging)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)

--- Test Case: test_7_03_07_meter_values ---
----- Captured Out -----

[EVSE] RAW RECV: [3,"bc1c5912-79d3-4f38-9616-3512e2da01c8",{}]

[EVSE] MeterValues ACKNOWLEDGED

--- Test Case: test_7_03_08_authorize_invalid_stop ---
----- Captured Out -----

--- 7.3.8 Authorize Invalid (Stop) ---
DEBUG: Checking buffer for 'Authorize ACKNOWLEDGED (Invalid)' (Size: 38)

[EVSE] RAW RECV: [3,"58253f1e-3175-4bc7-a092-63a845cce274",{"idTagInfo":{"status":"Invalid"}}]

[EVSE] Authorize ACKNOWLEDGED (Invalid)
DEBUG: Found in queue: [EVSE] Authorize ACKNOWLEDGED (Invalid)

--- Test Case: test_7_03_09_stop_transaction ---
----- Captured Out -----

--- 7.3.9 Stop Transaction ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 41)

[EVSE] RAW RECV: [3,"d29252be-d615-4af5-ab63-2ea4399a82a7",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Finishing)

[EVSE] RAW RECV: [3,"f16e8e00-d50e-4c62-9f3d-f1cc394297ee",{}]
DEBUG: Found in queue: Transaction stopped on 1: 7555

--- Test Case: test_7_03_10_status_finishing ---
----- Captured Out -----
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Finishing)' (Size: 44)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Finishing)

--- Test Case: test_7_03_11_status_available ---
----- Captured Out -----
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 43)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_04_01_status_available ---
----- Captured Out -----

--- 7.4.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 42)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_04_02_status_preparing ---
----- Captured Out -----

--- 7.4.2 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 41)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

--- Test Case: test_7_04_03_remote_start ---
----- Captured Out -----

```



```

--- 7.4.3 Remote Start (Accepted) ---
[EVSE] RAW RECV: [3,"762acc92-b136-4bf7-8a3c-96561f78e670",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"a089b016-1104-42a7-a8cc-8a86912c2dab",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"43f159f1-e915-4fca-9a3c-7ea3e87a1141",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
[EVSE] RAW RECV: [2,"b19fb612eecf11f0b8e70242c0a8300e","RemoteStartTransaction",{ "connectorId":1,"
    idTag":"RFID_SIM"}]
[EVSE] RECV Packet: RemoteStartTransaction
Payload: {
    "idTag": "RFID_SIM",
    "connectorId": 1
}
[EVSE] Sending RemoteStartTransaction Response (Accepted)
[EVSE] RAW RECV: [3,"8c9a0d3f-0515-45c6-872a-4f9bb93292c3",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
[EVSE] RAW RECV: [3,"5737148f-3233-424e-903e-dfd9e7e7aaf",{ "idTagInfo":{"expiryDate":"2031-01-30T12
    :00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7556}]
[EVSE] RAW RECV: [3,"35331bae-9dac-468a-9c6c-45a9ce536652",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Charging)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 40)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)

--- Test Case: test_7_04_04_start_transaction ---
----- Captured Out -----

--- 7.4.4 Start Transaction ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 48)
DEBUG: Found in queue: Transaction started on 1: 7556

--- Test Case: test_7_04_05_status_charging ---
----- Captured Out -----

--- 7.4.5 Status Charging ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 51)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)

--- Test Case: test_7_04_06_meter_values ---
----- Captured Out -----

--- 7.4.6 Meter Values ---
[EVSE] RAW RECV: [3,"c6411c11-e56c-419c-9f25-69c468ee092d",{}]
[EVSE] MeterValues ACKNOWLEDGED

--- Test Case: test_7_04_07_stop_emergency ---
----- Captured Out -----

--- 7.4.7 Stop Transaction (Emergency) ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 52)
[EVSE] RAW RECV: [3,"dc2b1cee-ecd3-4709-a9ad-1eec5aa9fb55",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Finishing)
[EVSE] RAW RECV: [3,"3168cf69-f1c6-4633-aceb-99a795573465",{}]
DEBUG: Found in queue: Transaction stopped on 1: 7556

--- Test Case: test_7_04_08_status_faulted ---
----- Captured Out -----

--- 7.4.8 Status Faulted (EmergencyStop) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Faulted)' (Size: 57)
[EVSE] RAW RECV: [3,"2e6c9d15-f45b-4bce-88c3-d136dc1ad434",{}]
[EVSE] StatusNotification ACKNOWLEDGED (Available)
[EVSE] RAW RECV: [3,"2323876f-e9c5-453c-94bc-bba9b7d426d0",{}]

```

```

[EVSE] StatusNotification ACKNOWLEDGED (Faulted)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Faulted)

--- Test Case: test_7_04_09_status_available ---
----- Captured Out -----

--- 7.4.9 Status Available (Reset) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 60)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_04_10_status_available ---
----- Captured Out -----

--- 7.4.10 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 59)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_05_01_status_available ---
----- Captured Out -----

--- 7.5.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 58)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_05_02_status_faulted_door ---
----- Captured Out -----

--- 7.5.2 Status Faulted (DoorOpen) ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Faulted)' (Size: 57)

[EVSE] RAW RECV: [3,"72e009be-d617-49e7-a943-817dfab128a6",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"c19954d2-ec19-42d6-a13f-69075c4f4718",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"377e360d-4122-4a17-b769-d4cf4d9d7442",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Faulted)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Faulted)

--- Test Case: test_7_05_03_status_available ---
----- Captured Out -----

--- 7.5.3 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 62)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_06_01_status_available ---
----- Captured Out -----

--- 7.6.1 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 61)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_06_02_status_preparing ---
----- Captured Out -----

--- 7.6.2 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 60)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

--- Test Case: test_7_06_03_remote_start ---
----- Captured Out -----

--- 7.6.3 Remote Start (Accepted) ---

[EVSE] RAW RECV: [3,"1dad4ebc-e84a-48b2-9357-a06169a3619d",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"e5af8dd1-cf12-4cd8-b9c4-8f7f087aa3e9",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [3,"e67e726a-1ea6-4162-987c-ff4ea10878bd",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [2,"b2c74fd1eecf11f0a4ac0242c0a8300e","RemoteStartTransaction",{"connectorId":1,"
idTag":"RFID_SIM"}]

[EVSE] RECV Packet: RemoteStartTransaction
Payload: {
  "idTag": "RFID_SIM",

```

```

    "connectorId": 1
}

[EVSE] Sending RemoteStartTransaction Response (Accepted)

[EVSE] RAW RECV: [3,"843a52db-6660-436b-8c7d-5dcab87594cc",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"0aa3d95f-b54e-41c8-bc45-27834ddee0cd",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7557}]

[EVSE] RAW RECV: [3,"6c7c6ed2-9f78-4d26-a1ad-ebcec29eaf1b",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Charging)
DEBUG: Checking buffer for 'RemoteStartTransaction Response (Accepted)' (Size: 59)
DEBUG: Found in queue: [EVSE] Sending RemoteStartTransaction Response (Accepted)

--- Test Case: test_7_06_04_start_transaction ---
----- Captured Out -----

--- 7.6.4 Start Transaction ---
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 67)
DEBUG: Found in queue: Transaction started on 1: 7557

--- Test Case: test_7_06_05_status_charging ---
----- Captured Out -----

--- 7.6.5 Status Charging ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Charging)' (Size: 70)
DEBUG: Found in queue: [EVSE] StatusNotification ACKNOWLEDGED (Charging)

--- Test Case: test_7_06_06_meter_values ---
----- Captured Out -----

--- 7.6.6 Meter Values ---

[EVSE] RAW RECV: [3,"3c4e567a-6b9a-4922-aa9c-5d4ae4f4a477",{}]

[EVSE] MeterValues ACKNOWLEDGED

--- Test Case: test_7_06_07_stop_power_loss ---
----- Captured Out -----

--- 7.6.7 Stop Transaction (PowerLoss) ---
DEBUG: Checking buffer for 'Transaction stopped' (Size: 71)

[EVSE] RAW RECV: [3,"fe311829-652d-465e-b323-cd34249ffcc7",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Finishing)

[EVSE] RAW RECV: [3,"ba4ba4d2-1f35-4bbe-99b7-d031f053dc7a",{}]
DEBUG: Found in queue: Transaction stopped on 1: 7557

--- Test Case: test_7_06_08_boot_notification ---
----- Captured Out -----

--- 7.6.8 BootNotification (Reboot) ---
DEBUG: Checking buffer for 'BootNotification ACCEPTED' (Size: 76)
DEBUG: Found in buffer: [EVSE] BootNotification ACCEPTED

--- Test Case: test_7_06_09_status_preparing ---
----- Captured Out -----

--- 7.6.9 Status Preparing ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Preparing)' (Size: 75)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Preparing)

--- Test Case: test_7_06_10_status_available ---
----- Captured Out -----

--- 7.6.10 Status Available ---
DEBUG: Checking buffer for 'StatusNotification ACKNOWLEDGED (Available)' (Size: 74)
DEBUG: Found in buffer: [EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_07_01_send_local_list ---
----- Captured Out -----

--- 7.7.1 Send Local List (Simulated) ---
[RESULT_ANNOTATION] (Injected)
DEBUG: Checking buffer for 'SendLocalList (ver=1, type=Full, len=1)' (Size: 73)

[EVSE] RAW RECV: [3,"8db2aec9-c729-4e6b-b7a5-ef432277329a",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

```

```

[EVSE] RAW RECV: [3,"2922497f-1f2d-46c5-b00a-ef753ad313b2",{"currentTime":"2026-01-11T09:27:08Z","interval":3600,"status":"Accepted"}]

[EVSE] BootNotification ACCEPTED

[EVSE] RAW RECV: [3,"d46527cb-8c08-465a-931e-296a5c395c17",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)

[EVSE] RAW RECV: [3,"39fd76d6-9394-4d84-bac7-b6de87791709",{}]

[EVSE] StatusNotification ACKNOWLEDGED (Available)

[EVSE] RAW RECV: [2, "uuid-locallist", "SendLocalList", {"listVersion": 1, "localAuthorizationList": [{"idTag": "RFID_SIM", "idTagInfo": {"status": "Accepted"}}, {"updateType": "Full"}]

[EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=1)
DEBUG: Found in queue: [EVSE] RECV Packet: SendLocalList (ver=1, type=Full, len=1)

--- Test Case: test_7_07_02_disconnect ---
----- Captured Out -----

--- 7.7.2 Disconnect LAN ---
[EVSE] Went OFFLINE

--- Test Case: test_7_07_03_start_transaction ---
----- Captured Out -----

--- 7.7.3 Start Transaction (Offline) ---
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.preparing: 'Preparing'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Preparing)
[EVSE] OFFLINE: Buffering StartTransaction(connector_id=1, id_tag='RFID_SIM', meter_start=0, timestamp='2026-01-11T09:26:33Z', reservation_id=None)
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.charging: 'Charging'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Charging)

--- Test Case: test_7_07_04_stop_transaction ---
----- Captured Out -----

--- 7.7.4 Stop Transaction (Local) ---
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status='Finishing', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Finishing)
[EVSE] OFFLINE: Buffering StopTransaction(meter_stop=100, timestamp='2026-01-11T09:26:34Z', transaction_id=1, reason=None, id_tag=None, transaction_data=None)
[EVSE] OFFLINE: Buffering StatusNotification(connector_id=1, error_code='NoError', status='Available', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] StatusNotification ACKNOWLEDGED (Available)

--- Test Case: test_7_07_05_reconnect ---
----- Captured Out -----

--- 7.7.5 Reconnect LAN ---
[EVSE] Went ONLINE. Flushing 6 messages...
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.preparing: 'Preparing'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"9a65c566-9b93-47b9-94a0-31607f349852",{}]
[EVSE] FLUSHING: StartTransaction(connector_id=1, id_tag='RFID_SIM', meter_start=0, timestamp='2026-01-11T09:26:33Z', reservation_id=None)

[EVSE] RAW RECV: [3,"b9181245-3774-4503-a5bb-b3374af7d57c",{"idTagInfo":{"expiryDate":"2031-01-30T12:00:44Z","parentIdTag":"pid2025","status":"Accepted"},"transactionId":7558}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status=<ChargePointStatus.charging: 'Charging'>, timestamp='2026-01-11T09:26:33Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"aeab849d-b48d-48e1-a094-bedb64c23536",{}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status='Finishing', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

[EVSE] RAW RECV: [3,"e182013a-8111-4e9a-9105-f3c7ed5ee337",{}]
[EVSE] FLUSHING: StopTransaction(meter_stop=100, timestamp='2026-01-11T09:26:34Z', transaction_id=1, reason=None, id_tag=None, transaction_data=None)

[EVSE] RAW RECV: [3,"03ee8866-0479-4f68-99f0-5eeeb7f9139",{}]
[EVSE] FLUSHING: StatusNotification(connector_id=1, error_code='NoError', status='Available', timestamp='2026-01-11T09:26:34Z', info=None, vendor_id='KMUTNB', vendor_error_code='')

```

```
[EVSE] RAW RECV: [3,"2d628c24-23b4-4e26-899b-6e25edcc8c36",{}]  
  
--- Test Case: test_7_07_06_send_start ---  
----- Captured Out -----  
  
--- 7.7.6 Send Buffered Start ---  
DEBUG: Checking buffer for 'Transaction started on 1' (Size: 82)  
DEBUG: Found in queue: Transaction started on 1: 1  
  
--- Test Case: test_7_07_07_send_stop ---  
----- Captured Out -----  
  
--- 7.7.7 Send Buffered Stop ---  
DEBUG: Checking buffer for 'Transaction stopped' (Size: 83)  
DEBUG: Found in queue: Transaction stopped on 1: 1
```