

This document provides additional assistance with wiring your Extron IPL PRO enabled product to your device. Different components may require a different wiring scheme than those listed below.

For complete operating instruction, refer to the user's manual for the specific Extron IPL PRO enabled product or the controlled device manufacturer supplied documentation.

Device Specifications:

Device Type: Other
Manufacturer: Applied Technical Systems
Firmware Version: N/A
Model(s): AE26, AE126

Tested on the Following Software and Firmware Versions:

IP Link Pro Control Processor Firmware	Touch Link Panel Firmware	GS Version
2.05.0000-b007	2.01.0002-b005	1.3.0

Version History

Module Version	Date	Notes
1_0_0_0	5/30/2017	Initial Version

Module Notes

- DeviceID variable must be set accordingly. Default value is '1'. Device ID ranges from '1' to '15' or 'Broadcast'. Example: InterfaceName.DeviceID = '1'
- For Serial Over Ethernet support, SerialOverEthernetClass must be used. Example: InterfaceName = ModuleName.SerialOverEthernetClass('192.168.254.254', PortNum, Model='ModelName')

Control Commands, States, and Qualifiers:

Clock	'String' ¹		
['Flash Display']	'On'	'Off'	
['Timer Control']	'Use New Value'	'Resume Old Timer'	
['Countdown Timer']	'Start'	'Stop'	
['Display Colons']	'On'	'Off'	
['AM PM Indicator']	'On'	'Off'	
['Mode']	'ASCII'	'Number'	'Graphic'
	'12 Hour'	'24 Hour'	'Countdown Timer'
	'Display Version'	'Preset Day Counter'	

¹ Clock String is used to build the Clock Command. This value must be set to 6 bytes long and in the format of HHMMSS

Status Available:

Cable and Adapter Requirements:

Captive Screw to Female DB9 RS-232 Serial Cable

Notes for the Device:

Serial communication:

Port Type: RS-232

Baud Rate: 2400


Data Bits: 8

Parity: None

Stop Bits: One

Flow Control: None

Pin Assignments Diagram



Signal	Main Cable	Signal
TxD		RCV
GND		COM



General Notes:

Appendix A. Set Commands

All command string use Clock Command String value as '120101'.

Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x0A

Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x08
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x0A
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x0C
Clock None Flash Display Off AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x0E
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x02

Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x06
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x00
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x02
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x04
Clock None Flash Display Off AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x06
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x0B

Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x0B
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x09
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x0B

Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x0D
Clock None Flash Display Off AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x0F
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x03

Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x07
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x01
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x03
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x05
Clock None Flash Display Off AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x07
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x8A

Global Scripter Module Communication Sheet

Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x88
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x8A
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x8C
Clock None Flash Display On AM PM Indicator Off Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x8E
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x82

Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x82
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x86
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x80
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x82

Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x84
Clock None Flash Display On AM PM Indicator Off Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x86
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x8B

Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x89
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x8B
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x8D
Clock None Flash Display On AM PM Indicator On Timer Control Resume Old Timer Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x8F
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons Off	\x11\x01\x03120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Start Display Colons On	\x11\x01\x03120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x03120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 12 Hour Countdown Timer Stop Display Colons On	\x11\x01\x03120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons Off	\x11\x01\x04120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Start Display Colons On	\x11\x01\x04120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons Off	\x11\x01\x04120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode 24 Hour Countdown Timer Stop Display Colons On	\x11\x01\x04120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons Off	\x11\x01\x00120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Start Display Colons On	\x11\x01\x00120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons Off	\x11\x01\x00120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode ASCII Countdown Timer Stop Display Colons On	\x11\x01\x00120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons Off	\x11\x01\x05120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Start Display Colons On	\x11\x01\x05120101\x83

Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons Off	\x11\x01\x05120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Countdown Timer Countdown Timer Stop Display Colons On	\x11\x01\x05120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons Off	\x11\x01\x06120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Start Display Colons On	\x11\x01\x06120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons Off	\x11\x01\x06120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Display Version Countdown Timer Stop Display Colons On	\x11\x01\x06120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons Off	\x11\x01\x02120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Start Display Colons On	\x11\x01\x02120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons Off	\x11\x01\x02120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Graphic Countdown Timer Stop Display Colons On	\x11\x01\x02120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Start Display Colons Off	\x11\x01\x01120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Start Display Colons On	\x11\x01\x01120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons Off	\x11\x01\x01120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Number Countdown Timer Stop Display Colons On	\x11\x01\x01120101\x87
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons Off	\x11\x01\x07120101\x81
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Start Display Colons On	\x11\x01\x07120101\x83
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons Off	\x11\x01\x07120101\x85
Clock None Flash Display On AM PM Indicator On Timer Control Use New Value Mode Preset Day Counter Countdown Timer Stop Display Colons On	\x11\x01\x07120101\x87