

Total Stellar Lifetimes in millions of years

Z	0.03	0.014	0.007	0.0028	0.001	0.0001
[Fe/H]	0.3	0.0	-0.3	-0.7	-1.2	-2.3
M/Msun						
0.90						9389
1.00	16164	12186	10065	8020	6765	6768
1.25	7004	5372	4526	3710	3198	3238
1.50	3655	2882	2451	2058	1800	1876
1.75	2183	1756	1535	1311	1100	1176
1.90		1338	1216			948
2.00	1450	1186		933	813	809
2.10			968			
2.25	1161	1015	900	755	621	595
2.50	914	770	687	555	469	451
2.75	695	587	510	422	364	
3.00	532	454	395	339	290	284
3.25	417	355	313	276	239	
3.50	328	282	257	228	199	198
4.00	219	193	182	164	144	145
4.50	154	141	135	123	111	111
5.00	116	108	104	97	87	90
5.50	90	85	84	78	72	74
6.00	73	70	69	65	60	62
6.50	59	57	57	55	52	50
7.00	50	48	49	47	45	44
7.50	42	42	43	42	40	38
8.00	37	37	37	37	35	34
8.10						33
8.20					34	
8.50			33	33		
8.70				31		
9.00			30			
9.40			28			
9.70		26(Z=0.02)				

Maximum mass for an AGB star
 Maximum mass for a CO white dwarf
 Higher masses are C/O/Ne white dwarfs

Karakas, 2014, MNRAS, 445, 347

Karakas et al. 2018, MNRAS

Fishlock et al., 2014, ApJ, 797, 44

Karakas 2010, MNRAS, 403, 413 and Karakas & Lattanzio, 2007, PASA, 24,103

Doherty et al., 2015, 446, 2599

Metallicity

Z = 0.03, 0.014, 0.007

Z = 0.0028

Z = 0.001

Z = 0.0001

Various mass and Z

Lifetimes in Italic does not include full TP-AGB lifetime (but all of the main sequence and RGB/core He burn).