

TECHNICAL INFORMATION

Indosol® Dark Blue GL

Indosol® Dark Blue GL is a metal-free direct dye for dyeing cellulosic fibers by the exhaust and continuous process.

The particular advantages of **Indosol® Dark Blue GL** are:

- greenish blue
- high substantivity
- high exhaustion value
- low salt requirement
- good light fastness
- very good wet fastness properties with our fixatives

Properties

Metal-free dye, greenish blue for muted blue and dark blue shades or as a ternary combination element.

Hard water stability 17°d:	not stable	
Coverage of dead cotton:	good	
HT suitability 130°C/pH5:	suitable	
Metals in the dye bath:	iron	no influence
	copper	no influence
Shade in artificial light:	duller	
Levelling power for Co/CV:	good	

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Archroma makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Archroma's products for its particular application. * Nothing included in this information waives any of Archroma's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Archroma products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Archroma. *For sales to customers located within the United States and Canada the following applies in addition: NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

® Trademark of Archroma registered in many countries

© 2013 Archroma

