

Meta Title: SS Pipe Supplier: Your Global Sourcing Guide

Meta Description: Looking for a reliable ss pipe supplier? Discover our global sourcing guide for 304/316 pipes and make informed purchasing decisions today!

URL Slug: ss-pipe-supplier

[Home](#)›SS Pipe Supplier

Using Stainless steel pipes but what grade? : r/watercooling

When selecting stainless steel pipes, grades 304 and 316 are popular choices. Grade 304 offers good corrosion resistance for general use, while grade 316 is better suited for environments with higher chloride exposure, such as marine applications. Always consult your ss pipe supplier for specific requirements and recommendations.

https://en.wikipedia.org/wiki/Stainless_steel

<https://vk.com/share.php>

<https://www.sunnyenterprisesindia.com/prefabricated-piping-spool-manufacturers-in-india.php>

<https://www.sunnyenterprisesindia.com/heavy-fabrication-manufacturers-in-india.php>

<https://maxforge.com/stainless-steel-round-bar/>

<https://maxforge.com/alloy-steel-round-bar/>

<https://www.steelpipesfactory.com/https-www-steelpipesfactory-com-completed-ms-erw-pipe-project-houston-texas-is1239-is3589/>

<https://www.steelpipesfactory.com/completed-stainless-steel-pipe-project-lebanon-ss304-ss316/>

<https://www.steelpipesfactory.com/a106-a53-api5l-carbon-steel-seamless-pipes-price-list-in-india/>

<https://www.steelpipesfactory.com/duplex-pipes-price-list-uns-s32205-2205-s31803/>

<https://www.steelpipesfactory.com/stainless-steel-suppliers/stainless-steel-seamless-pipe-manufacturers/>

Top SS Pipe Supplier: Your Ultimate Sourcing Guide



Sourcing stainless steel pipes from qualified stainless steel pipes manufacturers requires understanding material grades, manufacturing standards, quality certifications, and fabrication capabilities. This guide helps procurement managers, engineers, and industrial buyers make informed decisions when selecting a stainless steel pipe supplier for their projects.

Whether you need seamless stainless steel pipe for high-pressure applications or welded SS pipe for general service, this comprehensive guide covers everything from ASTM A312 specifications to mill test certificates, helping you choose the right stainless steel pipe manufacturing industrial pipe distributor and ensure corrosion resistant piping for your application. In Delhi, several SS pipe suppliers are recognized for offering competitive pricing without compromising on quality, making it easier for buyers to find cost-effective options locally.

What Is an SS Pipe Supplier?

An SS pipe supplier (stainless steel pipe supplier) is a company that supplies stainless steel pipes and related products to industries requiring corrosion resistant piping systems. A reliable stainless steel pipe manufacturer or stockist provides not just the material itself, but also technical support, quality documentation, and value-added services across a wide range of applications. In Mumbai, some popular SS pipe suppliers include Ratna Steel, known for their extensive inventory and quick delivery; Nav Bharat Tubes, specializing in custom pipe solutions and technical expertise; and Metal Forge India, which is recognized for high-quality export-grade stainless steel pipes. Each supplier offers unique specialties, such as value-added fabrication services, strong customer support, or certification assistance for industrial projects.

When evaluating an SS pipe supplier, buyers should assess several critical factors to ensure quality and reliability: Product quality: Compliance with international standards (ASTM, ASME, EN) and consistent manufacturing quality. In India, the top SS pipe suppliers include companies like Jindal Stainless, Ratnadeep Metal & Tubes, and Tata Steel. These suppliers play a pivotal role in standing out due to their adherence to international standards, robust quality assurance processes, and a proven track record of delivering high-quality products for a wide range of industrial applications.

1. An SS pipe supplier is a company or distributor specializing in steel pipes, fittings, and accessories. Product quality involves compliance with international standards (ASTM, ASME, EN) and consistent manufacturing quality. Grade availability means they stock multiple stainless steel grades (304, 304L, 316, 316L, 321, duplex, etc.). Standards compliance covers ASTM A312, ASME B36.19M, and industry-specific codes (ASME B31.3, API, etc.). In India, you can find SS pipe suppliers, such as Maharashtra Seamless Limited, that offer seamless pipes by searching for established vendors and manufacturers who follow international standards for stainless steel products. Look for suppliers based in industrial hubs such as Mumbai, Delhi, Chennai, or Ahmedabad, as these cities host many reliable stainless steel suppliers offering seamless pipes that meet stringent quality and standards requirements.
2. **Grade availability:** Stock of multiple stainless steel grades (304, 304L, 316, 316L, 321, duplex, etc.)
3. **Standards compliance:** ASTM A312, ASME B36.19M, and industry-specific codes (ASME B31.3, API, etc.)
4. **Certifications:** Mill Test Certificates (MTC), third-party inspection reports, and special certifications (IBR, NACE, PED)
5. **Traceability:** Heat number tracking, batch documentation, and full material traceability to mill source
6. **Inventory depth:** Ready stock availability in multiple sizes and schedules to meet urgent requirements

7. **Fabrication capability:** Value-added services like cutting, bending, threading, polishing, and custom fabrication
8. **Delivery reliability:** Consistent on-time delivery, proper packaging, and logistics coordination
9. **Technical support:** Material selection assistance, pressure-temperature ratings, and corrosion engineering support

How to Choose the Right SS Pipe Supplier

Selecting the right **stainless steel pipe supplier** involves evaluating multiple technical and commercial factors. Here's what to look for:

Stainless Steel Grades

A comprehensive SS pipe supplier should stock multiple grades and types of pipes to suit different applications. The most common grades are 304, 304L, 316, and 316L, but specialized applications may require 321, 310S, 347, 904L, or duplex/super duplex grades. Verify that the supplier can provide material certifications confirming chemical composition and mechanical properties for each grade.

Seamless and Welded Pipes

Understanding the difference between seamless and welded stainless steel pipe is critical. Seamless pipes, with a daily sales volume of solid billets without welds, offer uniform strength and higher pressure ratings—ideal for critical, high-pressure applications. Welded pipes (ERW or EFW) are formed from strip and welded longitudinally, providing cost-effective solutions for lower-pressure applications and larger diameters. Your supplier should offer both types and help you select based on your pressure, temperature, and application requirements.

Sizes and Schedules

Stainless steel pipe sizes range from 6NB (1/8 inch) to 600NB (24 inch) and larger, with immediate deliveries for various configurations available. Wall thickness is specified by schedule: SCH 5S (extra light), SCH 10S (light), SCH 40S (standard), SCH 80S (extra strong), SCH 160, and XXS (double extra strong). A well-stocked supplier maintains inventory across multiple size-schedule combinations to meet diverse project needs. The correct schedule selection depends on design pressure, temperature, corrosion allowance, and mechanical loads.

ASTM and ASME Compliance

ASTM A312/ASME SA-312 is the primary specification for quality stainless steel pipes, seamless, welded, and heavily cold worked austenitic stainless steel pipe. Verify that your supplier's products comply with relevant ASTM standards and that material certifications reference the correct specification and grade designation (e.g., TP304, TP316L). For large-diameter welded pipe, ASTM A358 applies. For tubing, specifications include ASTM A213 (seamless) and ASTM A269 (general service).

Material Test Certificates (MTC)

Every stainless steel pipe consignment must come with a Mill Test Certificate per EN 10204 Type 3.1 or 3.2. The MTC should document: material grade, heat number, chemical composition (actual percentages of C, Cr, Ni, Mo, etc.), mechanical properties (tensile, yield, elongation), dimensions, applicable standard, test results (hydrostatic, NDE), and professional manufacturer information. MTCs provide full traceability and are essential for quality assurance and project documentation.

Quality Certifications

Look for suppliers with ISO 9001 quality management certification and, where applicable, industry-specific certifications such as PED (Pressure Equipment Directive), IBR (Indian Boiler Regulations), NACE MR-01-75 (sour service), or AD 2000 Merkblatt. These certifications demonstrate the supplier's commitment to quality systems and compliance with regulatory requirements.

Material Traceability

Full **material traceability** from mill to end-user is essential for critical applications. Heat numbers should be stenciled or stamped on pipes, and documentation should trace each piece back to its manufacturing heat. This traceability enables recall management, failure analysis, and regulatory compliance (especially in nuclear, aerospace, and high-consequence applications).

Third-Party Inspection

For critical projects, buyers often specify third-party inspection by agencies such as DNV GL, TUV, SGS, BVIS, or LRIS. A reliable **SS pipe supplier** will accept third-party inspection at their facility and coordinate stage inspections, dimensional checks, hardness testing, PMI (positive material identification), and witness testing. This independent verification provides additional quality assurance beyond manufacturer certifications.

Cutting, Bending, Threading and Polishing

Stainless steel pipe fabrication services add value by reducing on-site labor and material waste through technological advancements. Services may include: cut-to-length (precision cutting to exact dimensions), beveling (preparing pipe ends for welding), threading (NPT or BSP threads), bending (cold or hot bending to specified radii), polishing (mechanical polishing to #4 brushed, #6, or #8 mirror finish), and electropolishing (electrochemical surface treatment for pharmaceutical/food applications). Suppliers with in-house fabrication capabilities can provide complete, ready-to-install piping components.

Stock Availability

Inventory depth directly impacts project timelines. A well-stocked industrial pipe distributor maintains ready inventory of commonly used sizes (1/2" to 12" NB) and schedules (10S, 40S, 80S) in grades 304/304L and 316/316L, supporting industrial growth. For urgent requirements, immediate availability eliminates procurement delays. For planned projects, confirm lead times for non-stock items and minimum order quantities.

Lead Times

Understand both stock and non-stock lead times. Stock items should ship within 24-48 hours. Non-stock items typically require 2-6 weeks depending on mill production schedules, size, grade, and quantity. For large projects, work with suppliers who can provide clear, realistic lead times and milestone schedules for phased deliveries.

Minimum Order Quantity (MOQ)

MOQ policies vary by supplier and product. Stock items often have no MOQ or very low minimums (1-5 pieces). Non-stock items, especially exotic grades or non-standard sizes, may have higher MOQs (mill minimum of 1-3 tons). Clarify MOQ requirements upfront to avoid procurement roadblocks, especially for small maintenance or repair orders.

Technical Support

A knowledgeable supplier provides technical support including: material selection guidance based on corrosion environment, pressure-temperature ratings per ASME B31.3, welding recommendations (filler metals, PWHT requirements), surface finish selection, and compliance with applicable codes and standards. This support is especially valuable during the design and specification phase of projects.

Stainless Steel Pipe Grades Available

304 Stainless Steel Pipe

SS 304 (UNS S30400) is the most widely used austenitic stainless steel grade. With 18-20% chromium and 8-10.5% nickel, it provides excellent corrosion resistance in mild environments, good formability, and ease of fabrication. SS 304 pipe is ideal for food processing, dairy equipment, architectural applications, and general chemical service not involving chlorides or aggressive acids, offering a long service life. Maximum service temperature is approximately 870°C in oxidizing atmospheres.

304L Stainless Steel Pipe

SS 304L (UNS S30403) is the low-carbon variant of 304, with carbon restricted to 0.030% maximum versus 0.08% in standard 304. This low carbon content minimizes chromium carbide precipitation during welding, preventing sensitization and intergranular corrosion in the heat-affected zone. **304L pipe** is specified for welded fabrications that will not be solution annealed post-weld. The trade-off is slightly lower strength (170 MPa yield vs 205 MPa for 304). Use 304L for all welded piping systems in food, dairy, and pharmaceutical applications.

316 Stainless Steel Pipe

SS 316 (UNS S31600) contains 2-3% molybdenum, which significantly enhances resistance to pitting and crevice corrosion, especially in chloride environments. This makes 316 the preferred grade for marine applications, coastal installations, seawater service, chemical processing with chlorides, and pharmaceutical manufacturing. The molybdenum addition increases the Pitting Resistance Equivalent Number (PREN) from approximately 18 (304) to 24 (316), providing substantially better performance in aggressive environments. Use **316 SS pipe** wherever chlorides or acids are present.

316L Stainless Steel Pipe

SS 316L (UNS S31603) combines the corrosion resistance of 316 with the low-carbon advantage of L grades. With maximum 0.030% carbon, 316L resists sensitization during welding, making it the universal choice for welded pharmaceutical, biotech, and food processing equipment. 316L pipe is also preferred for seawater piping, desalination plants, coastal chemical facilities, and any chloride-containing environment where welded construction is used. It maintains excellent corrosion resistance, specifically high corrosion resistance, while offering superior weldability. For most industrial applications involving welding and chlorides, 316L is the optimal grade.

Other Stainless Steel Grades

SS 321

Titanium-stabilized grade for high-temperature service up to 900°C. Resists sensitization during welding. Used in aircraft exhaust, furnace parts, and heat exchangers.

SS 310/310S

High chromium-nickel content (25% Cr, 20% Ni) for superior high-temperature oxidation resistance up to 1150°C. Used in furnace components, kilns, and heat treatment equipment.

SS 410

Martensitic stainless steel with moderate corrosion resistance and good mechanical properties. Hardenable by heat treatment. Used in pump shafts, valve trim, and fasteners.

Duplex 2205

Dual-phase structure (austenite + ferrite) offering twice the strength of austenitic grades with excellent chloride stress corrosion cracking resistance. Used in oil & gas, chemical processing, and marine applications.

304 vs 316 Stainless Steel Pipe

The choice between **304 vs 316 stainless steel** is one of the most common material selection decisions. Here's a detailed comparison:

Bottom line: Use SS 304 for general corrosion service, food processing, and non-chloride environments where cost is a consideration. Use SS 316 (or 316L) wherever chlorides are present, for marine/coastal installations, pharmaceutical applications, and aggressive chemical service. When welding is involved, specify L grades (304L or 316L) to prevent sensitization.

Seamless vs Welded Stainless Steel Pipe

Seamless Stainless Steel Pipe

Seamless stainless steel seamless pipes are manufactured by piercing a solid round billet at elevated temperature (1200°C+) to create a hollow shell, which is then rolled, stretched, and sized to final dimensions. Because there is no weld seam, seamless pipe offers uniform mechanical properties in all directions and can handle higher pressures. Seamless pipe is preferred for high-pressure systems, critical applications, and services where weld integrity is a concern. Common applications include high-pressure steam, hydraulic systems, refinery process piping, and subsea pipelines. Seamless pipe is typically available up to 16-20 inch diameter; larger sizes become cost-prohibitive.

Welded Stainless Steel Pipe

Welded stainless steel pipe is formed from stainless steel coil or strip, which is formed into a tubular shape and welded longitudinally using Electric Resistance Welding (ERW) or Electric Fusion Welding (EFW). The weld seam is heat-treated and may be ground smooth for critical applications. Welded pipe offers excellent dimensional consistency, is more economical than seamless (especially in larger sizes), and is suitable for low to medium pressure applications. Welded pipe is commonly used in water distribution, HVAC systems, architectural applications, low-pressure chemical piping, sanitary processing, and power plants. For non-critical, lower-pressure applications, welded pipe provides excellent performance at lower cost.

Stainless Steel Pipe Sizes and Schedules

Stainless steel pipe sizing follows the Nominal Pipe Size (NPS) system defined in ASME B36.19M. The nominal pipe size is an approximate designation that loosely represents the inside diameter of

the seamless steel pipes and the pipe. The actual outside diameter (OD) is fixed for a given NPS, while the wall thickness varies according to the schedule designation.

SCH 10S: Light wall, commonly used for process piping in chemical plants and low-pressure applications, including those in the food industry.

1. **SCH 5S:** Extra light wall, lowest weight, suitable for low-pressure service and corrosive environments where thick walls are unnecessary
2. **SCH 10S:** Light wall, commonly used for process piping in chemical plants and low-pressure applications
3. **SCH 40S:** Standard wall, the most common schedule for general industrial piping, equivalent to STD (standard) in carbon steel
4. **SCH 80S:** Extra strong wall, used for higher pressures and temperatures, equivalent to XS (extra strong) in carbon steel
5. **SCH 160:** Heavy wall for high-pressure service, common in high-pressure steam and process systems
6. **XXS:** Double extra strong, heaviest standard wall thickness for extreme pressure or mechanical strength requirements

The correct schedule depends on multiple factors: **design pressure and temperature** per ASME B31.3 calculations, **corrosion allowance** (stainless typically requires none or minimal), **fluid characteristics** (corrosive, erosive, or abrasive fluids may require thicker walls), **mechanical loads** (support spacing, external loads, seismic requirements), and **code requirements** (ASME B31.1 for power piping, B31.3 for process piping, B31.4/31.8 for pipelines). Always perform proper pressure-temperature calculations or consult a qualified piping engineer for critical applications. Your **SS pipe supplier** can assist with preliminary schedule selection based on typical service conditions.

ASTM and ASME Standards for Stainless Steel Pipe

ASTM A312 / ASME SA-312 is the primary specification for seamless, welded, and heavily cold worked austenitic stainless steel pipe. It covers grades including TP304, TP304L, TP316, TP316L, TP321, TP321H, TP347, TP347H, and others in sizes up to 30 inches NB, ensuring the best quality products in compliance with this specification. This specification defines chemical composition, mechanical properties, dimensions, tolerances, heat treatment, testing requirements (hydrostatic, NDE), and marking.

ASTM A358 covers electric-fusion-welded austenitic stainless steel tubes and pipe for high-temperature service, typically used for large-diameter piping (above 16 inches). Classes 1, 2, 3, 4, and 5 define different inspection levels and acceptance criteria based on application criticality.

Other relevant specifications include ASTM A790 (duplex and super duplex pipe), ASTM A213 (seamless boiler and heat exchanger tubes), and as a seamless pipe manufacturer, ASTM A269 (seamless and welded tubing for general service) and ASTM A249 (welded tube for boilers and superheaters). The applicable standard depends on pipe type (seamless/welded), size, grade, and application. Do not make unsupported claims about which standard applies to your specific requirement—verify the correct specification with your engineer or SS pipe supplier based on your project codes and design conditions.

Material Test Certificates and Traceability

Every stainless steel pipe consignment must be accompanied by a Mill Test Certificate (MTC) per EN 10204 Type 3.1 (manufacturer's inspection) or Type 3.2 (manufacturer plus independent inspector), ensuring adherence to stringent quality standards. The MTC is the official quality document that certifies material compliance with specified requirements.

An MTC must include the following information:

1. **Material grade:** UNS designation (e.g., S31603) and grade name (e.g., TP316L)
2. **Heat number:** Unique identifier for the steel heat from which the pipe was manufactured
3. **Chemical composition:** Actual analyzed percentages of C, Mn, Si, P, S, Cr, Ni, Mo, and other alloying elements
4. **Mechanical properties:** Actual test results for tensile strength, yield strength, elongation, and hardness
5. **Dimensions:** Outside diameter, wall thickness, and length for each piece
6. **Applicable standard:** ASTM A312, A790, etc., with grade and class designation
7. **Test results:** Hydrostatic test pressure, NDE results (ultrasonic, eddy current, etc.), and acceptance criteria
8. **Manufacturer information:** Mill name, location, inspector signature, and certificate date

Material traceability enables tracking each pipe back to its manufacturing heat, providing accountability and enabling failure investigation if issues arise. Heat numbers should be permanently marked on pipes (stenciled, stamped, or etched) along with grade, size, and schedule. Maintain MTC documentation throughout the project lifecycle for quality records, regulatory compliance, and future reference.

For critical projects (nuclear, aerospace, pharmaceutical, offshore), **third-party inspection** by independent agencies such as DNV GL, TUV SUD, SGS, BVIS, or LRIS provides additional verification. Third-party inspectors witness testing, verify documentation, perform independent checks (PMI, dimensional, hardness), and issue independent inspection reports that supplement the manufacturer's MTC. This independent oversight significantly reduces quality risk for high-consequence applications.

Industries That Use Stainless Steel Pipe

Stainless steel pipe is specified across numerous industries where corrosion resistance, hygiene, high temperature, or mechanical strength are required:



Chemical Processing

Reactors, process piping, heat exchangers handling acids, alkalis, and corrosive chemicals.



Food & Beverage

Hygienic piping for dairy, breweries, beverage processing, and food manufacturing facilities.



Pharmaceutical

WFI, purified water, CIP/SIP systems requiring high purity and cleanability (typically 316L electropolished).



Oil & Gas

Process piping, instrumentation tubing, offshore platforms, and refineries.



Water Treatment

Desalination plants, water distribution, wastewater treatment, and municipal water systems.



Construction

Structural applications, handrails, architectural facades, and interior design elements.



Power Generation

Boiler tubes, steam piping, condenser tubes, and heat recovery systems.



Automotive

Exhaust systems, catalytic converters, fuel lines, and emissions control systems.



Marine

Seawater piping, ballast systems, deck equipment, and offshore structures.



Petrochemical

High-temperature crackers, reformers, process columns, and catalyst handling systems.

Custom Stainless Steel Pipe Services

A full-service **SS pipe supplier** offers **stainless steel pipe fabrication** and processing services to deliver installation-ready components:

How to Request a Quote From an SS Pipe Supplier

To receive an accurate, complete quotation from a **stainless steel pipe supplier**, provide the following information in your Request for Quotation (RFQ):

1. Material grade (e.g., TP304, TP316L, TP321)
2. Seamless or welded pipe
3. Nominal pipe size (e.g., 2 inch NB, 100NB)
4. Schedule or wall thickness (e.g., SCH 40S, SCH 80S)
5. Length required (random length, fixed 6m, or cut-to-length)
6. Quantity (number of pieces or total length in meters)
7. ASTM/ASME specification (e.g., ASTM A312, ASTM A790)
8. Surface finish (pickled & passivated, bright annealed, polished)
9. End connection (plain end, beveled, threaded NPT/BSP)
10. Mill Test Certificate (MTC) requirement (EN 10204 3.1 or 3.2)
11. Third-party inspection (specify agency: DNV, TUV, SGS, etc.)
12. Delivery location (city, state, country)
13. Required delivery date
14. Shipping terms/Incoterms (EXW, FOB, CIF, DDP, etc.)

The more complete your RFQ, the faster and more accurate the quotation. Incomplete specifications lead to clarification delays, incorrect quotes, and potential material mismatches. A professional **SS pipe supplier** will respond within 24-48 hours with a detailed quote including material specifications, lead time, price breakdown, and terms.

SS Pipe Supplier FAQ

The key difference is molybdenum content. SS 316 contains 2-3% molybdenum while SS 304 has none. This molybdenum addition significantly improves chloride and pitting corrosion resistance, making 316 the preferred choice for marine environments, chemical processing with chlorides, and pharmaceutical applications. SS 304 is more economical and suitable for general applications including food processing, dairy, and mild chemical service. Both have similar mechanical properties, but 316 offers superior corrosion resistance in aggressive environments.

Stainless steel pipe is sized by nominal pipe size (NPS) with wall thickness specified by schedule (SCH 5S, 10S, 40S, 80S, etc.). As suppliers of stainless steel pipes, we ensure that pipes are manufactured for fluid transport with looser tolerances ($\pm 12.5\%$ on wall thickness). Stainless steel tubing is sized by exact outside diameter and wall thickness with tighter tolerances ($\pm 5-10\%$). Tubing is typically used for instrumentation, heat exchangers, and precision applications requiring exact dimensions. Pipes follow ASTM A312 while tubes follow ASTM A213/A269 standards.

The primary ASTM standards are: ASTM A312/ASME SA-312 for seamless and welded stainless steel pipe (most common for industrial piping), manufactured to meet the highest standards, ASTM A358 for welded large-diameter pipe, ASTM A213 for seamless boiler and heat exchanger tubes, ASTM A269 for seamless and welded tubing for general service, and ASTM A790 for seamless and welded duplex stainless steel pipe. The applicable standard depends on pipe type (seamless/welded), size range, and intended application.

Stainless steel pipes are available from 6NB (1/8 inch) to 600NB (24 inch) and larger for special applications in various industries. Common schedules include SCH 5S, 10S, 40S, 80S, 160, and XXS. Light-wall schedules (5S, 10S) are used for low-pressure applications and corrosive service where corrosion allowance is not needed. Standard schedule 40S is the most common for general industrial use. Heavy schedules (80S, 160, XXS) are specified for high-pressure systems, mechanical strength, or where external loads are present. The correct schedule depends on design pressure, temperature, fluid characteristics, and applicable code requirements (ASME B31.3, B31.1, etc.).

Grade selection depends on several factors: corrosion environment (use 316/316L for chlorides and marine; 304/304L for mild conditions), temperature (use 321 for 400-900°C; 310S for high-temperature oxidation above 900°C), welding requirements (specify L grades—304L or 316L—for welded fabrication to avoid sensitization), mechanical strength (duplex 2205 offers twice the strength of austenitic grades), and budget (304 is more economical than 316). For severe corrosion, consider 904L or super duplex 2507. Always consult material specifications and available different grades, process conditions, and applicable codes. Most suppliers offer material selection assistance based on your specific application.

Yes. Store stainless steel pipe in a dry, covered area away from carbon steel to prevent cross-contamination (carbon steel particles can cause rust staining). Keep pipes off the ground using wooden or plastic supports—never store on bare concrete or soil. Avoid contact with chlorides, acids, or other corrosive chemicals. If outdoor storage is unavoidable, use waterproof covers and ensure adequate drainage. Remove plastic end caps periodically to allow air circulation and prevent moisture buildup. For finished/polished pipes, maintain protective wrapping until installation. Proper storage prevents surface contamination, staining, and maintains corrosion resistance, making the pipes suitable for different industries.

Yes. Austenitic stainless steels (304, 304L, 316, 316L, 321) maintain excellent mechanical properties and ductility at cryogenic temperatures down to -196°C (liquid nitrogen) and below. Unlike carbon steel, stainless steel does not become brittle at low temperatures. For cryogenic service, specify: seamless pipe per ASTM A312, solution annealed condition, full penetration welds with appropriate filler metals, and impact testing if required by design code. Grade 304L or 316L is typically specified for cryogenic service due to low carbon content and superior toughness. Common applications include LNG plants, liquid nitrogen systems, oxygen service, and industrial gas production.

Stainless steel pipe pricing varies based on multiple factors: grade (316L is 15-25% more expensive than 304 due to molybdenum content), size and schedule (larger sizes and heavier schedules cost more per kg), type (seamless is 20-40% more expensive than welded), quantity (bulk orders receive volume discounts), market conditions (nickel and chromium prices fluctuate), and processing requirements (threading, polishing, cutting add costs). Additionally, customer reviews can influence perceptions of pricing. As a rough guide, expect ₹200-800 per kg for standard grades in common sizes. For accurate pricing, request a quote with complete specifications: grade, size, schedule, length, quantity, end finish, and delivery location. Most suppliers provide quotes within 24 hours.

Why Work With a Stainless Steel Pipe Supplier?

Partnering with an experienced **stainless steel pipe supplier** provides multiple advantages beyond just material supply:

1. **Complete documentation:** MTCs, test reports, certifications, and traceability records required for project compliance and quality assurance
2. **Quality assurance:** Material sourced from certified mills with established quality management systems and consistent manufacturing standards

3. **Full traceability:** Heat number tracking from mill to installation enables failure analysis, recall management, and regulatory compliance
4. **Reliable delivery:** Established logistics, proper packaging, on-time shipment, and delivery tracking minimize project delays, ensuring high standards of customer satisfaction.
5. **Fabrication capability:** Value-added services (cutting, threading, bending, polishing) reduce on-site labor and material waste
6. **Reliable delivery:** Established logistics, proper packaging, on-time shipment, and delivery tracking minimize project delays
7. **Inventory availability:** Stock of common sizes/grades enables quick turnaround for urgent requirements and maintenance shutdowns
8. **Competitive pricing:** Volume purchasing power, mill relationships, and efficient operations result in competitive pricing
9. **Project experience:** Understanding of project requirements, phased delivery coordination, and documentation management

Request a Stainless Steel Pipe Quote

Ready to source stainless steel pipes for your project? Contact us with your requirements—grade, size, schedule, quantity, applicable standards, and delivery location. We provide detailed quotations with material specifications, MTC documentation, delivery timelines, and competitive pricing. Our pipes are noted for their dimensional accuracy, while our technical team is available to assist with material selection, code compliance, and any questions about corrosion resistant piping for your application.

Need Stainless Steel Pipe?

Submit your requirements for a detailed quotation. Specify grade, size, schedule, quantity, standards, and delivery location.

 [+91 99982 80619](https://wa.me/919998280619)  [WhatsApp](#)

Related Stainless Steel Pipe Resources

[SS 304 & 316L Pipe Supplier India](#) → [SS Seamless Pipe Supplier India](#) → [SS 321 Pipe Supplier India](#) → [SS 310 Pipe Supplier India](#) → [Duplex 2205 Supplier India](#) → [Stainless Steel Supplier Vadodara](#) →

Explore More Products

Alloy Steel Products

[P11 Alloy Steel Pipe](#)[P22 Alloy Steel Pipe](#)[Alloy Steel Pipe India](#)

Carbon Steel Products

[SA 516 Plate Stockist](#)[ASTM A36 Steel Plate](#)[A106 Gr B Seamless Pipe](#)[A53 ERW Pipe](#)

Exotic & Nickel Alloys

[Duplex 2205 Plate](#)[Super Duplex 2507 Pipe](#)[Inconel Pipe India](#)[Inconel 600 Pipe](#)

Structural Steel

[MS Angle/Channel Vadodara](#)[MS Beam ISMB India](#)[MS Channel ISMC India](#)[MS Flat Bar India](#)

Company & Resources

[All Products](#)[About CMI](#)[Customer Reviews](#)[Site Map](#)