An SPT-LSM theorem for weak SPTs with non-invertible symmetry

Salvatore Pace MIT

Institute for Basic Science









Ho Tat Lam



Ömer Aksoy

arXiv:2409.18113

A fundamental problem in QFT/CMT/HEP is to understand quantum phases

- 1. How do we diagnose different quantum phases?
- 2. What are the allowed possible quantum phases?

A fundamental problem in QFT/CMT/HEP is to understand quantum phases

- 1. How do we diagnose different quantum phases?
- 2. What are the allowed possible quantum phases?

Sometimes, phases are characterized by a symmetry

- ➤ Superfluids by U(1) boson number conservation
- ➤ Topological insulators by $U(1)_f$ and \mathbb{Z}_2^T symmetries

For such phases, symmetries provide answers to questions (1) and (2).

Quantum phases \iff Generalized symmetries

Quantum phases \iff Generalized symmetries

Build-a-phase recipe

(1) Choose your generalized symmetries adjectives

$$a_1-a_2-a_3-\cdots$$
 Symmetry

- \triangleright e.g., *n*-form, (non-)invertible, subsystem, dipole, ...
- (2) Specify SSB and SPT pattern

Quantum phases \iff Generalized symmetries

Build-a-phase recipe

(1) Choose your generalized symmetries adjectives

$$a_1-a_2-a_3-\cdots$$
 Symmetry

- \triangleright e.g., *n*-form, (non-)invertible, subsystem, dipole, ...
- (2) Specify SSB and SPT pattern

Ordered phases

Topological insulators

Quantum phases \iff Generalized symmetries

Build-a-phase recipe

(1) Choose your generalized symmetries adjectives

$$a_1-a_2-a_3-\cdots$$
 Symmetry

- \triangleright e.g., n-form, (non-)invertible, subsystem, dipole, ...
- (2) Specify SSB and SPT pattern

Ordered phases

Topological insulators

Topological order Maxwell phases

Higgs phases

Fracton phases

Quantum phases \iff Generalized symmetries

Build-a-phase recipe

(1) Choose your generalized symmetries adjectives

$$a_1-a_2-a_3-\cdots$$
 Symmetry

- \triangleright e.g., n-form, (non-)invertible, subsystem, dipole, ...
- (2) Specify SSB and SPT pattern

Ordered phases

Topological insulators

Topological order Maxwell phases

Higgs phases

Fracton phases

Phases we have yet to name!

Which quantum phases are characterized by generalized symmetries?

Why care?

- 1. Provides a novel and unifying perspective of quantum phases
- 2. Guides us towards new quantum phases and models
- 3. Further develops a classification of quantum phases based on symmetries (a "generalized Landau paradigm")

Which quantum phases are characterized by generalized symmetries?

Why care?

- 1. Provides a novel and unifying perspective of quantum phases
- 2. Guides us towards new quantum phases and models
- 3. Further develops a classification of quantum phases based on symmetries (a "generalized Landau paradigm")

TL;DR for this talk

This talk: 1 + 1D SPT phases characterized by translation and non-invertible symmetries

➤ Find a new class of entangled weak SPTs characterized by projective non-invertible symmetries on the lattice

TL;DR for this talk

This talk: 1 + 1D SPT phases characterized by translation and non-invertible symmetries

➤ Find a new class of entangled weak SPTs characterized by projective non-invertible symmetries on the lattice

<u>Outline</u>

- 1. Review SPTs from a symmetry defect perspective
- 2. Simple example of an entangled weak SPT characterized by a projective non-invertible symmetry
- 3. General discussion on projective $Z(G) \times \text{Rep}(G)$ symmetry and (SPT-)LSM theorems

What are SPTs

An SPT phase is a gapped quantum phase protected by a symmetry with a unique ground state on all closed spatial manifolds [Chen, Gu, Liu, Wen 2011; Else, Nayak 2014; ...]

➤ Interesting physics can arise on boundaries and interfaces between SPTs (e.g., topological order, gapless excitations)

What are SPTs

An SPT phase is a gapped quantum phase protected by a symmetry with a unique ground state on all closed spatial manifolds [Chen, Gu, Liu, Wen 2011; Else, Nayak 2014; ...]

➤ Interesting physics can arise on boundaries and interfaces between SPTs (e.g., topological order, gapless excitations)

SPTs are characterized by their bulk response to static probes

➤ Background gauge fields and symmetry defects

What are SPTs

An SPT phase is a gapped quantum phase protected by a symmetry with a unique ground state on all closed spatial manifolds [Chen, Gu, Liu, Wen 2011; Else, Nayak 2014; ...]

➤ Interesting physics can arise on boundaries and interfaces between SPTs (e.g., topological order, gapless excitations)

SPTs are characterized by their bulk response to static probes

➤ Background gauge fields and symmetry defects

Ordinary insulator

$$S[A] = \frac{1}{2} \int F \wedge \star F$$

Topological insulator

[Qi, Hughes, Zhang 2008; ···]

$$S[A] = \frac{1}{2} \int F \wedge \star F + \frac{\pi}{4\pi} F \wedge F$$


Symmetry defects

Symmetry defects are localized modifications to the Hamiltonian $H_{\text{defect}}^{(\Sigma)} = H + \delta H(\Sigma)$ and other operators

➤ Moved using unitary operators (are topological defects)

$$H_{\text{defect}}^{(\Sigma_2)} = U_{21} H_{\text{defect}}^{(\Sigma_1)} U_{21}^{\dagger}$$

➤ Implement the symmetry transformation across space



➤ Twisted boundary conditions $(T_{\perp})^{L} = \text{Symmetry operator}$

Example: $\mathbb{Z}_2 \times \mathbb{Z}_2$ SPTs

1d closed chain in space with two qubits on each site $j \sim j + L$ acted on by Pauli operators X_j , Z_j and \tilde{X}_j , \tilde{Z}_j .

$$H_{p} = -\sum_{j=1}^{L} (X_{j} + \tilde{X}_{j})$$

$$H_{c} = -\sum_{j=1}^{L} (\tilde{Z}_{j-1} X_{j} \tilde{Z}_{j} + Z_{j} \tilde{X}_{j} Z_{j+1})$$

$$|\operatorname{GS}_{p}\rangle = |++\cdots+\rangle \qquad |\operatorname{GS}_{c}\rangle = \tilde{Z}_{j-1}X_{j}\tilde{Z}_{j}|\operatorname{GS}_{c}\rangle = Z_{j}\tilde{X}_{j}Z_{j+1}|\operatorname{GS}_{c}\rangle$$

- ➤ Both models have a unique symmetric gapped ground state
- There is a $\mathbb{Z}_2 \times \tilde{\mathbb{Z}}_2$ symmetry $U = \prod X_j$ and $\tilde{U} = \prod \tilde{X}_j$ with $U | GS_{\bullet} \rangle = \tilde{U} | GS_{\bullet} \rangle = | GS_{\bullet} \rangle$ j

Example: $\mathbb{Z}_2 \times \mathbb{Z}_2$ SPTs

1d closed chain in space with two qubits on each site $j \sim j + L$ acted on by Pauli operators X_j , Z_j and \tilde{X}_j , \tilde{Z}_j .

$$H_p = -\sum_{j=1}^{L} (X_j + \tilde{X}_j)$$

$$|GS_p\rangle = |++\cdots+\rangle$$

$$H_c = -\sum_{j=1}^{L} (\tilde{Z}_{j-1} X_j \tilde{Z}_j + Z_j \tilde{X}_j Z_{j+1})$$

$$|\operatorname{GS}_{c}\rangle = \tilde{Z}_{j-1}X_{j}\tilde{Z}_{j}|\operatorname{GS}_{c}\rangle = Z_{j}\tilde{X}_{j}Z_{j+1}|\operatorname{GS}_{c}\rangle$$

- Both models have a unique symmetric graphed ground state H_p and H_c are both in a $\mathbb{Z}_2 \times \tilde{\mathbb{Z}}_2$ SPT phase

 There is a $\mathbb{Z}_2 \times \mathbb{Z}_2$ symmetry $U = \mathbb{Z}_i$ and $U = \mathbb{Z}_i$
- There is a $\mathbb{Z}_2 \times \mathbb{Z}_2$ symmetry $U = \prod X_j$ and $U = \prod \tilde{X}_j$ with $U | GS_i \rangle = \tilde{U} | GS_i \rangle = | GS_i \rangle$ j

Distinguishing $\mathbb{Z}_2 \times \mathbb{Z}_2$ SPTs

Are H_p and H_c in different $\mathbb{Z}_2 \times \tilde{\mathbb{Z}}_2$ SPT phases?

We can check by inserting a U symmetry defect at $\langle L, 1 \rangle$

➤ Gives rise to *U*-twisted boundary conditions: $Z_{j+L} = -Z_j$

1. H_p is unaffected, so its ground state still satisfies

$$U|\operatorname{GS}_{p;U}\rangle = +|\operatorname{GS}_{p;U}\rangle$$
 $\tilde{U}|\operatorname{GS}_{p;U}\rangle = +|\operatorname{GS}_{p;U}\rangle$

2. H_c becomes $H_c + 2Z_L \tilde{X}_L Z_1$, and its ground state satisfies

$$U|\operatorname{GS}_{c;U}\rangle = +|\operatorname{GS}_{c;U}\rangle$$
 $\tilde{U}|\operatorname{GS}_{c;U}\rangle = -|\operatorname{GS}_{c;U}\rangle$

Distinguishing $\mathbb{Z}_2 \times \mathbb{Z}_2$ SPTs

Different responses imply that H_p and H_c are in

different $\mathbb{Z}_2 \times \tilde{\mathbb{Z}}_2$ SPT phases

[Chen, Lu, Vishwanath 2013; Gaiotto, Johnson-Freyd 2017; Wang, Ning, Cheng 2021]

Low-energy EFTs of H_p and H_c

$$Z_p[A, \tilde{A}] = 1$$

$$Z_p[A, \tilde{A}] = 1$$
 $Z_c[A, \tilde{A}] = (-1)^{\int A \cup \tilde{A}}$

1. H_p is unaffected, so its ground state still satisfies

$$U|\operatorname{GS}_{p;U}\rangle = +|\operatorname{GS}_{p;U}\rangle$$

$$\tilde{U} | GS_{p;U} \rangle = + | GS_{p;U} \rangle$$

2. H_c becomes $H_c + 2Z_L \tilde{X}_L Z_1$, and its ground state satisfies

$$U|\operatorname{GS}_{c;U}\rangle = +|\operatorname{GS}_{c;U}\rangle$$

$$\tilde{U} | GS_{c;U} \rangle = - | GS_{c;U} \rangle$$

1d periodic lattice with a qubit on each site $j \sim j + L$

$$H_{+} = -\sum_{j} X_{j} \quad \text{vs.} \quad H_{-} = +\sum_{j} X_{j}$$

- ightharpoonup Both have a unique gapped ground state $|GS_{\pm}\rangle = \bigotimes_{j} |\pm\rangle$
- Symmetries: $\mathbb{Z}_2 \times \mathbb{Z}_L$ with $U = \prod_j X_j$ and $T: j \to j+1$

 H_+ and H_- are both in $\mathbb{Z}_2 \times \mathbb{Z}_L$ SPT phases

1d periodic lattice with a qubit on each site $j \sim j + L$

$$H_{+} = -\sum_{j} X_{j} \quad \text{vs.} \quad H_{-} = +\sum_{j} X_{j}$$

- ➤ Both have a unique gapped ground state $|GS_{\pm}\rangle = \bigotimes_{j} |\pm\rangle$
- Symmetries: $\mathbb{Z}_2 \times \mathbb{Z}_L$ with $U = \prod_j X_j$ and $T: j \to j+1$

 H_+ and H_- are both in $\mathbb{Z}_2 \times \mathbb{Z}_L$ SPT phases

SPTs characterized by translations are called weak SPTs

 H_{+} and H_{-} are both in \mathbb{Z}_{2} weak SPT phases

Are H_+ and H_- in different \mathbb{Z}_2 weak SPT phases?

Let's insert a
$$U = \prod_{j} X_{j}$$
 symmetry defect at $\langle L, 1 \rangle$

- ➤ Neither H_+ or H_- are modified by $Z_{j+L} = -Z_j$
- ➤ Translation operator becomes $T = X_1 T_{\text{defect-free}}$ $(T^L = U)$

Are H_+ and H_- in different \mathbb{Z}_2 weak SPT phases?

Let's insert a
$$U = \prod_{j} X_{j}$$
 symmetry defect at $\langle L, 1 \rangle$

- ➤ Neither H_+ or H_- are modified by $Z_{j+L} = -Z_j$
- ➤ Translation operator becomes $T = X_1 T_{\text{defect-free}}$ $(T^L = U)$

	Even L	Even L , \mathbb{Z}_2 symmetry defect
$U \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$+ GS_{\pm}\rangle$
$T \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$\pm GS_{\pm}\rangle$

Different \mathbb{Z}_2 weak SPTs

Are H_+ and H_- in different \mathbb{Z}_2 weak SPT phases?

Let's insert a
$$U = \prod_{j} X_{j}$$
 symmetry defect at $\langle L, 1 \rangle$

- ➤ Neither H_+ or H_- are modified by $Z_{j+L} = -Z_j$
- ➤ Translation operator becomes $T = X_1 T_{\text{defect-free}}$ $(T^L = U)$

	Even L	Even L , \mathbb{Z}_2 symmetry defect	$\operatorname{Odd} L$
$U \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$+ GS_{\pm}\rangle$	$\pm GS_{\pm}\rangle$
$T \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$\pm GS_{\pm}\rangle$	$+ GS_{\pm}\rangle$

Are H_{\perp} and H_{\perp} in different \mathbb{Z}_2 weak SPT phases?

Translation defect carries \mathbb{Z}_2 symmetry charge in $|GS_{-}\rangle$

➤ Inserting a translation defect is done by

$$T^L = 1 \rightarrow T^L = T \implies L \rightarrow L - 1$$

➤ Translation operator becomes $T = X_1 T_{\text{defect-free}}$ $(T^L = U)$

	Even L	Even L , \mathbb{Z}_2 symmetry defect	$\operatorname{Odd} L$
$U \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$+ GS_{\pm}\rangle$	$\pm GS_{\pm}\rangle$
$T \operatorname{GS}_{\pm}\rangle =$	$+ GS_{\pm}\rangle$	$\pm GS_{\pm}\rangle$	$+ GS_{\pm}\rangle$

A curious Hamiltonian

1d periodic lattice with a single qubit and \mathbb{Z}_4 qudit on each site $j \sim j + L$ [SP, Lam, Aksoy arXiv:2409.18113]

- $ightharpoonup \sigma^x, \sigma^z ext{ act on qubits: } (\sigma^x)^2 = (\sigma^z)^2 = 1 ext{ and } \sigma^z \sigma^x = -\sigma^x \sigma^z$
- $ightharpoonup X, Z ext{ act on } \mathbb{Z}_4 ext{ qudits: } X^4 = Z^4 = 1 ext{ and } ZX = ext{i} XZ$

A curious Hamiltonian

1d periodic lattice with a single qubit and \mathbb{Z}_4 qudit on each site $j \sim j + L$ [SP, Lam, Aksoy arXiv:2409.18113]

- $ightharpoonup \sigma^x, \sigma^z ext{ act on qubits: } (\sigma^x)^2 = (\sigma^z)^2 = 1 ext{ and } \sigma^z \sigma^x = -\sigma^x \sigma^z$
- $\succ X, Z \text{ act on } \mathbb{Z}_4 \text{ qudits: } X^4 = Z^4 = 1 \text{ and } ZX = i XZ$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

- ightharpoonup C acts as $X \to X^{\dagger}$ and $Z \to Z^{\dagger}$
- ➤ Is a sum of commuting terms and has a unique gapped ground state

A curious Hamiltonian

1d periodic lattice with a single qubit and \mathbb{Z}_4 qudit on each site $j \sim j + L$ [SP, Lam, Aksoy arXiv:2409.18113]

- $ightharpoonup \sigma^x, \sigma^z ext{ act on qubits: } (\sigma^x)^2 = (\sigma^z)^2 = 1 ext{ and } \sigma^z \sigma^x = -\sigma^x \sigma^z$
- $ightharpoonup X, Z ext{ act on } \mathbb{Z}_4 ext{ qudits: } X^4 = Z^4 = 1 ext{ and } ZX = ext{i} XZ$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

$$|GS\rangle = \sum_{\substack{\{\varphi_j = 0, 1\}\\ \{\alpha_j = 0, 2\}}} i^{\sum_j \alpha_j (\varphi_j - \varphi_{j-1})} \bigotimes_j |\sigma_j^x = (-1)^{\varphi_j}, Z_j = i^{\alpha_j + 1}\rangle$$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

What are the symmetries of H?

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

What are the symmetries of H?

 \triangleright \mathbb{Z}_L lattice translations $T: j \to j+1$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

What are the symmetries of H?

- \triangleright \mathbb{Z}_L lattice translations $T: j \to j+1$
- \triangleright Three \mathbb{Z}_2 symmetry operators

$$U = \prod_{j} X_j^2, \qquad R_1 = \prod_{j} \sigma_j^z, \qquad R_2 = \prod_{j} Z_j^2$$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

What are the symmetries of H?

- \triangleright \mathbb{Z}_L lattice translations $T: j \to j+1$
- \triangleright Three \mathbb{Z}_2 symmetry operators

$$U = \prod_{j} X_j^2, \qquad R_1 = \prod_{j} \sigma_j^z, \qquad R_2 = \prod_{j} Z_j^2$$

> symmetry operator

$$R_{\mathsf{E}} = \frac{1}{2} \left(1 + R_1 \right) \left(1 + R_2 \right) \prod_{j} Z_j^{\prod_{k=1}^{j-1} \sigma_k^z}$$

 $R_{\rm E}$ can be written as a $\chi=2$ matrix product operator

$$R_{\mathsf{E}} = \mathrm{Tr}\left(\prod_{j=1}^{L} M_{j}\right) \equiv M_{1} - M_{2} - \cdots - M_{L}$$

➤ MPO tensor

$$M_{j} = \frac{1}{2} \begin{pmatrix} Z_{j} + Z_{j}^{\dagger} & i (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} \\ -i (Z_{j} - Z_{j}^{\dagger}) & (Z_{j} + Z_{j}^{\dagger}) \sigma_{j}^{z} \end{pmatrix}$$

> symmetry operator

$$R_{\mathsf{E}} = \frac{1}{2} \left(1 + R_1 \right) \left(1 + R_2 \right) \prod_{i} Z_j^{\prod_{k=1}^{j-1} \sigma_k^z}$$

$$H = -\sum_{j} \sigma_{j}^{x} C_{j+1} \sigma_{j+1}^{x} + \frac{1}{4} \sum_{j} (Z_{j} - Z_{j}^{\dagger}) \sigma_{j}^{z} (Z_{j+1} - Z_{j+1}^{\dagger})$$

$$R_{\mathsf{E}}$$
 is a non-invertible symmetry operator R_{E} is a non-invertible symmetry operator $R_{\mathsf{E}} \mid \psi \rangle = - \mid \psi \rangle$ or $R_{\mathsf{E}} \mid \psi \rangle = - \mid \psi \rangle \Longrightarrow R_{\mathsf{E}} \mid \psi \rangle = 0$ $R_{\mathsf{E}} \mid \psi \rangle = R_{\mathsf{E}} \mid \psi \rangle = 0$ $R_{\mathsf{E}} \mid \psi \rangle = 0$

symmetry operator

$$R_{\mathsf{E}} = \frac{1}{2} \left(1 + R_1 \right) \left(1 + R_2 \right) \prod_{j} Z_j^{\prod_{k=1}^{j-1} \sigma_k^z}$$

These symmetry operators obey

$$U^2 = 1$$
, $R_i^2 = 1$, $R_E^2 = 1 + R_1 + R_2 + R_1 R_2$, $R_E R_i = R_i R_E = R_E$
 $U R_E = (-1)^L R_E U$

Form a (projective) $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry

These symmetry operators obey

$$U^2 = 1$$
, $R_i^2 = 1$, $R_E^2 = 1 + R_1 + R_2 + R_1 R_2$, $R_E R_i = R_i R_E = R_E$
 $U R_E = (-1)^L R_E U$

Form a (projective) $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry

$$T|GS\rangle = +|GS\rangle$$
 $U|GS\rangle = +|GS\rangle$ $R_1|GS\rangle = +|GS\rangle$

These symmetry operators obey

$$U^2 = 1$$
, $R_i^2 = 1$, $R_E^2 = 1 + R_1 + R_2 + R_1 R_2$, $R_E R_i = R_i R_E = R_E$
 $U R_E = (-1)^L R_E U$

Form a (projective) $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry

$$T|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$$
 $U|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$ $R_1|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$ $R_2|\operatorname{GS}\rangle = \begin{cases} +|\operatorname{GS}\rangle, & L \text{ even} \\ -|\operatorname{GS}\rangle, & L \text{ odd} \end{cases}$

These symmetry operators obey

$$U^2 = 1$$
, $R_i^2 = 1$, $R_E^2 = 1 + R_1 + R_2 + R_1 R_2$, $R_E R_i = R_i R_E = R_E$
 $U R_E = (-1)^L R_E U$

Form a (projective) $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry

$$T|GS\rangle = +|GS\rangle$$
 $U|GS\rangle = +|GS\rangle$ $R_1|GS\rangle = +|GS\rangle$ $R_2|GS\rangle = \begin{cases} +|GS\rangle, & L \text{ even} \\ -|GS\rangle, & L \text{ odd} \end{cases}$ $R_E|GS\rangle = \begin{cases} +2|GS\rangle, & L \text{ even} \\ 0, & L \text{ odd} \end{cases}$

Those symmetry energtors show

H is in a $\mathbb{Z}_2 \times \text{Rep}(D_8)$ weak SPT phase

- ightharpoonup Translation defects carry $\mathsf{Rep}(D_8)$ symmetry charge in $|\mathsf{GS}\rangle$
- > Spoiler: $R_{\mathsf{E}} | \mathsf{GS} \rangle = 0$ for odd $L \Longrightarrow \mathsf{SPT}\text{-}\mathsf{LSM}$ theorem

$$T|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$$
 $U|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$ $R_1|\operatorname{GS}\rangle = +|\operatorname{GS}\rangle$ $R_2|\operatorname{GS}\rangle = \begin{cases} +|\operatorname{GS}\rangle, & L \text{ even} \\ -|\operatorname{GS}\rangle, & L \text{ odd} \end{cases}$ $R_E|\operatorname{GS}\rangle = \begin{cases} +2|\operatorname{GS}\rangle, & L \text{ even} \\ 0, & L \text{ odd} \end{cases}$

A curious projective algebra

This SPT is characterized by a projective symmetry:

$$UR_{\mathsf{E}} = -R_{\mathsf{E}} U \pmod{L}$$

Projective unitary symmetries $U_1U_2 = e^{i\theta}U_2U_1$ forbid SPTs

➤ Assume non-degenerate symmetric ground state:

1.
$$U_1U_2|\psi\rangle = |\psi\rangle$$

1.
$$U_1U_2|\psi\rangle = |\psi\rangle$$

2. $U_1U_2|\psi\rangle = e^{i\theta}U_2U_1|\psi\rangle = e^{i\theta}|\psi\rangle$ Contradicts assumption

A curious projective algebra

This SPT is characterized by a projective symmetry:

$$UR_{\mathsf{E}} = -R_{\mathsf{E}} U \pmod{L}$$

Projective unitary symmetries $U_1U_2 = e^{i\theta}U_2U_1$ forbid SPTs

➤ Assume non-degenerate symmetric ground state:

1.
$$U_1U_2|\psi\rangle = |\psi\rangle$$

2. $U_1U_2|\psi\rangle = e^{i\theta}U_2U_1|\psi\rangle = e^{i\theta}|\psi\rangle$ Contradicts assumption

Projective non-invertible symmetries are compatible with SPTs

- ➤ Loophole: symmetry operator has zero-eigenvalues
- $ightharpoonup UR_{E} = (-1)^{L}R_{E}U \Longrightarrow R_{E} |GS_{SPT}\rangle = 0$ when L is odd

The projective $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry is a special case of a more general projective $Z(G) \times \text{Rep}(G)$ symmetry

- \triangleright Z(G) is the center of a finite group G
- \triangleright Rep(G) is the fusion category of representations of G

The projective $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry is a special case of a more general projective $Z(G) \times \text{Rep}(G)$ symmetry

- \triangleright Z(G) is the center of a finite group G
- \triangleright Rep(G) is the fusion category of representations of G
- Z(G) symmetry operator U_z , with $z \in Z(G)$, satisfies

$$U_{z_1}U_{z_2}=U_{z_1z_2}$$

 $\mathsf{Rep}(G)$ symmetry operator R_{Γ} , with Γ an irrep of G, satisfies

$$R_{\Gamma_a} \times R_{\Gamma_b} = R_{\Gamma_a \otimes \Gamma_b} = R_{\bigoplus_c N_{ab}^c \Gamma_c} = \sum_c N_{ab}^c R_{\Gamma_c}$$

 \triangleright Non-invertible symmetry when G is non-Abelian

The projectivity arises through the relation

$$R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$$
 with $e^{i\phi_{\Gamma}(z)} = \text{Tr}[\Gamma(z)]/d_{\Gamma}$

The projectivity arises through the relation

$$R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$$
 with $e^{i\phi_{\Gamma}(z)} = \text{Tr}[\Gamma(z)]/d_{\Gamma}$

e.g.,
$$e^{i\phi_{\Gamma}(z)}$$
 when $G = \mathbb{Z}_2$ $(Z(\mathbb{Z}_2) = \mathbb{Z}_2)$

z Γ	1	sign
+1	+1	+1
-1	+1	-1

The projectivity arises through the relation

$$R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$$
 with $e^{i\phi_{\Gamma}(z)} = \text{Tr}[\Gamma(z)]/d_{\Gamma}$

e.g.,
$$e^{i\phi_{\Gamma}(z)}$$
 when $G = D_8$ $(Z(D_8) = \mathbb{Z}_2)$

z Γ	1	1 ₁	1 ₂	1 ₃	E
		+1			
-1	+1	+1	+1	+1	-1

The projectivity arises through the relation

$$R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$$
 with $e^{i\phi_{\Gamma}(z)} = \text{Tr}[\Gamma(z)]/d_{\Gamma}$

e.g.,
$$e^{i\phi_{\Gamma}(z)}$$
 when $G = D_8 (Z(D_8) = \mathbb{Z}_2)$

z Γ	1	1 ₁	1 ₂	1 ₃	E
+1	+1	+1	+1	+1	+1
-1	+1	+1	+1	+1	-1

Explicit expressions of U_z and R_Γ for the Hilbert space \bigotimes

$$\bigotimes_{j} \mathbb{C}^{|G|}$$

$$U_z = \sum_{\{g_j\}} |zg_1, \dots, zg_L\rangle\langle g_1, \dots, g_L| \qquad R_{\Gamma} = \sum_{\{g_j\}} \text{Tr}[\Gamma(g_1 \dots g_L)] |g_1, \dots, g_L\rangle\langle g_1, \dots, g_L|$$

$$R_{\Gamma}U_{z} = (e^{i\phi_{\Gamma}(z)})^{L} U_{z}R_{\Gamma}$$

There is an Lieb-Schultz-Mattis (LSM) theorem when $e^{i\phi_{\Gamma}(z)}$ is

non-trivial for a unitary R_{Γ}

[···; Matsui 2008; Chen, Gu, Wen 2010; Yao, Oshikawa 2020; Ogata, Tasaki 2021; Seifnashri 2023; Kapustin, Sopenko 2024]

➤ The LSM theorem forbids SPT phases

$$R_{\Gamma}U_{z} = (e^{i\phi_{\Gamma}(z)})^{L} U_{z}R_{\Gamma}$$

There is an Lieb-Schultz-Mattis (LSM) theorem when $e^{i\phi_{\Gamma}(z)}$ is

non-trivial for a unitary R_{Γ}

[···; Matsui 2008; Chen, Gu, Wen 2010; Yao, Oshikawa 2020; Ogata, Tasaki 2021; Seifnashri 2023; Kapustin, Sopenko 2024]

➤ The LSM theorem forbids SPT phases

When there is no LSM theorem, the projective algebra gives

rise to an SPT-LSM theorem

[Lu 2017; Yang, Jiang, Vishwanath, Ran 2017; Lu, Ran, Oshikawa 2017; ...]

- > $R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$ forces any SPT state to satisfy $R_{\Gamma}|GS\rangle = 0$ for nontrivial $(e^{i\phi_{\Gamma}(z)})^L$
- ➤ Any SPT state must have non-zero entanglement

To prove this SPT-LSM theorem, we

1. Use that the Z(G) symmetry is on-site:

$$U_z = \prod_j U_j^{(z)}$$
 which satisfies $R_{\Gamma} U_j^{(z)} = \mathrm{e}^{\mathrm{i}\phi_{\Gamma}(z)} \, U_j^{(z)} R_{\Gamma}$

2. Assume that any unique gapped ground state $|GS\rangle$ satisfies $R_{\Gamma}|GS\rangle \neq 0$ for some $L=L^*$ $\left(e^{i\phi_{\Gamma}(z)L^*}=1\right)$

To prove this SPT-LSM theorem, we

1. Use that the Z(G) symmetry is on-site:

$$U_z = \prod_j U_j^{(z)}$$
 which satisfies $R_\Gamma U_j^{(z)} = \mathrm{e}^{\mathrm{i}\phi_\Gamma(z)}\,U_j^{(z)}R_\Gamma$

2. Assume that any unique gapped ground state $|GS\rangle$ satisfies $R_{\Gamma}|GS\rangle \neq 0$ for some $L=L^*$ $\left(e^{i\phi_{\Gamma}(z)L^*}=1\right)$

Easy to prove assumption for product states in $\bigotimes_j \mathbb{C}^{|G|}$, where

$$R_{\Gamma} = \sum_{\{g_i\}} \text{Tr}[\Gamma(g_1 \cdots g_L)] | g_1, \cdots, g_L \rangle \langle g_1, \cdots, g_L |$$

but it is true as long as there is an IR TQFT description

If there is a unique gapped $|GS\rangle$ that is a product state:

$$> U_z | GS \rangle = | GS \rangle \Longrightarrow U_j^{(z)} | GS \rangle = | GS \rangle$$

Using the assumption, $R_{\Gamma}|\mathbf{GS}\rangle = \lambda_{\Gamma}|\mathbf{GS}\rangle$ at $L = L^*$:

1.
$$R_{\Gamma}U_{j}^{(z)}|GS\rangle = R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$$

2.
$$R_{\Gamma}U_{j}^{(z)}|GS\rangle = e^{i\phi_{\Gamma}(z)}U_{j}^{(z)}R_{\Gamma}|GS\rangle = \lambda_{\Gamma}e^{i\phi_{\Gamma}(z)}|GS\rangle$$
 Contradiction

If there is a unique gapped $|GS\rangle$ that is a product state:

$$> U_z | GS \rangle = | GS \rangle \Longrightarrow U_j^{(z)} | GS \rangle = | GS \rangle$$

Using the assumption, $R_{\Gamma}|\mathbf{GS}\rangle = \lambda_{\Gamma}|\mathbf{GS}\rangle$ at $L = L^*$:

1.
$$R_{\Gamma}U_{j}^{(z)}|GS\rangle = R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$$

2.
$$R_{\Gamma}U_{j}^{(z)}|GS\rangle = e^{i\phi_{\Gamma}(z)}U_{j}^{(z)}R_{\Gamma}|GS\rangle = \lambda_{\Gamma}e^{i\phi_{\Gamma}(z)}|GS\rangle$$
 Contradiction

 \implies Cannot be an SPT state that is a product state at $L = L^*$

If there is a unique gapped $|GS\rangle$ that is a product state:

$$> U_z | GS \rangle = | GS \rangle \Longrightarrow U_j^{(z)} | GS \rangle = | GS \rangle$$

Using the assumption, $R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$ at $L = L^*$:

1.
$$R_{\Gamma}U_{j}^{(z)}|GS\rangle = R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$$

1.
$$R_{\Gamma}U_{j}^{(s)}|GS\rangle = R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$$

2. $R_{\Gamma}U_{j}^{(z)}|GS\rangle = e^{i\phi_{\Gamma}(z)}U_{j}^{(z)}R_{\Gamma}|GS\rangle = \lambda_{\Gamma}e^{i\phi_{\Gamma}(z)}|GS\rangle$ Contradiction

 \implies Cannot be an SPT state that is a product state at $L = L^*$

⇒ By locality, there cannot be an SPT state that is a product state for any L

If there is a unique gapped $|GS\rangle$ that is a product state:

Therefore, the projective non-invertible symmetry prevents a product state SPT

➤ All SPTs must have non-zero entanglement

We argue that the projectivity always causes translation defects to carry nontrivial $\mathsf{Rep}(G)$ charge in SPT states

 \Longrightarrow By locality, there cannot be an SPT state that is a product state for any L

Outlook

We found a new class of entangled weak SPTs characterized by a projective $Z(G) \times \text{Rep}(G)$ non-invertible symmetry


- 1. An exactly solvable model in a weak SPT phase characterized by a projective $\mathbb{Z}_2 \times \text{Rep}(D_8)$ symmetry
- 2. General discussion on projective $Z(G) \times \text{Rep}(G)$ weak SPTs \implies an SPT-LSM theorem

New quantum phases and models can be discovered using generalized symmetries as a guide!

SP, Lam, Aksoy arXiv:2409.18113

Back-up slides

Whether there is an (SPT)-LSM theorem depends on G:



If there is an SPT phase, $R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$ forces its ground state to satisfy $R_{\Gamma} | GS \rangle = 0$ for nontrivial $(e^{i\phi_{\Gamma}(z)})^L$

If there is an SPT phase, $R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$ forces its ground state to satisfy $R_{\Gamma} | GS \rangle = 0$ for nontrivial $(e^{i\phi_{\Gamma}(z)})^L$

Two possibilities:

- 1. An SPT state satisfies $R_{\Gamma}|GS\rangle = 0$ for all system sizes L
- 2. For $L = L^*$ where all $(e^{i\phi_{\Gamma}(z)})^{L^*} = 1$, an SPT state satisfies $R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$, but $R_{\Gamma}|GS\rangle = 0$ for $L \neq L^*$

If there is an SPT phase, $R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma}$ forces its ground state to satisfy $R_{\Gamma} |GS\rangle = 0$ for nontrivial $(e^{i\phi_{\Gamma}(z)})^L$

Two possibilities:

- 1. An SPT state satisfies $R_{\Gamma}|GS\rangle = 0$ for all system sizes L
- 2. For $L = L^*$ where all $(e^{i\phi_{\Gamma}(z)})^{L^*} = 1$, an SPT state satisfies $R_{\Gamma}|GS\rangle = \lambda_{\Gamma}|GS\rangle$, but $R_{\Gamma}|GS\rangle = 0$ for $L \neq L^*$

The first is incompatible with 1 + 1D TQFT, where $\langle R_{\Gamma} \rangle = d_{\Gamma}$ [Chang, Lin, Shao, Wang, Yin 2018]

Reasonable to assume that this SPT state at some $L = L^*$ is described by a TQFT in the IR

```
If there is an SPT phase, R_{\Gamma}U_z = (e^{i\phi_{\Gamma}(z)})^L U_z R_{\Gamma} forces its
      At L=L^*, SPTs satisfy R_{\Gamma}|\operatorname{GS}\rangle=\lambda_{\Gamma}|\operatorname{GS}\rangle
      At L=L^*+1, SPTs satisfy R_{\Gamma}|\operatorname{GS}\rangle=0
          All SPT states have translation defects dressed by
          non-trivial Rep(G) symmetry charge
           \Xi a trivial SPT \Longrightarrow SPT-LSM theorem
```

[Chang, Lin, Shao, Wang, Yin 2018

➤ Reasonable to assume that this SPT state at some $L = L^*$ is described by a TQFT in the IR

D_8 fun facts

Dihedral group of order 8 $D_8 \simeq \langle r, s \mid r^2 = s^4 = 1, rsr = s^3 \rangle$

ightharpoonup Four 1d reps 1, \mathbf{P}_1 , \mathbf{P}_2 , $\mathbf{P}_3 = \mathbf{P}_1 \otimes \mathbf{P}_2$ and one 2d irrep E

$$\mathbf{P}_i \otimes \mathbf{P}_i = \mathbf{1}$$
 $\mathbf{E} \otimes \mathbf{E} = \mathbf{1} \oplus \mathbf{P}_1 \oplus \mathbf{P}_2 \oplus \mathbf{P}_3$ $\mathbf{E} \otimes \mathbf{P}_i = \mathbf{P}_i \otimes \mathbf{E} = \mathbf{E}$

Projective $\mathbb{Z}_2 \times \text{Rep}(D_8)$ bond algera

$$\mathfrak{B}\left[\mathsf{Rep}(D_8)\times\mathbb{Z}_2\right] = \left\langle \sigma_j^z,\; Z_j^2,\; Z_j\,Z_{j+1},\; \sigma_j^x\,C_{j+1}\,\sigma_{j+1}^x,\; X_j^{\sigma_j^z}\,X_{j+1}^\dagger\right\rangle$$

LSM anomaly in the XY model

Many-qubit model on a periodic chain with Hamiltonian

$$H = \sum_{j=1}^{L} J \sigma_{j}^{x} \sigma_{j+1}^{x} + K \sigma_{j}^{y} \sigma_{j+1}^{y}$$

There is an LSM anomaly involving the $\mathbb{Z}_2^x \times \mathbb{Z}_2^y \times \mathbb{Z}_L$ symmetry [Chen, Gu, Wen 2010; Ogata, Tasaki 2021]

$$U_x = \prod_j \sigma_j^x$$
, $U_y = \prod_j \sigma_j^y$, and lattice translations T

➤ Manifests through the projective algebras [Cheng, Seiberg 2023]

Translation defects	\mathbb{Z}_2^x defect	\mathbb{Z}_2^y defect
$U_x U_y = (-1)^L U_y U_x$	$U_{y}T = -TU_{y}$	$T U_{x} = - U_{x} T$

GROUP BASED QUDITS

A G-qudit is a |G|-level quantum mechanical system whose states are $|g\rangle$ with $g\in G$

 \succ G is a finite group, e.g. \mathbb{Z}_2 , S_3 , D_8 , SmallGroup(32,49)

Group based Pauli operators [Brell 2014]

 \succ X operators labeled by group elements

$$|g = g|$$

$$|h\bar{g}\rangle\langle h|$$

 $\overrightarrow{X}^{(g)} = \sum_{h} |gh\rangle\langle h| \qquad \qquad \overleftarrow{X}^{(g)} = \sum_{h} |h\overline{g}\rangle\langle h|$

ightharpoonup Z operators are MPOs labeled by irreps $\Gamma\colon G\to \mathrm{GL}(d_{\Gamma},\mathbb{C})$

$$[Z^{(\Gamma)}]_{\alpha\beta} = \sum_{h} [\Gamma(h)]_{\alpha\beta} |h\rangle\langle h| \equiv \alpha - Z^{(\Gamma)} - \beta \qquad (\alpha, \beta = 1, 2, \cdots, d_{\Gamma})$$

GROUP BASED QUDITS

Example: $G = \mathbb{Z}_2$ where $g \in \{1, -1\}$ and $\Gamma \in \{1, 1'\}$

$$\overrightarrow{X}^{(1)} = \overleftarrow{X}^{(1)} = [Z^{(1)}]_{11} = 1$$

$$\overrightarrow{X}^{(-1)} = \overleftarrow{X}^{(-1)} = \sigma^x$$

$$[Z^{(1')}]_{11} = \sigma^z$$

Group based Pauli operators satisfy

1.
$$\overrightarrow{X}^{(g)} \overrightarrow{X}^{(h)} = \overrightarrow{X}^{(gh)}, \ \overleftarrow{X}^{(g)} \overleftarrow{X}^{(h)} = \overleftarrow{X}^{(gh)}, \ \text{and} \ \overrightarrow{X}^{(g)} \overleftarrow{X}^{(h)} = \overleftarrow{X}^{(h)} \overrightarrow{X}^{(g)}$$

2.
$$\overrightarrow{X}^{(g)} \overrightarrow{X}^{(h)} = \overrightarrow{X}^{(h)} \overrightarrow{X}^{(g)}$$
 iff g and h commute

3.
$$\overrightarrow{X}^{(g)}[Z^{(\Gamma)}]_{\alpha\beta} = [\Gamma(\overline{g})]_{\alpha\gamma}[Z^{(\Gamma)}]_{\gamma\beta} \overrightarrow{X}^{(g)}$$

4. Unitarity:
$$\overrightarrow{X}^{(g)\dagger} = \overrightarrow{X}^{(\bar{g})}, \ \overleftarrow{X}^{(g)\dagger} = \overleftarrow{X}^{(\bar{g})}, \ [Z^{(\Gamma)\dagger}Z^{(\Gamma)}]_{\alpha\beta} = \delta_{\alpha\beta}$$

GROUP BASED XY MODEL

Group based Pauli operators are useful for constructing quantum lattice models [Brell 2014; Albert et. al. 2021; Fechisin, Tantivasadakarn, Albert 2023]

Group based XY model: Consider a periodic 1d lattice of L sites. On each site j resides a G-qudit and its Hamiltonian

$$H_{XY} = \sum_{j=1}^{L} \left(\sum_{\Gamma} J_{\Gamma} \operatorname{Tr} \left(Z_{j}^{(\Gamma)\dagger} Z_{j+1}^{(\Gamma)} \right) + \sum_{g} K_{g} \overleftarrow{X}_{j}^{(g)} \overrightarrow{X}_{j+1}^{(g)} \right) + \operatorname{hc}$$

$$\operatorname{Tr}\left(Z_{j}^{(\Gamma)\dagger}Z_{j+1}^{(\Gamma)}\right) = \sum_{\{g\}} \chi_{\Gamma}(\bar{g}_{j}g_{j+1}) \left| \{g\}\right\rangle \langle \{g\} \right| \equiv Z_{j}^{(\Gamma)\dagger}Z_{j+1}^{(\Gamma)}$$

For $G = \mathbb{Z}_2$, this is the ordinary quantum XY model

SYMMETRY OPERATORS

$$H_{XY} = \sum_{j=1}^{L} \left(\sum_{\Gamma} J_{\Gamma} \operatorname{Tr} \left(Z_{j}^{(\Gamma)\dagger} Z_{j+1}^{(\Gamma)} \right) + \sum_{g} K_{g} \overleftarrow{X}_{j}^{(g)} \overrightarrow{X}_{j+1}^{(g)} \right) + \operatorname{hc}$$

 \mathbb{Z}_L lattice translations: $T\mathcal{O}_j T^{\dagger} = \mathcal{O}_{j+1}$

Various internal symmetries:

> Z(G) symmetry $U_z = \prod_j \overrightarrow{X}_j^{(z)}$ with $z \in Z(G)$

➤ Rep(G) symmetry
$$R_{\Gamma} = \text{Tr}\left(\prod_{j=1}^{L} Z_{j}^{(\Gamma)}\right) \equiv \begin{bmatrix} Z_{1}^{(\Gamma)} & Z_{2}^{(\Gamma)} & \cdots & Z_{L}^{(\Gamma)} \end{bmatrix}$$

$$R_{\Gamma_a} \times R_{\Gamma_b} = R_{\Gamma_a \otimes \Gamma_b} = R_{\bigoplus_c N_{ab}^c \Gamma_c} = \sum_c N_{ab}^c R_{\Gamma_c}$$

PROJECTIVE ALGEBRA FROM DEFECTS

$$U_{z} = \prod_{j} \overrightarrow{X}_{j}^{(z)}$$

$$R_{\Gamma} = \text{Tr}\left(\prod_{j=1}^{L} Z_{j}^{(\Gamma)}\right)$$

$$T_{\text{tw}}^{(z)} = \overrightarrow{X}_{I}^{(z)} T$$


$$T_{\text{tw}}^{(\Gamma)} = \widehat{Z}_{I}^{(\Gamma)} (T \otimes \mathbf{1})$$

Letting $e^{i\phi_{\Gamma}(z)} \equiv \chi_{\Gamma}(z)/d_{\Gamma}$

Translation defects	$z \in Z(G)$ defect	$\Gamma \in \text{Rep}(G) \ defect$
$R_{\Gamma}U_{z} = (e^{i\phi_{\Gamma}(z)})^{L} U_{z}R_{\Gamma}$	$R_{\Gamma}T_{\mathrm{tw}}^{(z)} = \mathrm{e}^{\mathrm{i}\phi_{\Gamma}(z)}T_{\mathrm{tw}}^{(z)}R_{\Gamma}$	$T_{\mathrm{tw}}^{(\Gamma)} U_z = \mathrm{e}^{\mathrm{i}\phi_{\Gamma}(z)} U_z T_{\mathrm{tw}}^{(\Gamma)}$

ightharpoonup Generalizes the $G=\mathbb{Z}_2$ projective algebra of the ordinary quantum XY model

GAUGING WEB



Noninvertible
dipole
symmetry