

```
from keras.datasets import mnist
```

```
(train_data,train_target),(test_data,test_target)=mnist.load_data()
```

```
from keras.utils import np_utils
```

```
num_classes=10
```

```
new_train_target=np_utils.to_categorical(train_target,num_classes)
```

```
new_test_target=np_utils.to_categorical(test_target,num_classes)
```

```
train_data=train_data.reshape(train_data.shape[0],28,28,1)
```

```
test_data=test_data.reshape(test_data.shape[0],28,28,1)
```

```
input_shape=(28,28,1)
```

```
from keras.models import Sequential
```

```
from keras.layers import Dense,Conv2D,Flatten,MaxPooling2D, Dropout
```

```
model = Sequential()
```

```
model.add(Conv2D(32,(3,3),activation='relu', input_shape=input_shape))
```

```
model.add(Conv2D(64,(3,3),activation='relu'))
```

```
model.add(MaxPooling2D(pool_size=(2,2)))
```

```
model.add(Dropout(0.25))
```

```
model.add(Flatten())
```

```
model.add(Dense(256,activation='relu'))
```

```
model.add(Dropout(0.5))
```

```
model.add(Dense(num_classes,activation='softmax'))
```

```
model.compile(loss="categorical_crossentropy", optimizer="adam", metrics=['accuracy'])
```

```
model.fit(new_train_data,new_train_target,epochs=10,validation_data=(new_test_data,new_test_target), batch_size=128)
```

```
model.evaluate(new_test_data,new_test_target)
```

```
import numpy as np
```

```
pred = model.predict(test_data[:5])
```

```
print(np.argmax(pred,axis=1))
```

```
from matplotlib import pyplot as plt
for i in range (0,5):
    im=new_test_data[i].reshape(28,28)
    plt.imshow(im,cmap='gray')
plt.show()
```