Note: Most compounds are available individually. Please scroll down to see the components in *n*-alkane mixtures marked in the 3 rightmost columns.

Carbon number	Version 25 August 2026 **Individual *n*-alkanes** formula, CAS #, purity, amount, type of packaging, price in US $	Structure	δ^2H (or δD) (mean value in ‰ *vs*. VSMOW, ± 1σ) (range) (# of measurements)	δ^{13}C (mean value in ‰ vs. VPDB-LSVEC, ± 1σ) (range) (# of measurements)	Composition of *n*-alkane mixture **A8** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of *n*-alkane mixture **B5** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of *n*-alkane mixture **C4** **C17-C25** (mg in 0.5 mL hexane; US $250) see chromatogram
1	**Methane #1**, CH_4, CAS # 74-82-8, ca. 10 cm^3 at atmospheric pressure in sealed glass tube (outer diameter 9 mm), US $250	CH_4	**-160.8** ± 2.1 ‰ from -158.8 to -164.2 ‰ n = 9	**-38.25** ± 0.03 ‰ from -38.23 to -38.30 ‰ n = 6			
1	**Methane #2**, CH_4, CAS # 74-82-8, ca. 10 cm^3 at atmospheric pressure in sealed glass tube (outer diameter 9 mm), US $250	CH_4	**-41.3** ± 1.3 ‰ from -39.7 to -42.6 ‰ n = 4	**-37.60** ± 0.03 ‰ from -37.57 to -37.62 ‰ n = 3			
1	**Methane #3**, CH_4, CAS # 74-82-8, ca. 10 cm^3 at atmospheric pressure in sealed glass tube (outer diameter 9 mm), US $250	CH_4	**+2.2** ± 1.2 ‰ from +0.4 to +3.7 ‰ n = 6	**+19.86** ± 0.05 ‰ from +19.81 to +19.94 ‰ n = 5			
1	**Methane #5**, CH_4, CAS # 74-82-8, ca. 10 cm^3 at atmospheric pressure in sealed glass tube (outer diameter 9 mm), US $250	CH_4	**-69.8** ± 2.5 ‰ from -66.0 to -73.6 ‰ n = 6	**-22.44** ± 0.03 ‰ from -22.40 to -22.48 ‰ n = 7			
1	**Methane #6**, CH_4, CAS # 74-82-8, ca. 10 cm^3 at atmospheric pressure in sealed glass tube (outer diameter 9 mm), US $250	CH_4	**-153.0** ± 2.0 ‰ from -150.6 to -155.2 ‰ n = 5	**-39.40** ± 0.02 ‰ from -39.38 to -39.42 ‰ n = 6			
2	**Ethane #1**, C_2H_6, ≥ 99 %, CAS # 74-84-0, ≥ 5 milligrams sealed in glass tube (outer diameter 9 mm), US $250		**-132.7** ± 1.5 ‰ from -130.3 to -134.1 ‰ n = 5	**-29.54** ± 0.01 ‰ from -29.52 to -29.55 ‰ n = 5			
2	**Ethane #2**, C_2H_6, ≥ 99 %, CAS # 74-84-0, ≥ 5 milligrams sealed in glass tube (outer diameter 9 mm), US $250		**-31.6** ± 1.1 ‰ from -30.2 to -32.6 ‰ n = 5	**-25.50** ± 0.01 ‰ from -25.48 to -25.51 ‰ n = 4			
2	**Ethane #3**, C_2H_6, ≥ 99 %, CAS # 74-84-0, ≥ 5 milligrams sealed in glass tube (outer diameter 9 mm), US $250		**+100.1** ± 2.7 ‰ from +95.5 to +102.7 ‰ n = 5	**-11.39** ± 0.02 ‰ from -11.37 to -11.42 ‰ n = 5			
3	**Propane #1**, C_3H_8, ≥ 99 %, CAS # 74-98-6, ≥ 5 milligrams sealed in glass tube (outer diameter 9 mm), US $250		**-165.9** ± 1.4 ‰ from -165.1 to -167.5 ‰ n = 3	**-33.29** ± 0.03 ‰ from -33.26 to -33.32 ‰ n = 3			
5	***n*-Pentane**, C_5H_{12}, CAS # 109-66-0, 99+ %, 1 mL sealed under argon in glass ampoule, US $250		**-117.5** ± 1.0 ‰ from -116.1 to -118.9 ‰ n = 6	**-27.19** ± 0.02 ‰ from -27.17 to -27.22 ‰ n = 4			
8	***n*-Octane**, C_8H_{18}, CAS # 111-65-9, 99+ %, 1 mL sealed under argon in glass ampoule, US $250		**-77.6** ± 0.7 ‰ from -76.5 to -78.4 ‰ n = 7	**-31.75** ± 0.01 ‰ from -31.74 to -31.77 ‰ n = 4			
12	**Dodecane #1**, **C12 *n*-alkane #1**, $C_{12}H_{26}$, CAS # 112-40-3, only in older mixtures	$CH_3(CH_2)_{10}CH_3$	**-62.5** ± 2.2 ‰ from -60.2 to -64.7 ‰ n = 4	**-31.99** ± 0.04 ‰ from -31.94 to -32.04 ‰ n = 6			
12	**Dodecane #2**, **C12 *n*-alkane #2**, $C_{12}H_{26}$, CAS # 112-40-3, 0.5 milliliter sealed under argon in glass ampoule, US $250	$CH_3(CH_2)_{10}CH_3$	**-84.5** ± 0.4 ‰ from -84.2 to -85.1 ‰ n = 4	**-32.00** ± 0.03 ‰ from -31.95 to -32.03 ‰ n = 5			
14	**Tetradecane #1**, **C14 *n*-alkane #1**, $C_{14}H_{30}$, CAS # 629-59-4, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{12}CH_3$	**-71.7** ± 1.4 ‰ from -69.3 to -73.5 ‰ n = 6	**-30.69** ± 0.03 ‰ from -30.67 to -30.72 ‰ n = 3			
14	**Tetradecane #2**, **C14 *n*-alkane #2**, $C_{14}H_{30}$, CAS # 629-59-4, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{12}CH_3$	**-225.9** ± 1.5 ‰ from -223.3 to -227.3 ‰ n = 7	**-30.09** ± 0.01 ‰, from -30.08 to -30.09 ‰; n = 5			
15	**Pentadecane #1**, **C15 *n*-alkane #1**, $C_{15}H_{32}$, CAS # 629-62-9, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{13}CH_3$	**-88.4** ± 1.2 ‰ from -86.7 to -90.9 ‰ n = 10	**-29.25** ± 0.01 ‰ from -29.25 to -29.26 ‰ n = 3			
15	**Pentadecane #2**, **C15 *n*-alkane #2**, $C_{15}H_{32}$, CAS # 629-62-9, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{13}CH_3$	**-85.8** ± 2.2 ‰ from -83.2 to -88.0 ‰ n = 7	**-29.93** ± 0.02 ‰ from -29.91 to -29.97 ‰ n = 5			
16	**Hexadecane #2**, **C16 *n*-alkane #2**, $C_{16}H_{34}$, CAS # 544-76-3, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{14}CH_3$	**-9.1** ± 1.4 ‰ from -7.9 to -11.1 ‰ n = 7	**-26.15** ± 0.02 ‰ from -26.13 to -26.17 ‰ n = 5	**0.700**	**0.140**	
16	**Hexadecane #3**, **USGS67**, **C16 *n*-alkane #3**, $C_{16}H_{34}$, ≥ 99 %, CAS # 544-76-3, ≥ 50 µL in sealed glass capillary, US $275	$CH_3(CH_2)_{14}CH_3$	**-166.2** ± 1.0 ‰ n = 163 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)	**-34.50** ± 0.05 ‰ n = 99 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)			
16	**Hexadecane #B**, **USGS68**, **C16 *n*-alkane #B**, $C_{16}H_{34}$, contains spikes of 1-^{2}H and 1,2-$^{13}C_2$, ≥ 99 %, CAS # 544-76-3, ≥ 50 µL in sealed glass capillary, US $275	$CH_3(CH_2)_{14}CH_3$	**-10.2** ± 0.9 ‰ n = 147 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)	**-10.55** ± 0.04 ‰ n = 91 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)			
16	**Hexadecane #C**, **USGS69**, **C16 *n*-alkane #C**, $C_{16}H_{34}$, contains spikes of 1-^{2}H and 1,2-$^{13}C_2$, ≥ 99 %, CAS # 544-76-3, ≥ 50 µL in sealed glass capillary, US $275	$CH_3(CH_2)_{14}CH_3$	**+381.4** ± 3.5 ‰ n = 132 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)	**-0.57** ± 0.04 ‰ n = 86 (*Anal. Chem.*, **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)			
17	**Heptadecane #2**, **C17 *n*-alkane #2**, $C_{17}H_{36}$, CAS # 629-78-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{15}CH_3$	**-121.2** ± 0.5 ‰, from -120.9 to -122.0 ‰; n = 5	**-31.87** ± 0.02 ‰ from -31.84 to -31.90 ‰ n = 8	**0.700**	**0.280**	**0.702**
18	**Octadecane #1**, **C18 *n*-alkane #1**, $C_{18}H_{38}$, CAS # 593-45-3, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{16}CH_3$	**-53.8** ± 2.1 ‰ from -50.9 to -55.7 ‰ n = 4	**-31.11** ± 0.02 ‰ from -31.08 to -31.14 ‰ n = 8			

Carbon number	Version 25 August 2026 **Individual *n*-alkanes** formula, CAS #, purity, amount, type of packaging, price in US $	Structure	δ^2H (or δD) (mean value in ‰ *vs.* VSMOW, ± 1σ) (range) (# of measurements)	δ^{13}C (mean value in ‰ vs. VPDB-LSVEC, ± 1σ) (range) (# of measurements)	Composition of ***n*-alkane mixture A8** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of ***n*-alkane mixture B5** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of ***n*-alkane mixture C4** **C17-C25** (mg in 0.5 mL hexane; US $250) see chromatogram
18	**Octadecane #2, C18 *n*-alkane #2**, $C_{18}H_{38}$, CAS # 593-45-3, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{16}CH_3$	**-52.0** ± 1.1 ‰ from -50.6 to -53.5 ‰ n = 5	**-32.70** ± 0.01 ‰ from -32.69 to -32.72 ‰ n = 5	**0.700**	**0.420**	
19	**Nonadecane #2, C19 *n*-alkane #2**, $C_{19}H_{40}$, CAS # 629-92-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{17}CH_3$	**-56.3** ± 1.0 ‰ from -55.0 to -57.5 ‰ n = 5	**-31.99** ± 0.01 ‰ from -31.98 to -32.02 ‰ n = 6	**0.700**	**0.560**	**0.701**
20	**Eicosane #1, icosane #1, C20 *n*-alkane**, $C_{20}H_{42}$, CAS # 112-95-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{18}CH_3$	**-52.6** ± 0.8 ‰ from -51.6 to -53.7 ‰ n = 5	**-32.35** ± 0.04 ‰ from -32.31 to -32.39 ‰ n = 4			
20	**Eicosane #2, icosane #2, C20 *n*-alkane**, $C_{20}H_{42}$, CAS # 112-95-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{18}CH_3$	**-89.7** ± 1.7 ‰ from -87.3 to -91.2 ‰ n = 4	**-33.97** ± 0.02 ‰ from -33.93 to -33.98 ‰ n = 6			
20	**Eicosane #3, icosane #3, C20 *n*-alkane**, $C_{20}H_{42}$, CAS # 112-95-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{18}CH_3$	**-176.6** ± 1.6 ‰ from -174.5 to -179.3 ‰ n = 9	**-40.91** ± 0.02 ‰ from -40.89 to -40.94 ‰ n = 7		**0.700**	
20	**Eicosane #4, icosane #4, C20 *n*-alkane**, $C_{20}H_{42}$, CAS # 112-95-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{18}CH_3$	**-49.6** ± 2.1 ‰ from -47.2 to -52.3 ‰ n = 4	**-31.88** ± 0.02 ‰ from -31.85 to -31.90 ‰ n = 7	**0.700**		
20	**Eicosane #5, icosane #5, C20 *n*-alkane**, $C_{20}H_{42}$, CAS # 112-95-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{18}CH_3$	**-185.0** ± 2.3 ‰ from -181.9 to -187.3 ‰ n = 5	**-40.90** ± 0.01 ‰ from -40.896 to -40.904 ‰ n = 3			
21	**Heneicosane #2, C21 *n*-alkane #2**, $C_{21}H_{44}$, CAS # 629-94-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{19}CH_3$	**-181.6** ± 0.6 ‰, from -180.7 to -182.3 ‰; n = 5	**-28.83** ± 0.01 ‰ from -28.81 to -28.85 ‰ n = 6	**0.700**	**0.140**	**0.699**
21	**Heneicosane #3, C21 *n*-alkane #3**, $C_{21}H_{44}$, CAS # 629-94-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{19}CH_3$	**-205.3** ± 2.5 ‰ from -202.3 to -207.9 ‰ n = 6	**-29.40** ± 0.02 ‰ from -29.38 to -29.43 ‰ n = 5			
22	**Docosane #1, C22 *n*-alkane #1**, $C_{22}H_{46}$, CAS # 629-97-0, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{20}CH_3$	**-62.8** ± 1.6 ‰ from -60.9 to -64.9 ‰ n = 6	**-32.87** ± 0.03 ‰ from -32.84 to -32.91 ‰ n = 5			
22	**Docosane #2, C22 *n*-alkane #2**, $C_{22}H_{46}$, CAS # 629-97-0, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{20}CH_3$	**-81.3** ± 1.8 ‰ from -79.4 to -83.2 ‰ n = 5	**-33.77** ± 0.02 ‰ from -33.75 to -33.79 ‰ n = 4			
22	**Docosane #3, C22 *n*-alkane #3**, $C_{22}H_{46}$, CAS # 629-97-0, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{20}CH_3$	**-68.2** ± 1.8 ‰ from -65.7 to -70.4 ‰ n = 5	**-34.89** ± 0.02 ‰ from -34.87 to -34.92 ‰ n = 6	**0.700**	**0.280**	
22	**Docosane #4, C22 *n*-alkane #4**, $C_{22}H_{46}$, CAS # 629-97-0, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{20}CH_3$	**-158.7** ± 0.9 ‰ from -157.1 to -160.0 ‰ n = 6	**-29.19** ± 0.03 ‰ from -29.15 to -29.23 ‰ n = 5			
22	**Docosane #M, C22 *n*-alkane #M**, $C_{22}H_{46}$, CAS # 629-97-0, available only in mixture A7	$CH_3(CH_2)_{20}CH_3$	**-74.8** ± 1.8 ‰ from -72.6 to -76.8 ‰ n = 5	**-34.33** ± 0.02 ‰ from -34.31 to -34.36 ‰ n = 5			
23	**Tricosane #2, C23 *n*-alkane #2**, $C_{23}H_{48}$ #1, CAS # 638-67-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{21}CH_3$	**-67.2** ± 1.1 ‰ from -65.6 to -68.6 ‰ n = 6	**-33.37** ± 0.03 ‰ from -33.33 to -33.40 ‰ n = 5	**0.700**	**0.420**	**0.703**
23	**Tricosane #3, C23 *n*-alkane #3**, $C_{23}H_{48}$ #1, CAS # 638-67-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{21}CH_3$	**-65.6** ± 2.0 ‰ from -63.2 to -68.3 ‰ n = 6	**-33.34** ± 0.01 ‰ from -33.33 to -33.36 ‰ n = 6			
23	**Tricosane #4, C23 *n*-alkane #4**, $C_{23}H_{48}$ #1, CAS # 638-67-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{21}CH_3$	**-68.7** ± 1.0 ‰ from -67.3 to -69.6 ‰ n = 6	**-33.34** ± 0.01 ‰ from -33.32 to -33.36 ‰ n = 5			
24	**Tetracosane #1, C24 *n*-alkane #1**, $C_{24}H_{50}$, CAS # 646-31-1, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{22}CH_3$	**-53.0** ± 1.6 ‰ from -50.7 to -54.5 ‰ n = 4	**-33.34** ± 0.02 ‰ from -33.32 to -33.36 ‰ n = 6			
24	**Tetracosane #2, C24 *n*-alkane #2**, $C_{24}H_{50}$, CAS # 646-31-1, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{22}CH_3$	**-29.7** ± 1.5 ‰ from -28.2 to -31.8 ‰ n = 6	**-32.13** ± 0.02 ‰ from -32.11 to -32.16 ‰ n = 6	**0.700**	**0.560**	
25	**Pentacosane #3, C25 *n*-alkane #3**, $C_{25}H_{52}$, CAS # 629-99-2, available only as part of mixtures	$CH_3(CH_2)_{23}CH_3$	**-254.1** ± 1.5 ‰ from -252.0 to -256.1 ‰ n = 5	**-28.48** ± 0.02 ‰ from -28.45 to -28.51 ‰ n = 7			**0.702**
25	**Pentacosane #4, C25 *n*-alkane #4**, $C_{25}H_{52}$, CAS # 629-99-2, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{23}CH_3$	**-258.9** ± 0.8 ‰ from -258.1 to -260.0 ‰; n = 5	**-28.46** ± 0.02 ‰ from -28.42 to -28.48 ‰ n = 7	**0.700**	**0.700**	
25	**Pentacosane #5, C25 *n*-alkane #5**, $C_{25}H_{52}$, CAS # 629-99-2, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{23}CH_3$	**-189.3** ± 1.5 ‰ from -187.5 to -191.1 ‰ n = 5	**-31.57** ± 0.01 ‰ from -31.55 ‰ to -31.58 ‰ n = 5			
26	**Hexacosane #2, C26 *n*-alkane #2**, $C_{26}H_{54}$, CAS # 630-01-3, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{24}CH_3$	**-45.9** ± 1.0 ‰ from -44.4 to -46.7 ‰ n = 5	**-32.94** ± 0.01 ‰ from -32.92 to -32.95 ‰ n = 8	**0.700**	**0.140**	
27	**Heptacosane #1, C27 n-alkane #1**, $C_{27}H_{56}$, CAS # 593-49-7, available only in older mixtures	$CH_3(CH_2)_{25}CH_3$	**-227.3** ± 2.0 ‰ from -225.‰ to -229.6 ‰ n = 3	**-28.61** ± 0.02 ‰ from -28.59 to -28.65 ‰ n = 6			
27	**Heptacosane #2, C27 n-alkane #2**, $C_{27}H_{56}$, CAS # 593-49-7, available only in some *n*-alkane mixtures	$CH_3(CH_2)_{25}CH_3$	**-178.2** ± 2.5 ‰ from -173.8 to -181.5 ‰ n = 9	**-29.56** ± 0.01 ‰ from -29.55 to -29.57 ‰ n = 4			
27	**Heptacosane #3, C27 n-alkane #3**, $C_{27}H_{56}$, CAS # 593-49-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{25}CH_3$	**-172.8** ± 1.6 ‰ from -170.6 to -175.1 ‰ n = 6	**-30.49** ± 0.01 ‰ from -30.47 to -30.50 ‰ n = 5			
27	**Heptacosane #4, C27 n-alkane #4**, $C_{27}H_{56}$, CAS # 593-49-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{25}CH_3$	**-205.2** ± 1.6 ‰ from -203.5 to -207.6 ‰; n = 6	**-31.11** ± 0.01 ‰ from -31.11 to -31.12 ‰ n = 5	**0.700**	**0.280**	

Carbon number	Version 25 August 2026 **Individual *n*-alkanes** formula, CAS #, purity, amount, type of packaging, price in US $	Structure	δ^2H (or δD) (mean value in ‰ *vs*. VSMOW, ± 1σ) (range) (# of measurements)	δ^{13}C (mean value in ‰ vs. VPDB-LSVEC, ± 1σ) (range) (# of measurements)	Composition of *n*-alkane mixture **A8** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of *n*-alkane mixture **B5** **C16-C30** (mg in 0.5 mL hexane; US $250) see chromatogram	Composition of *n*-alkane mixture **C4** **C17-C25** (mg in 0.5 mL hexane; US $250) see chromatogram
28	**Octacosane #2, C28 *n*-alkane #2**, $C_{28}H_{58}$, CAS # 630-02-4, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{26}CH_3$	**-36.8** ± 1.3 ‰ from -35.6 to -38.9 ‰ n = 5	**-33.20** ± 0.01 ‰ from -33.20 to -33.20 ‰ n = 5	**0.700**	**0.420**	
29	**Nonacosane #1, C29 *n*-alkane #1**, $C_{29}H_{60}$, CAS # 630-03-5, available only in older *n*-alkane mixtures	$CH_3(CH_2)_{27}CH_3$	**-179.3** ± 2.7 ‰ from -177.0 to -183.0 ‰ n = 5	**-31.08** ± 0.02 ‰ from -31.06 to -31.10 ‰ n = 3			
29	**Nonacosane #3, C29 *n*-alkane #3**, $C_{29}H_{60}$, CAS # 630-03-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{27}CH_3$	**-177.8** ± 1.3 ‰ from -176.0 to -179.7 ‰ n = 10	**-29.10** ± 0.01 ‰ from -29.08 to -29.11 ‰ n = 5			
29	**Nonacosane #4, C29 *n*-alkane #4**, $C_{29}H_{60}$, CAS # 630-03-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{27}CH_3$	**-162.6** ± 2.2 ‰ from -160.6 to -165.0 ‰ n = 4	**-29.30** ± 0.02 ‰ from -29.27 to -29.32 ‰ n = 5		**0.560**	
29	**Nonacosane #5, C29 *n*-alkane #5**, $C_{29}H_{60}$, CAS # 630-03-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{27}CH_3$	**-85.4** ± 1.4 ‰ from -82.9 to -86.8 ‰ n = 6	**-31.83** ± 0.02 ‰ from -31.80 to -31.85 ‰ n = 5	**0.700**		
30	**Triacontane #1, C30 *n*-alkane #1**, $C_{30}H_{62}$, CAS # 638-68-6; available only in older *n*-alkane mixtures	$CH_3(CH_2)_{28}CH_3$	**-46.3** ± 2.1 ‰ from -42.1 to -49.4 ‰ n = 8	**-33.15** ± 0.02 ‰ from -33.13 to -33.18 ‰ n = 9			
30	**Triacontane #2, C30 *n*-alkane #2**, $C_{30}H_{62}$, CAS # 638-68-6; available only as a component of mixtures	$CH_3(CH_2)_{28}CH_3$	**-213.4** ± 1.2 ‰ from -211.8 to -215.0 ‰ n = 8	**-29.86** ± 0.01 ‰ from -29.86 to -29.87 ‰ n = 4			
30	**Triacontane #3, C30 *n*-alkane #3**, $C_{30}H_{62}$, CAS # 638-68-6; ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{28}CH_3$	**-213.6** ± 2.4 ‰ from -210.5 to -216.1 ‰ n = 6	**-29.84** ± 0.01 ‰ from -29.82 to -29.85 ‰ n = 5			
30	**Triacontane #4, C30 *n*-alkane #4**, $C_{30}H_{62}$, CAS # 638-68-6; ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{28}CH_3$	**-41.5** ± 0.7 ‰ from -40.9 to -42.9 ‰ n = 6	**-33.14** ± 0.02 ‰ from -33.12 to -33.16 ‰ n = 6	**0.700**	**0.700**	
31	**Hentriacontane, C31 *n*-alkane**, $C_{31}H_{64}$, CAS # 630-04-6, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{29}CH_3$	**-271.9** ± 2.0 ‰ from -268.7 to -274.1 ‰ n = 9	**-29.43** ± 0.01 ‰ from -29.41 to -29.44 ‰ n = 5			
32	**Dotriacontane, C32 *n*-alkane**, $C_{32}H_{66}$, CAS # 544-85-4, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{30}CH_3$	**-212.4** ± 1.0 ‰ from -211.5 to -213.3 ‰ n = 4	**-29.47** ± 0.02 ‰ from -29.45 to -29.50 ‰ n = 6			
33	**Tritriacontane #1, C33 *n*-alkane #1**, $C_{33}H_{68}$, CAS # 630-05-7; ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{31}CH_3$	**-207.0** ± 1.7 ‰ from -204.7 to -208.6 ‰ n = 5	**-28.36** ± 0.01 ‰ from -28.36 to -28.37 ‰ n = 5			
34	**Tetratriacontane, C34 *n*-alkane**, $C_{34}H_{70}$, CAS # 14167-59-0, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{32}CH_3$	**-231.8** ± 1.4 ‰ from -230.0 to -233.4 ‰ n = 4	**-29.54** ± 0.02 ‰ from -29.53 to -29.56 ‰ n = 5			
35	**Pentatriacontane #1, C35 *n*-alkane #1**, $C_{35}H_{72}$, CAS # 630-07-9, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{33}CH_3$	**-194.8** ± 0.9 ‰ from -193.3 to -195.7 ‰ n = 5	**-29.84** ± 0.01 ‰ from -29.84 to -29.85 ‰ n = 3			
35	**Pentatriacontane #2, C35 *n*-alkane #2**, $C_{35}H_{72}$, CAS # 630-07-9, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{33}CH_3$	**-179.3** ± 1.9 ‰ from -177.1 to -181.7 ‰ n = 4	**-30.48** ± 0.02 ‰ from -30.46 to -30.51 ‰ n = 5			
36	**Hexatriacontane #2, C36 *n*-alkane #2**, $C_{36}H_{74}$, CAS # 630-06-8, 100 mg in crimp-sealed glass vial, US $250	$CH_3(CH_2)_{34}CH_3$	**-259.2** ± 1.3 ‰ from -257.5 to -261.0 ‰ n = 7	**-29.95** ± 0.02 ‰ from -29.92 to -29.97 ‰ n = 8			
37	**Heptatriacontane, C37 *n*-alkane**, $C_{37}H_{76}$, CAS # 7194-84-5, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{35}CH_3$	**-180.1** ± 1.8 ‰ from -177.4 to -181.5 ‰ n = 4	**-30.24** ± 0.03 ‰ from -30.21 to -30.27 ‰ n = 4			
38	**Octatriacontane #2, C38 *n*-alkane #2**, $C_{38}H_{78}$, CAS # 7194-85-6, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{16}CH_3$	not determined	**-31.49** ± 0.01 ‰ from -31.47 to -31.50 ‰ n = 5			
39	**Nonatriacontane, C39 *n*-alkane**, $C_{39}H_{80}$, CAS # 7194-86-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{37}CH_3$	**-218.6** ± 2.3 ‰ from -215.2 to -221.7 ‰ n = 10	**-28.68** ± 0.01 ‰ from -28.67 to -28.69 ‰ n = 4			
40	**Tetracontane, C40 *n*-alkane**, $C_{40}H_{82}$, CAS # 4181-95-7, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{38}CH_3$	**-106.7** ± 0.3 ‰ from -106.4 to -107.0 ‰ n = 3	**-32.20** ± 0.04 ‰ from -32.16 to -32.25 ‰ n = 4			
41	**Hentetracontane #2, C41 *n*-alkane #2**, $C_{41}H_{84}$, CAS # 7194-87-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{39}CH_3$	**-196.5** ± 2.0 ‰ from -194.0 to -199.4 ‰ n = 5	**-29.23** ± 0.02 ‰ from -29.21 to -29.25 ‰ n = 5			
44	**Tetratetracontane #1, C44 *n*-alkane #1**, $C_{44}H_{90}$, CAS # 7098-22-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{42}CH_3$	**-199.9** ± 2.0 ‰ from -197.7 to -201.6 ‰ n = 3	**-29.12** ± 0.02 ‰ from -29.10 to -29.15 ‰ n = 5			
44	**Tetratetracontane #2, C44 *n*-alkane #2**, $C_{44}H_{90}$, CAS # 7098-22-8, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{42}CH_3$	**-199.8** ± 1.3 ‰ from -198.6 to -201.5 ‰ n = 6	**-29.07** ± 0.02 ‰ from -29.05 to -29.10 ‰ n = 4			
50	**Pentacontane, C50 *n*-alkane**, $C_{50}H_{102}$, CAS # 6596-40-3, ≥ 5 mg in sealed glass capillary, US $250	$CH_3(CH_2)_{48}CH_3$	**-191.3** ± 1.0 ‰ from -190.6 to -192.0 ‰ n = 2	**-27.79** ± 0.03 ‰ from -27.77 to -27.83 ‰ n = 6			
n	**Polyethylene powder, USGS77**, low density, 1000 µm, CAS # 9002-88-4, 1 g in glass vial, US $275	$(CH_2CH_2)_n$	**-75.9** ± 0.6 ‰ n = 199 (*Anal. Chem*., **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)	**-30.71** ± 0.04 ‰ n = 81 (*Anal. Chem*., **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)			
n	**Polyethylene line NDF-PE77** (extruded from powder USGS77; isotopically indistinguishable from powder), low density, CAS # 9002-88-4, inquire about availability or contact Tamim Darwish (ndf-enquiries@ansto.gov.au)	$(CH_2CH_2)_n$	indistinguishable from USGS77 (see above) (*Anal. Chem*., **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)	indistinguishable from USGS77 (see above) (*Anal. Chem*., **2016**, *88*, 4294. http://dx.doi.org/10.1021/acs.analchem.5b04392)			