```
VERSION ""


NS_ :
        NS_DESC_
        CM_
        BA_DEF_
        BA_
        VAL_
        CAT_DEF_
        CAT_
        FILTER
        BA_DEF_DEF_
        EV_DATA_
        ENVVAR_DATA_
        SGTYPE_
        SGTYPE_VAL_
        BA_DEF_SGTYPE_
        BA_SGTYPE_
        SIG_TYPE_REF_
        VAL_TABLE_
        SIG_GROUP_
        SIG_VALTYPE_
        SIGTYPE_VALTYPE_
        BO_TX_BU_
        BA_DEF_REL_
        BA_REL_
        BA_DEF_DEF_REL_
        BU_SG_REL_
        BU_EV_REL_
        BU_BO_REL_
        SG_MUL_VAL_

BS_:

BU_: CCM CM


BO_ 2564430329 D_tester2CCM: 8 CM
 SG_ D_tester2CCM_Data : 0|64@1+ (1,0) [0|0] ""  CCM

BO_ 2564487449 D_CCM2tester: 8 CCM
 SG_ D_CCM2tester_Data : 0|64@1+ (1,0) [0|0] ""  CM

BO_ 2564554745 D_tester2ECU_Func: 8 CM
 SG_ D_tester2ECU_Data_Func : 0|64@1+ (1,0) [0|0] ""  CCM

BO_ 2566854144 EMS_CLU1: 8 Vector__XXX
 SG_ EngineCoolantTemperature : 24|8@1+ (0.75,-48) [-48|142.5] "deg C"  CCM

BO_ 2566870758 CMmsg02: 8 Vector__XXX
 SG_ C_IsgStatus : 20|4@1+ (1,0) [0|15] ""  CCM

BO_ 2566844672 CCVS_ENG: 8 Vector__XXX
 SG_ WheelBasedVehicleSpeed : 8|16@1+ (0.00390625,0) [0|250.996] "km/h"  CCM

BO_ 2566886169 CCMmsg05: 8 CCM
 SG_ C_CCM_RrAptSensorOut : 24|8@1+ (0.02,0) [0|4.5] "" Vector__XXX
 SG_ C_CCM_FrDefrostOn : 20|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_EngStartReq : 18|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_IsgStopReq : 16|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_RrAconThermo : 14|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_RrAconSelect : 12|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_RrBlwMaxOn : 10|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_RrBlwOn : 8|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_FrAconThermo : 6|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_FrAconSelect : 4|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_FrBlwMaxOn : 2|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ C_CCM_FrBlwOn : 0|2@1+ (1,0) [0|3] "" Vector__XXX

BO_ 2632711961 TPDT_CCM: 8 CCM
 SG_ PacketizedData : 8|56@1+ (1,0) [0|0] "" Vector__XXX
 SG_ SequenceNumber : 0|8@1+ (1,0) [0|252] "" Vector__XXX

BO_ 2632777497 TPCM_CCM: 8 CCM
 SG_ TotalNumberOfPacket : 24|8@1+ (1,0) [0|0] "" Vector__XXX
```

```
 SG_ TotalMessageSize : 8|16@1+ (1,0) [0|0] "" Vector__XXX
 SG_ PGNumber : 40|24@1+ (1,0) [0|16777200] "" Vector__XXX
 SG_ ControlByte : 0|8@1+ (1,0) [0|255] "" Vector__XXX

BO_ 2566885913 CCMmsg03: 8 CCM
 SG_ CR_OutTemp_Snr_C : 48|8@1+ (0.5,-40) [-40|86.5] "C" Vector__XXX

BO_ 2566834713 DM1_CCM: 22 CCM
 SG_ FlashRedStopLamp_CCM_B : 12|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ FlashProtectLamp_CCM_B : 8|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ FlashMalfuncIndicatorLamp_CCM_B : 14|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ FlashAmberWarningLamp_CCM_B : 10|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ MalfunctionIndicatorLampStatus_C : 6|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ AmberWarningLampStatus_CCM_B : 2|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ RedStopLampState_CCM_B : 4|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ ProtectLampStatus_CCM_B : 0|2@1+ (1,0) [0|3] "" Vector__XXX
 SG_ DTC4_CCM_B : 112|32@1+ (1,0) [0|4294967295] "" Vector__XXX
 SG_ DTC3_CCM_B : 80|32@1+ (1,0) [0|4294967295] "" Vector__XXX
 SG_ DTC2_CCM_B : 48|32@1+ (1,0) [0|4294967295] "" Vector__XXX
 SG_ DTC1_CCM_B : 16|32@1+ (1,0) [0|4294967295] "" Vector__XXX

BO_ 2359629798 CMwarn01: 8 Vector__XXX
 SG_ C_VehiclePwrInfo : 56|3@1+ (1,0) [0|7] ""  CCM



CM_ BO_ 2566854144 "EMS Information message 1 to Cluster ";
CM_ SG_ 2566870758 C_IsgStatus "ISG 상태";
CM_ BO_ 2566844672 "Cruise Control/Vehicle Speed";
CM_ SG_ 2566844672 WheelBasedVehicleSpeed "차량 속도";
CM_ BO_ 2632711961 "Transport Protocol - Data Transfer";
CM_ BO_ 2632777497 "Transport Protocol - Connection Management";
CM_ SG_ 2566885913 CR_OutTemp_Snr_C "외기온센서 입력온도(Raw Value)";
CM_ BO_ 2566834713 "Active diagnostic trouble codes";
CM_ SG_ 2566834713 FlashRedStopLamp_CCM_B "This parameter provides the capability to flash the RSL (SPN
3039).";
CM_ SG_ 2566834713 FlashProtectLamp_CCM_B "This parameter provides the capability to flash the engine
protect lamp (SPN 3041).";
CM_ SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B "This parameter provides the capability to flash the
MIL (SPN 3038).";
CM_ SG_ 2566834713 FlashAmberWarningLamp_CCM_B "This parameter provides the capability to flash the AWL
(SPN 3040). ";
CM_ SG_ 2566834713 MalfunctionIndicatorLampStatus_C "A lamp used to relay only emissions-related trouble
code information.";
CM_ SG_ 2566834713 AmberWarningLampStatus_CCM_B "This lamp is used to relay trouble code information that
is reporting a problem with the vehicle system but the vehicle need
not be immediately stopped.";
CM_ SG_ 2566834713 RedStopLampState_CCM_B "This lamp is uesed to relay trouble code information that is
of a severe enought condition that it warrants stopping the vehicle.";
CM_ SG_ 2566834713 ProtectLampStatus_CCM_B "This lamp is used to relay trouble code informatio that is
reporting a problem with a vehicle system that is most
probably not electronic subsystem related.";
CM_ SG_ 2566834713 DTC4_CCM_B "Diagnostic Trouble Code";
CM_ SG_ 2566834713 DTC3_CCM_B "Diagnostic Trouble Code";
CM_ SG_ 2566834713 DTC2_CCM_B "Diagnostic Trouble Code";
CM_ SG_ 2566834713 DTC1_CCM_B "Diagnostic Trouble Code";
CM_ BO_ 2359629798 "Routing(CM to ECAN) ";
CM_ SG_ 2359629798 C_VehiclePwrInfo "차량 전원 상태 정보(CMK*)";
BA_DEF_ SG_  "GenSigInactiveValue" INT 0 65535;
BA_DEF_ SG_  "GenSigSendType" ENUM
"NotUsed","OnWrite","OnWriteWithRepetition","OnChange","OnChangeWithRepetition","IfActive","IfActiveWithR
epetition","NoSigSendType";
BA_DEF_ SG_  "Gatewaysignal" ENUM  "No","M-B","B-M","M-C","C-M","M-C-B";
BA_DEF_ SG_  "GenSigStartValue" INT 0 10000;
BA_DEF_ SG_  "NmNetworkRequestHoldingTime" INT 0 65535;
BA_DEF_ SG_  "NmNetworkRequest" ENUM  "No","Yes";
BA_DEF_ SG_  "SignalCategory" HEX 10 15;
BA_DEF_ SG_  "Validity" ENUM  "B+","ACC","IGN";
BA_DEF_ SG_  "ConversionFormula" STRING ;
BA_DEF_ SG_  "TimeoutValue" STRING ;
BA_DEF_ SG_  "Purpose" ENUM  "<t.b.d.>","Function","Diagnostic","Development","NM";
BA_DEF_ SG_  "SigType" ENUM
"Default","Range","RangeSigned","ASCII","Discrete","Control","ReferencePGN","DTC","StringDelimiter","Stri
ngLength","StringLengthControl";
BA_DEF_ SG_  "SPN" INT 0 524287;
BA_DEF_ BO_  "GenMsgSendType" ENUM
```

```
"cyclic","reserved","cycliclfActive","reserved","reserved","reserved","reserved","reserved","noMsgSendTyp
e";
BA_DEF_ BO_  "GenMsgCycleTime" INT 0 3600000;
BA_DEF_ BO_  "TpJ1939VarDlc" ENUM  "No","Yes";
BA_DEF_ BO_  "GenMsgDelayTime" INT 0 1000;
BA_DEF_ BO_  "NmMessage" ENUM  "No","Yes";
BA_DEF_ BO_  "GenMsgILSupport" ENUM  "No","Yes";
BA_DEF_ BO_  "GenMsgNrOfRepetition" INT 0 3;
BA_DEF_ BO_  "GenMsgCycleTimeFast" INT 0 1000;
BA_DEF_ BO_  "GenMsgStartDelayTime" INT 0 100000;
BA_DEF_ BO_  "RoutingType" ENUM  "<n.a.>","Direct","Indirect";
BA_DEF_ BO_  "VFrameFormat" ENUM  "StandardCAN","ExtendedCAN","reserved","J1939PG";
BA_DEF_ BO_  "DiagState" ENUM  "No","Yes";
BA_DEF_ BO_  "DiagResponse" ENUM  "No","Yes";
BA_DEF_ BO_  "DiagRequest" ENUM  "No","Yes";
BA_DEF_ BU_  "ECU" STRING ;
BA_DEF_ BU_  "NodeLayerModules" STRING ;
BA_DEF_ BU_  "NmStationAddress" INT 0 255;
BA_DEF_ BU_  "NmNode" ENUM  "No","Yes";
BA_DEF_ BU_  "NmCAN" INT 1 2;
BA_DEF_ BU_  "ILUsed" ENUM  "No","Yes";
BA_DEF_  "BusType" STRING ;
BA_DEF_  "DBName" STRING ;
BA_DEF_  "GenNWMApBusSleep" STRING ;
BA_DEF_  "GenNWMApCanNormal" STRING ;
BA_DEF_  "GenNWMApCanOff" STRING ;
BA_DEF_  "GenNWMApCanOn" STRING ;
BA_DEF_  "GenNWMApCanSleep" STRING ;
BA_DEF_  "GenNWMApCanWakeUp" STRING ;
BA_DEF_  "GenNWMGotoMode_Awake" STRING ;
BA_DEF_  "GenNWMGotoMode_BusSleep" STRING ;
BA_DEF_  "GenNWMSleepTime" INT 1375 1650;
BA_DEF_  "GenNWMTalkNM" STRING ;
BA_DEF_  "VersionNumber" INT 0 9999;
BA_DEF_  "VersionWeek" INT 1 53;
BA_DEF_  "VersionYear" INT 0 9999;
BA_DEF_  "VersionMonth" INT 1 12;
BA_DEF_  "VersionDay" INT 1 31;
BA_DEF_  "NmType" STRING ;
BA_DEF_  "NmBaseAddress" HEX 0 536870911;
BA_DEF_  "NmMessageCount" INT 0 256;
BA_DEF_  "Manufacturer" STRING ;
BA_DEF_  "Baudrate" INT 50000 500000;
BA_DEF_  "SamplePointMin" INT 55 85;
BA_DEF_  "SamplePointMax" INT 50 85;
BA_DEF_  "SyncJumpWidthMin" INT 1 4;
BA_DEF_  "SyncJumpWidthMax" INT 1 8;
BA_DEF_  "ProtocolType" STRING ;
BA_DEF_  "GenNWMApIndRingData" STRING ;
BA_DEF_  "DatabaseVersion" STRING ;
BA_DEF_  "SAE_J1939_75_SpecVersion" STRING ;
BA_DEF_  "SAE_J1939_21_SpecVersion" STRING ;
BA_DEF_  "SAE_J1939_73_SpecVersion" STRING ;
BA_DEF_  "SAE_J1939_71_SpecVersion" STRING ;
BA_DEF_  "NMIdType" INT 0 1;
BA_DEF_ SG_  "SystemSignalLongSymbol" STRING ;
BA_DEF_REL_ BU_SG_REL_  "GenSigTimeoutTime" INT 0 7000;
BA_DEF_REL_ BU_SG_REL_  "GenSigTimeoutMsg" HEX 0 2047;
BA_DEF_DEF_  "GenSigInactiveValue" 0;
BA_DEF_DEF_  "GenSigSendType" "NoSigSendType";
BA_DEF_DEF_  "Gatewaysignal" "No";
BA_DEF_DEF_  "GenSigStartValue" 0;
BA_DEF_DEF_  "NmNetworkRequestHoldingTime" 0;
BA_DEF_DEF_  "NmNetworkRequest" "No";
BA_DEF_DEF_  "SignalCategory" 12;
BA_DEF_DEF_  "Validity" "IGN";
BA_DEF_DEF_  "ConversionFormula" "";
BA_DEF_DEF_  "TimeoutValue" "";
BA_DEF_DEF_  "Purpose" "<t.b.d.>";
BA_DEF_DEF_  "SigType" "Default";
BA_DEF_DEF_  "SPN" 0;
BA_DEF_DEF_  "GenMsgSendType" "noMsgSendType";
BA_DEF_DEF_  "GenMsgCycleTime" 0;
BA_DEF_DEF_  "TpJ1939VarDlc" "No";
BA_DEF_DEF_  "GenMsgDelayTime" 0;
BA_DEF_DEF_  "NmMessage" "No";
```

```
BA_DEF_DEF_  "GenMsgILSupport" "No";
BA_DEF_DEF_  "GenMsgNrOfRepetition" 0;
BA_DEF_DEF_  "GenMsgCycleTimeFast" 0;
BA_DEF_DEF_  "GenMsgStartDelayTime" 0;
BA_DEF_DEF_  "RoutingType" "<n.a.>";
BA_DEF_DEF_  "VFrameFormat" "J1939PG";
BA_DEF_DEF_  "DiagState" "No";
BA_DEF_DEF_  "DiagResponse" "No";
BA_DEF_DEF_  "DiagRequest" "No";
BA_DEF_DEF_REL_ "GenSigTimeoutTime" 500;
BA_DEF_DEF_REL_ "GenSigTimeoutMsg" 0;
BA_DEF_DEF_  "ECU" "";
BA_DEF_DEF_  "NodeLayerModules" "OSEKNM01.dll,CANoeILNLVector.dll";
BA_DEF_DEF_  "NmStationAddress" 254;
BA_DEF_DEF_  "NmNode" "Yes";
BA_DEF_DEF_  "NmCAN" 1;
BA_DEF_DEF_  "ILUsed" "Yes";
BA_DEF_DEF_  "BusType" "";
BA_DEF_DEF_  "DBName" "";
BA_DEF_DEF_  "GenNWMApBusSleep" "apBusSleep()";
BA_DEF_DEF_  "GenNWMApCanNormal" "apCanNormal()";
BA_DEF_DEF_  "GenNWMApCanOff" "apCanOff()";
BA_DEF_DEF_  "GenNWMApCanOn" "apCanOn()";
BA_DEF_DEF_  "GenNWMApCanSleep" "apCanSleep()";
BA_DEF_DEF_  "GenNWMApCanWakeUp" "apCanWakeUp()";
BA_DEF_DEF_  "GenNWMGotoMode_Awake" "GotoMode_Awake()";
BA_DEF_DEF_  "GenNWMGotoMode_BusSleep" "GotoMode_BusSleep()";
BA_DEF_DEF_  "GenNWMSleepTime" 1500;
BA_DEF_DEF_  "GenNWMTalkNM" "TalkNM()";
BA_DEF_DEF_  "VersionNumber" 0;
BA_DEF_DEF_  "VersionWeek" 1;
BA_DEF_DEF_  "VersionYear" 0;
BA_DEF_DEF_  "VersionMonth" 1;
BA_DEF_DEF_  "VersionDay" 1;
BA_DEF_DEF_  "NmType" "Vector";
BA_DEF_DEF_  "NmBaseAddress" 218038272;
BA_DEF_DEF_  "NmMessageCount" 256;
BA_DEF_DEF_  "Manufacturer" "HMC";
BA_DEF_DEF_  "Baudrate" 500000;
BA_DEF_DEF_  "SamplePointMin" 75;
BA_DEF_DEF_  "SamplePointMax" 82;
BA_DEF_DEF_  "SyncJumpWidthMin" 2;
BA_DEF_DEF_  "SyncJumpWidthMax" 4;
BA_DEF_DEF_  "ProtocolType" "";
BA_DEF_DEF_  "GenNWMApIndRingData" "apIndRingData()";
BA_DEF_DEF_  "DatabaseVersion" "";
BA_DEF_DEF_  "SAE_J1939_75_SpecVersion" "";
BA_DEF_DEF_  "SAE_J1939_21_SpecVersion" "";
BA_DEF_DEF_  "SAE_J1939_73_SpecVersion" "";
BA_DEF_DEF_  "SAE_J1939_71_SpecVersion" "";
BA_DEF_DEF_  "NMIdType" 1;
BA_DEF_DEF_  "SystemSignalLongSymbol" "";
BA_ "BusType" "CAN";
BA_ "ProtocolType" "J1939";
BA_ "DatabaseVersion" "7.2";
BA_ "SAE_J1939_75_SpecVersion" "2005-10";
BA_ "SAE_J1939_21_SpecVersion" "2006-10";
BA_ "SAE_J1939_73_SpecVersion" "2009-09";
BA_ "SAE_J1939_71_SpecVersion" "2009-09";
BA_ "DBName" "BCAN";
BA_ "ECU" BU_ CCM "CCM";
BA_ "NodeLayerModules" BU_ CCM "CANoeILNLVector.dll";
BA_ "NmStationAddress" BU_ CCM 25;
BA_ "NmNode" BU_ CCM 0;
BA_ "ECU" BU_ CM "CM";
BA_ "NodeLayerModules" BU_ CM "CANoeILNLVector.dll,OSEKNM01.dll";
BA_ "NmStationAddress" BU_ CM 230;
BA_ "NmNode" BU_ CM 1;
BA_ "GenMsgCycleTime" BO_ 2564430329 0;
BA_ "TpJ1939VarDlc" BO_ 2564430329 0;
BA_ "GenMsgDelayTime" BO_ 2564430329 0;
BA_ "NmMessage" BO_ 2564430329 0;
BA_ "GenMsgILSupport" BO_ 2564430329 0;
BA_ "GenMsgNrOfRepetition" BO_ 2564430329 0;
BA_ "GenMsgCycleTimeFast" BO_ 2564430329 0;
BA_ "GenMsgStartDelayTime" BO_ 2564430329 0;
```

```
BA_ "VFrameFormat" BO_ 2564430329 1;
BA_ "DiagState" BO_ 2564430329 0;
BA_ "DiagResponse" BO_ 2564430329 0;
BA_ "DiagRequest" BO_ 2564430329 1;
BA_ "GenMsgCycleTime" BO_ 2564487449 0;
BA_ "TpJ1939VarDlc" BO_ 2564487449 0;
BA_ "GenMsgDelayTime" BO_ 2564487449 0;
BA_ "NmMessage" BO_ 2564487449 0;
BA_ "GenMsgILSupport" BO_ 2564487449 0;
BA_ "GenMsgNrOfRepetition" BO_ 2564487449 0;
BA_ "GenMsgCycleTimeFast" BO_ 2564487449 0;
BA_ "GenMsgStartDelayTime" BO_ 2564487449 0;
BA_ "VFrameFormat" BO_ 2564487449 1;
BA_ "DiagState" BO_ 2564487449 0;
BA_ "DiagResponse" BO_ 2564487449 1;
BA_ "DiagRequest" BO_ 2564487449 0;
BA_ "GenMsgCycleTime" BO_ 2564554745 0;
BA_ "TpJ1939VarDlc" BO_ 2564554745 0;
BA_ "GenMsgDelayTime" BO_ 2564554745 0;
BA_ "NmMessage" BO_ 2564554745 0;
BA_ "GenMsgILSupport" BO_ 2564554745 0;
BA_ "GenMsgNrOfRepetition" BO_ 2564554745 0;
BA_ "GenMsgCycleTimeFast" BO_ 2564554745 0;
BA_ "GenMsgStartDelayTime" BO_ 2564554745 0;
BA_ "VFrameFormat" BO_ 2564554745 1;
BA_ "DiagState" BO_ 2564554745 1;
BA_ "DiagResponse" BO_ 2564554745 0;
BA_ "DiagRequest" BO_ 2564554745 0;
BA_ "GenMsgSendType" BO_ 2566854144 0;
BA_ "GenMsgCycleTime" BO_ 2566854144 100;
BA_ "GenMsgILSupport" BO_ 2566854144 1;
BA_ "VFrameFormat" BO_ 2566854144 3;
BA_ "GenMsgSendType" BO_ 2566870758 0;
BA_ "GenMsgCycleTime" BO_ 2566870758 50;
BA_ "TpJ1939VarDlc" BO_ 2566870758 0;
BA_ "GenMsgDelayTime" BO_ 2566870758 0;
BA_ "NmMessage" BO_ 2566870758 0;
BA_ "GenMsgILSupport" BO_ 2566870758 1;
BA_ "GenMsgNrOfRepetition" BO_ 2566870758 0;
BA_ "GenMsgCycleTimeFast" BO_ 2566870758 0;
BA_ "GenMsgStartDelayTime" BO_ 2566870758 0;
BA_ "DiagState" BO_ 2566870758 0;
BA_ "DiagResponse" BO_ 2566870758 0;
BA_ "DiagRequest" BO_ 2566870758 0;
BA_ "VFrameFormat" BO_ 2566870758 3;
BA_ "GenMsgSendType" BO_ 2566844672 0;
BA_ "GenMsgCycleTime" BO_ 2566844672 100;
BA_ "TpJ1939VarDlc" BO_ 2566844672 0;
BA_ "GenMsgDelayTime" BO_ 2566844672 0;
BA_ "NmMessage" BO_ 2566844672 0;
BA_ "GenMsgILSupport" BO_ 2566844672 1;
BA_ "GenMsgNrOfRepetition" BO_ 2566844672 0;
BA_ "GenMsgCycleTimeFast" BO_ 2566844672 0;
BA_ "GenMsgStartDelayTime" BO_ 2566844672 0;
BA_ "DiagState" BO_ 2566844672 0;
BA_ "DiagResponse" BO_ 2566844672 0;
BA_ "DiagRequest" BO_ 2566844672 0;
BA_ "VFrameFormat" BO_ 2566844672 3;
BA_ "GenMsgSendType" BO_ 2566886169 0;
BA_ "GenMsgCycleTime" BO_ 2566886169 1000;
BA_ "GenMsgILSupport" BO_ 2566886169 1;
BA_ "GenMsgNrOfRepetition" BO_ 2566886169 3;
BA_ "GenMsgCycleTimeFast" BO_ 2566886169 40;
BA_ "VFrameFormat" BO_ 2566886169 3;
BA_ "GenMsgSendType" BO_ 2632711961 8;
BA_ "GenMsgCycleTime" BO_ 2632711961 0;
BA_ "TpJ1939VarDlc" BO_ 2632711961 0;
BA_ "GenMsgDelayTime" BO_ 2632711961 0;
BA_ "NmMessage" BO_ 2632711961 0;
BA_ "GenMsgILSupport" BO_ 2632711961 0;
BA_ "GenMsgNrOfRepetition" BO_ 2632711961 0;
BA_ "GenMsgCycleTimeFast" BO_ 2632711961 0;
BA_ "GenMsgStartDelayTime" BO_ 2632711961 0;
BA_ "DiagState" BO_ 2632711961 0;
BA_ "DiagResponse" BO_ 2632711961 0;
BA_ "DiagRequest" BO_ 2632711961 0;
```

```
BA_ "VFrameFormat" BO_ 2632711961 3;
BA_ "GenMsgSendType" BO_ 2632777497 8;
BA_ "GenMsgCycleTime" BO_ 2632777497 0;
BA_ "TpJ1939VarDlc" BO_ 2632777497 0;
BA_ "GenMsgDelayTime" BO_ 2632777497 0;
BA_ "NmMessage" BO_ 2632777497 0;
BA_ "GenMsgILSupport" BO_ 2632777497 0;
BA_ "GenMsgNrOfRepetition" BO_ 2632777497 0;
BA_ "GenMsgCycleTimeFast" BO_ 2632777497 0;
BA_ "GenMsgStartDelayTime" BO_ 2632777497 0;
BA_ "DiagState" BO_ 2632777497 0;
BA_ "DiagResponse" BO_ 2632777497 0;
BA_ "DiagRequest" BO_ 2632777497 0;
BA_ "VFrameFormat" BO_ 2632777497 3;
BA_ "GenMsgSendType" BO_ 2566885913 0;
BA_ "GenMsgCycleTime" BO_ 2566885913 1000;
BA_ "TpJ1939VarDlc" BO_ 2566885913 0;
BA_ "GenMsgDelayTime" BO_ 2566885913 0;
BA_ "NmMessage" BO_ 2566885913 0;
BA_ "GenMsgILSupport" BO_ 2566885913 1;
BA_ "GenMsgNrOfRepetition" BO_ 2566885913 3;
BA_ "GenMsgCycleTimeFast" BO_ 2566885913 40;
BA_ "GenMsgStartDelayTime" BO_ 2566885913 0;
BA_ "DiagState" BO_ 2566885913 0;
BA_ "DiagResponse" BO_ 2566885913 0;
BA_ "DiagRequest" BO_ 2566885913 0;
BA_ "VFrameFormat" BO_ 2566885913 3;
BA_ "GenMsgSendType" BO_ 2566834713 0;
BA_ "GenMsgCycleTime" BO_ 2566834713 1000;
BA_ "TpJ1939VarDlc" BO_ 2566834713 1;
BA_ "GenMsgDelayTime" BO_ 2566834713 0;
BA_ "NmMessage" BO_ 2566834713 0;
BA_ "GenMsgILSupport" BO_ 2566834713 1;
BA_ "GenMsgNrOfRepetition" BO_ 2566834713 0;
BA_ "GenMsgCycleTimeFast" BO_ 2566834713 0;
BA_ "GenMsgStartDelayTime" BO_ 2566834713 0;
BA_ "DiagState" BO_ 2566834713 0;
BA_ "DiagResponse" BO_ 2566834713 0;
BA_ "DiagRequest" BO_ 2566834713 0;
BA_ "VFrameFormat" BO_ 2566834713 3;
BA_ "GenMsgSendType" BO_ 2359629798 0;
BA_ "GenMsgCycleTime" BO_ 2359629798 100;
BA_ "TpJ1939VarDlc" BO_ 2359629798 0;
BA_ "GenMsgDelayTime" BO_ 2359629798 0;
BA_ "NmMessage" BO_ 2359629798 0;
BA_ "GenMsgILSupport" BO_ 2359629798 1;
BA_ "GenMsgNrOfRepetition" BO_ 2359629798 0;
BA_ "GenMsgCycleTimeFast" BO_ 2359629798 0;
BA_ "GenMsgStartDelayTime" BO_ 2359629798 0;
BA_ "DiagState" BO_ 2359629798 0;
BA_ "DiagResponse" BO_ 2359629798 0;
BA_ "DiagRequest" BO_ 2359629798 0;
BA_ "VFrameFormat" BO_ 2359629798 3;
BA_ "NmNetworkRequestHoldingTime" SG_ 2564430329 D_tester2CCM_Data 0;
BA_ "NmNetworkRequest" SG_ 2564430329 D_tester2CCM_Data 0;
BA_ "NmNetworkRequestHoldingTime" SG_ 2564487449 D_CCM2tester_Data 0;
BA_ "NmNetworkRequest" SG_ 2564487449 D_CCM2tester_Data 0;
BA_ "NmNetworkRequestHoldingTime" SG_ 2564554745 D_tester2ECU_Data_Func 0;
BA_ "NmNetworkRequest" SG_ 2564554745 D_tester2ECU_Data_Func 0;
BA_ "GenSigStartValue" SG_ 2566854144 EngineCoolantTemperature 0;
BA_ "SigType" SG_ 2566854144 EngineCoolantTemperature 1;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566844672 WheelBasedVehicleSpeed 0;
BA_ "NmNetworkRequest" SG_ 2566844672 WheelBasedVehicleSpeed 0;
BA_ "SigType" SG_ 2566844672 WheelBasedVehicleSpeed 1;
BA_ "SPN" SG_ 2566844672 WheelBasedVehicleSpeed 84;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_RrAptSensorOut 4;
BA_ "SigType" SG_ 2566886169 C_CCM_RrAptSensorOut 1;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_FrDefrostOn 4;
BA_ "SigType" SG_ 2566886169 C_CCM_FrDefrostOn 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_EngStartReq 4;
BA_ "SigType" SG_ 2566886169 C_CCM_EngStartReq 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_IsgStopReq 4;
BA_ "SigType" SG_ 2566886169 C_CCM_IsgStopReq 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_RrAconThermo 4;
BA_ "SigType" SG_ 2566886169 C_CCM_RrAconThermo 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_RrAconSelect 4;
```

```
BA_ "SigType" SG_ 2566886169 C_CCM_RrAconSelect 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_RrBlwMaxOn 4;
BA_ "SigType" SG_ 2566886169 C_CCM_RrBlwMaxOn 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_RrBlwOn 4;
BA_ "SigType" SG_ 2566886169 C_CCM_RrBlwOn 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_FrAconThermo 4;
BA_ "SigType" SG_ 2566886169 C_CCM_FrAconThermo 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_FrAconSelect 4;
BA_ "SigType" SG_ 2566886169 C_CCM_FrAconSelect 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_FrBlwMaxOn 4;
BA_ "SigType" SG_ 2566886169 C_CCM_FrBlwMaxOn 4;
BA_ "GenSigSendType" SG_ 2566886169 C_CCM_FrBlwOn 4;
BA_ "SigType" SG_ 2566886169 C_CCM_FrBlwOn 4;
BA_ "NmNetworkRequestHoldingTime" SG_ 2632711961 SequenceNumber 0;
BA_ "NmNetworkRequest" SG_ 2632711961 SequenceNumber 0;
BA_ "SigType" SG_ 2632711961 SequenceNumber 1;
BA_ "SPN" SG_ 2632711961 SequenceNumber 2572;
BA_ "NmNetworkRequestHoldingTime" SG_ 2632777497 PGNumber 0;
BA_ "NmNetworkRequest" SG_ 2632777497 PGNumber 0;
BA_ "SigType" SG_ 2632777497 PGNumber 6;
BA_ "SPN" SG_ 2632777497 PGNumber 2560;
BA_ "NmNetworkRequestHoldingTime" SG_ 2632777497 ControlByte 0;
BA_ "NmNetworkRequest" SG_ 2632777497 ControlByte 0;
BA_ "SPN" SG_ 2632777497 ControlByte 2556;
BA_ "GenSigSendType" SG_ 2566885913 CR_OutTemp_Snr_C 4;
BA_ "GenSigStartValue" SG_ 2566885913 CR_OutTemp_Snr_C 0;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566885913 CR_OutTemp_Snr_C 0;
BA_ "NmNetworkRequest" SG_ 2566885913 CR_OutTemp_Snr_C 0;
BA_ "Validity" SG_ 2566885913 CR_OutTemp_Snr_C 2;
BA_ "GenSigSendType" SG_ 2566834713 FlashRedStopLamp_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 FlashRedStopLamp_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 FlashRedStopLamp_CCM_B 0;
BA_ "SigType" SG_ 2566834713 FlashRedStopLamp_CCM_B 4;
BA_ "SPN" SG_ 2566834713 FlashRedStopLamp_CCM_B 3039;
BA_ "GenSigSendType" SG_ 2566834713 FlashProtectLamp_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 FlashProtectLamp_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 FlashProtectLamp_CCM_B 0;
BA_ "SigType" SG_ 2566834713 FlashProtectLamp_CCM_B 4;
BA_ "SPN" SG_ 2566834713 FlashProtectLamp_CCM_B 3041;
BA_ "GenSigSendType" SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 0;
BA_ "SigType" SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 4;
BA_ "SPN" SG_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 3038;
BA_ "GenSigSendType" SG_ 2566834713 FlashAmberWarningLamp_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 FlashAmberWarningLamp_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 FlashAmberWarningLamp_CCM_B 0;
BA_ "SigType" SG_ 2566834713 FlashAmberWarningLamp_CCM_B 4;
BA_ "SPN" SG_ 2566834713 FlashAmberWarningLamp_CCM_B 3040;
BA_ "GenSigSendType" SG_ 2566834713 MalfunctionIndicatorLampStatus_C 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 MalfunctionIndicatorLampStatus_C 0;
BA_ "NmNetworkRequest" SG_ 2566834713 MalfunctionIndicatorLampStatus_C 0;
BA_ "SigType" SG_ 2566834713 MalfunctionIndicatorLampStatus_C 4;
BA_ "SPN" SG_ 2566834713 MalfunctionIndicatorLampStatus_C 1213;
BA_ "SystemSignalLongSymbol" SG_ 2566834713 MalfunctionIndicatorLampStatus_C
"MalfunctionIndicatorLampStatus_CCM_B";
BA_ "GenSigSendType" SG_ 2566834713 AmberWarningLampStatus_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 AmberWarningLampStatus_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 AmberWarningLampStatus_CCM_B 0;
BA_ "SigType" SG_ 2566834713 AmberWarningLampStatus_CCM_B 4;
BA_ "SPN" SG_ 2566834713 AmberWarningLampStatus_CCM_B 624;
BA_ "GenSigSendType" SG_ 2566834713 RedStopLampState_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 RedStopLampState_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 RedStopLampState_CCM_B 0;
BA_ "SigType" SG_ 2566834713 RedStopLampState_CCM_B 4;
BA_ "SPN" SG_ 2566834713 RedStopLampState_CCM_B 623;
BA_ "GenSigSendType" SG_ 2566834713 ProtectLampStatus_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 ProtectLampStatus_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 ProtectLampStatus_CCM_B 0;
BA_ "SigType" SG_ 2566834713 ProtectLampStatus_CCM_B 4;
BA_ "SPN" SG_ 2566834713 ProtectLampStatus_CCM_B 987;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 DTC4_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 DTC4_CCM_B 0;
BA_ "SigType" SG_ 2566834713 DTC4_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 DTC3_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 DTC3_CCM_B 0;
```

```
BA_ "SigType" SG_ 2566834713 DTC3_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 DTC2_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 DTC2_CCM_B 0;
BA_ "SigType" SG_ 2566834713 DTC2_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2566834713 DTC1_CCM_B 0;
BA_ "NmNetworkRequest" SG_ 2566834713 DTC1_CCM_B 0;
BA_ "SigType" SG_ 2566834713 DTC1_CCM_B 7;
BA_ "NmNetworkRequestHoldingTime" SG_ 2359629798 C_VehiclePwrInfo 0;
BA_ "NmNetworkRequest" SG_ 2359629798 C_VehiclePwrInfo 0;
VAL_ 2566870758 C_IsgStatus 15 "NotAvailable" 14 "Resreved" 13 "Resreved" 12 "Resreved" 11 "Resreved" 10
"Reserved" 9 "Reserved" 8 "Reserved" 7 "DrvShftGrNtoDWithoutBrkAutoStart" 6
"AutoStartDeactSysAutoKeeySafety" 5 "IdleStopIsInhBySysAutoForSafety" 4 "Fault in ISG" 3 "ISG is
Prohibited" 2 "EngIsAutomaticallyStartedByECU" 1 "Idle Stop is Activated" 0 "ISG is not operating" ;
VAL_ 2566844672 WheelBasedVehicleSpeed 64256 "FFFD_Reserved" 65535 "NotAvailable" 65534 "Error" ;
VAL_ 2566886169 C_CCM_RrAptSensorOut 255 "Fail" ;
VAL_ 2566886169 C_CCM_FrDefrostOn 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_EngStartReq 3 "Don'tCare" 2 "Reserved" 1 "AutoStartRequest" 0 "Normal" ;
VAL_ 2566886169 C_CCM_IsgStopReq 3 "Don'tCare" 2 "Reserved" 1 "Disable(EngineStopIsProhibited)" 0
"Enable" ;
VAL_ 2566886169 C_CCM_RrAconThermo 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_RrAconSelect 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_RrBlwMaxOn 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_RrBlwOn 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_FrAconThermo 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_FrAconSelect 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_FrBlwMaxOn 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2566886169 C_CCM_FrBlwOn 3 "NotAvailable" 2 "Reserved" 1 "On" 0 "Off" ;
VAL_ 2632777497 PGNumber 255 "NotAvailable" ;
VAL_ 2632777497 ControlByte 24 "EAbort" 23 "EEoMACK" 22 "EDPO" 21 "ECTS" 20 "ERTS" 255 "Abort" 32 "BAM"
19 "EoMA" 17 "CTS" 16 "RTS" 3 "CannotRespond" 2 "AccessDenied" 1 "NACK" 0 "ACK" ;
VAL_ 2566885913 CR_OutTemp_Snr_C 255 "NotAvailable" 254 "Error" ;
VAL_ 2566834713 FlashRedStopLamp_CCM_B 3 "Unavailable / Do Not Flash" 2 "Reserved" 1 "Fast Flash" 0 "Slow
Flash" ;
VAL_ 2566834713 FlashProtectLamp_CCM_B 3 "Unavailable / Do Not Flash" 2 "Reserved" 1 "Fast Flash" 0 "Slow
Flash" ;
VAL_ 2566834713 FlashMalfuncIndicatorLamp_CCM_B 3 "Unavailable / Do Not Flash" 2 "Reserved" 1 "Fast
Flash" 0 "Slow Flash" ;
VAL_ 2566834713 FlashAmberWarningLamp_CCM_B 3 "Unavailable / Do Not Flash" 2 "Reserved" 1 "Fast Flash" 0
"Slow Flash" ;
VAL_ 2566834713 MalfunctionIndicatorLampStatus_C 3 "Not available" 2 "Reserved" 1 "Lamp on" 0 "Lamp off"
;
VAL_ 2566834713 AmberWarningLampStatus_CCM_B 3 "Not available" 2 "Reserved" 1 "Lamp on" 0 "Lamp off" ;
VAL_ 2566834713 RedStopLampState_CCM_B 3 "Not available" 2 "Reserved" 1 "Lamp on" 0 "Lamp off" ;
VAL_ 2566834713 ProtectLampStatus_CCM_B 3 "Not available" 2 "Reserved" 1 "Lamp on" 0 "Lamp off" ;
VAL_ 2359629798 C_VehiclePwrInfo 7 "NotAvailable" 6 "Reserved" 5 "Reserved" 4 "Start" 0 "KeyOff" 1
"KeyIn" 2 "ACC" 3 "IGNon" ;
```