

32 13 Rigid Paving

32 13 13 – Concrete Paving

		Crew	Daily Output	Labor-Hours	Unit	Material	2022 Bare Costs		Total	Total Incl O&P
							Labor	Equipment		
0540	Reinforcing steel for rigid paving 18 lb./S.Y.	2 Rodm	444	.036	S.Y.	13.75	2.19		15.94	18.35
0620	Slip form, 12' pass, unreinforced, 6" thick	B-26A	5600	.016		25.50	.79	.63	26.92	30.50
0624	8" thick		5300	.017		35.50	.84	.66	37	41
0626	9" thick		4820	.018		40	.92	.73	41.65	46.50
0628	10" thick		4050	.022		44.50	1.10	.87	46.47	51
0630	12" thick		3470	.025		51	1.28	1.01	53.29	59
0632	15" thick		2890	.030		64.50	1.54	1.21	67.25	74.50
0640	Slip form, 24' pass, unreinforced, 6" thick		11200	.008		25.50	.40	.31	26.21	29
0644	8" thick		10600	.008		34	.42	.33	34.75	38.50
0646	9" thick		9640	.009		39	.46	.36	39.82	44
0648	10" thick		8100	.011		43	.55	.43	43.98	49
0650	12" thick		6940	.013		49.50	.64	.51	50.65	56
0652	15" thick		5780	.015		62.50	.77	.61	63.88	70.50
0700	Finishing, broom finish small areas	2 Cefi	120	.133			7.10		7.10	10.35
1000	Curing, with sprayed membrane by hand	2 Clab	1500	.011		1.22	.49		1.71	2.06
1650	For integral coloring, see Section 03 05 13.20									

32 14 Unit Paving

32 14 13 – Precast Concrete Unit Paving

32 14 13.13 Interlocking Precast Concrete Unit Paving

0010	INTERLOCKING PRECAST CONCRETE UNIT PAVING									
0020	"V" blocks for retaining soil	D-1	205	.078	S.F.	11.60	3.91		15.51	18.65

32 14 13.16 Precast Concrete Unit Paving Slabs

0010	PRECAST CONCRETE UNIT PAVING SLABS									
0710	Precast concrete patio blocks, 2-3/8" thick, colors, 8" x 16"	D-1	265	.060	S.F.	12.45	3.03		15.48	18.25
0750	Exposed local aggregate, natural	2 Bric	250	.064		9.10	3.54		12.64	15.30
0800	Colors		250	.064		11.20	3.54		14.74	17.60
0850	Exposed granite or limestone aggregate		250	.064		9.40	3.54		12.94	15.65
0900	Exposed white tumblestone aggregate		250	.064		12.45	3.54		15.99	19

32 14 13.18 Precast Concrete Plantable Pavers

0010	PRECAST CONCRETE PLANTABLE PAVERS (50% grass)									
0015	Subgrade preparation and grass planting not included									
0100	Precast concrete plantable pavers with topsoil, 24" x 16"	B-63	800	.050	S.F.	4.04	2.39	.33	6.76	8.35
0200	Less than 600 S.F. or irregular area	"	500	.080	"	4.04	3.83	.53	8.40	10.75
0300	3/4" crushed stone base for plantable pavers, 6" depth	B-62	1000	.024	S.Y.	3.09	1.19	.26	4.54	5.45
0400	8" depth		900	.027		4.12	1.32	.29	5.73	6.80
0500	10" depth		800	.030		5.15	1.48	.33	6.96	8.20
0600	12" depth		700	.034		6.20	1.69	.38	8.27	9.75
0700	Hydro seeding plantable pavers	B-81A	20	.800	M.S.F.	33	38.50	35	106.50	133
0800	Apply fertilizer and seed to plantable pavers	1 Clab	8	1	"	50	45.50		95.50	123

32 14 16 – Brick Unit Paving

32 14 16.10 Brick Paving

0010	BRICK PAVING									
0012	4" x 8" x 1-1/2", without joints (4.5 bricks/S.F.)	D-1	110	.145	S.F.	4.37	7.30		11.67	15.75
0100	Grouted, 3/8" joint (3.9 bricks/S.F.)		90	.178		3.98	8.90		12.88	17.80
0200	4" x 8" x 2-1/4", without joints (4.5 bricks/S.F.)		110	.145		4.59	7.30		11.89	16
0300	Grouted, 3/8" joint (3.9 bricks/S.F.)		90	.178		3.98	8.90		12.88	17.80
0455	Pervious brick paving, 4" x 8" x 3-1/4", without joints (4.5 bricks/S.F.)		110	.145		2.86	7.30		10.16	14.10
0500	Bedding, asphalt, 3/4" thick	B-25	5130	.017		.68	.85	.57	2.10	2.64
0540	Course washed sand bed, 1" thick	B-18	5000	.005		.53	.22	.03	.78	.94