4250 4300 4500 4550 4600 4650 4700 4900 5000 5050 5100	10.34 Concrete Block, Partitions 10" thick 12" thick Reinforced alternate courses, 8" x 16" x 4" thick 6" thick 8" thick 10" thick 12" thick	D-8 D-8		Labor- Hours	Unit S.F.	Material 3.74	2022 Bare Costs Labor Equipment 5.70	Total 9.44	Total
4250 4300 4500 4550 4600 4650 4700 4900 5000 5050 5100	10" thick 12" thick Reinforced alternate courses, 8" × 16" × 4" thick 6" thick 8" thick 10" thick 12" thick	D-8 D-9	360	.111					
4500 4550 4600 4650 4700 4900 5000 5050 5100	Reinforced alternate courses, 8" x 16" x 4" thick 6" thick 8" thick 10" thick 12" thick		340						12.65
4550 4600 4650 4700 4900 5000 5050 5100	6" thick 8" thick 10" thick 12" thick	D-8	425	.141		4.38	7.10	11.48	15.45
4600 4650 4700 4900 5000 5050 5100	8" thick 10" thick 12" thick			.094		1.95	4.81	6.76	9.40
4650 . 4700 . 4900 5000 5050 5100	10" thick 12" thick	• • •	395	.101	1.	4.07	5.20	9.27	12.30
4700 . 4900 . 5000 . 5050 .	12" thick	1 +	370	.108	. []	2.67	5.55	8.22	11.25
4900 5000 5050 5100			355	.113		4.41	5.75	10.16	13.50
5000 ¹ 5050 5100		D-9	335	.143		4.56	7.20	11.76	15.80
5050 5100	Solid, not reinforced, 2" thick	[D-8	435	.092		1.52	4.70	6.22	8.7
5100	3" thick	1 1	430	.093		1.34	4.76	6.10	8.60
	4" thick	1 1	415	.096	ì	1.99	4.93	6.92	9.60
FIFO	6" thick		385	.104	-	3.33	5.30	8.63	11.6
5150	8" thick	The same	360	.111		3.58	5.70	9.28	12.50
5200	12" thick	D-9	325	.148	Market State of State	3.55	7.40	10.95	15
5500	Solid, reinforced alternate courses, 4" thick	D-8	420	.095		2.11	4.87	6.98	9.60
5550	6" thick	1	380	.105		3.50	5.40	8.90	11.9
5600	8" thick	1 🛊		.113		3.78	5.75	9.53	12.80
5650	12" thick	D-9	320	.150	+	4.44	7.50	11.94	16.20
	10.38 Concrete Brick								
	CONCRETE BRICK, C55, grade N, type 1	D. 4		0/3	_		0.10	0.01	F 4
0100	Regular, 4" x 2-1/4" x 8"	D-8	660	.061	Ea.	.71	3.10	3.81	5.4
0125	Rusticated, 4" x 2-1/4" x 8"		660	.061		.80	3.10	3.90	5.55
0150	Frog, 4" x 2-1/4" x 8"	PE I	660	.061		.77	3.10	3.87	5.50
0200	Double, 4" x 4-7/8" x 8"		535	.075	*	1.24	3.82	5.06	7.1
	10.42 Concrete Block, Screen Block								
0010 C 0200	CONCRETE BLOCK, SCREEN BLOCK 8" x 16", 4" thick	D-8	330	.121	S.F.	12.05	6.20	18.25	22.50
0300	8" thick	₽-0	270	.148	3.1.	13.95	7.60	- 21.55	26.50
0350	12" x 12", 4" thick		290	.138		7.85	7.05	14.90	19.20
0500	8" thick			1.160	1	7.60	8.20	15.80	20.50
	10.44 Glazed Concrete Block	- : Y	230	, .100		7.00	0.20 ;	13.00	20.3
	GLAZED CONCRETE BLOCK (744								
0100	Single face, 8" x 16" units, 2" thick	D-8	360	.111	S.F.	12.80	5.70	18.50	22.50
0200	4" thick		345	.116	-	13.15	5.95	19.10	23.50
0250	6" thick		330	.121		15.50	6.20	21.70	26.50
0300	8" thick			.129		17.20	6.60	23.80	29
0350	10" thick	1 +	295	.136	-	17.65	6.95	24.60	
0400	12" thick	D-9	280	1.171	Note that the same of the same	18.95	8.60	27.55	34
0700	Double face, 8" x 16" units, 4" thick	D-8	340	.118	1	17.80	6	23.80	28.50
0750	6" thick	D-8	320	.125	S.F.	22.50	6.40	28.90	34.50
0800	8" thick	* * * * * * * * * * * * * * * * * * *	300	.133	n	24	6.80	30.80	37
1000	Jambs, bullnose or square, single face, 8" x 16", 2" thick	Company of the	315	.127	Ea.	21.50	6.50	28	33.50
1050	4" thick		285	.140	#	22	7.20	29.20	35.5
1200	Caps, bullnose or square, 8" x 16", 2" thick		420	.095	L.F.	21	4.87	25.87	31
1250	4" thick		380	.105	H	24.50	5.40	29.90	35
1256	Corner, bullnose or square, 2" thick		280	1.143	Ea.	25	7.30	32.30	38
1258	4" thick		270	1.148	distribution of the second	28.50	7.60	36.10	
1260	6" thick		260	.154	1	31.50	7.85	39.35	46.50
1270	8" thick		250	.160		41	8.20	49.20	58
1280	10" thick		240	.167		33.50	8.55	42.05	50
1290	12" thick		230	.174	-	33	8.90	41.90	49.5
1500 1550	Cove base, 8" x 16", 2" thick 4" thick		315	.127	L.F.	11.25	6.50 7.20	17.75	22 23.50