

# 09 93 Staining and Transparent Finishing

## 09 93 23 – Interior Staining and Finishing

09 93 23.10 Varnish		Crew	Daily Output	Labor-Hours	Unit	Material	2022 Bare Costs		Total	Total Incl O
0010 VARNISH							Labor	Equipment		
0012	1 coat + sealer, on wood trim, brush, no sanding included	1 Pord	400	.020	S.F.	.20	.96		1.16	
0020	1 coat + sealer, on wood trim, brush, no sanding included, no VOC		400	.020		.22	.96		1.18	
0100	Hardwood floors, 2 coats, no sanding included, roller		1890	.004		.15	.20		.35	

# 09 96 High-Performance Coatings

## 09 96 23 – Graffiti-Resistant Coatings

### 09 96 23.10 Graffiti-Resistant Treatments

0010	GRAFFITI-RESISTANT TREATMENTS, sprayed on walls									
0100	Non-sacrificial, permanent non-stick coating, clear, on metals	1 Pord	2000	.004	S.F.	.35	.19		.54	
0200	Concrete		2000	.004		.40	.19		.59	
0300	Concrete block		2000	.004		.52	.19		.71	
0400	Brick		2000	.004		.58	.19		.77	
0500	Stone		2000	.004		.58	.19		.77	
0600	Unpainted wood		2000	.004		.67	.19		.86	
2000	Semi-permanent cross linking polymer primer, on metals		2000	.004		.41	.19		.60	
2100	Concrete		2000	.004		.50	.19		.69	
2200	Concrete block		2000	.004		.62	.19		.81	
2300	Brick		2000	.004		.50	.19		.69	
2400	Stone		2000	.004		.50	.19		.69	
2500	Unpainted wood		2000	.004		.69	.19		.88	
3000	Top coat, on metals		2000	.004		.51	.19		.70	
3100	Concrete		2000	.004		.58	.19		.77	
3200	Concrete block		2000	.004		.81	.19		1	
3300	Brick		2000	.004		.67	.19		.86	
3400	Stone		2000	.004		.67	.19		.86	
3500	Unpainted wood		2000	.004		.81	.19		1	
5000	Sacrificial, water based, on metal		2000	.004		.22	.19		.41	
5100	Concrete		2000	.004		.22	.19		.41	
5200	Concrete block		2000	.004		.22	.19		.41	
5300	Brick		2000	.004		.22	.19		.41	
5400	Stone		2000	.004		.22	.19		.41	
5500	Unpainted wood		2000	.004		.22	.19		.41	
8000	Cleaner for use after treatment									
8100	Towels or wipes, per package of 30				Ea.	.49			.49	
8200	Aerosol spray, 24 oz. can				"	13			13	14
8500	Graffiti removal with chemicals									
8510	Brush on, spray rinse off, on brick, masonry or stone	A-1H	200	.040	S.F.	.33	1.82	.40	2.55	3
8520	On smooth concrete	"	400	.020		.26	.91	.20	1.37	1
8530	Wipe on, wipe off, on plastic or painted metal	1 Clab	1500	.005		.49	.24		.73	
8540	Brush on, wipe off, on painted wood	"	500	.016		.25	.73		.98	1

## 09 96 46 – Intumescent Painting

### 09 96 46.10 Coatings, Intumescent

0010	COATINGS, INTUMESCENT, spray applied									
0100	On exterior structural steel, 0.25" d.f.t.	1 Pord	475	.017	S.F.	.51	.81		1.32	1
0150	0.51" d.f.t.		350	.023		.51	1.09		1.60	2
0200	0.98" d.f.t.		280	.029		.51	1.37		1.88	2
0300	On interior structural steel, 0.108" d.f.t.		300	.027		.51	1.27		1.78	2
0350	0.310" d.f.t.		150	.053		.51	2.55		3.06	4
0400	0.670" d.f.t.		100	.080		.51	3.82		4.33	6