09 91 Painting

09 91 13 - Exterior Painting	09	91 13	-	Exterio	r P	ainting
------------------------------	----	-------	---	---------	-----	---------

09 91	13.60 Siding Exterior		Crew	Daily Output	Labor- Hours	Unit	Material	2022 Bare Costs Labor Equipment	Total	Total Incl O8
4000	Spray	*	2 Pord		.005	S.F.	.25	.25	.50	incro
4200	Wood shingles, oil base primer coat, brushwork			1300	.012		.14	.59	.73	
4400	Spray			3900	.004		.13	.20	.33	
5000	Paint 2 coats, brushwork			810	.020		.39	.94	1.33	
5200	Spray			2275	.007		.37	.34	.71	
6500	Stain 2 coats, brushwork			950	.017		.23	.81	1.04	
7000	Spray		1	2660	.006		.31	.29	.60	
8000	For latex paint, deduct		I	2000	.000		10%	+ des 7	.00	
8100	For work over 12' H, from pipe scaffolding, add		1					15%		
8200	For work over 12' H, from extension ladder, add		Ī			1 1	 	25%		
8300	For work over 12' H, from swing staging, add							35%		
						V		03/0		
	13.62 Siding, Misc.									
	SIDING, MISC., latex paint	R099100-10								
0100	Aluminum siding		0.0.1	0075	707	6.5	3.4	2.4	40	
0110	Brushwork, primer	R099100-20	2 Pord		.007	S.F.	.14	.34	.48	
0120	Finish coat, exterior latex			2275	.007		.13	.34	.47	
0130	Primer & 1 coat exterior latex			1300	.012		.29	.59	.88	
0140	Primer & 2 coats exterior latex		1 +	975	.016	1	.42	.78 .	1.20	
0150	Mineral fiber shingles									
0160	Brushwork, primer		2 Pord	1495	.011	S.F.	.15	.51	.66	
0170	Finish coat, industrial enamel			1495	.011		.42	.51	.93	
0180	Primer & 1 coat enamel			810	.020		.57	.94	1.51	
0190	Primer & 2 coats enamel		3	540	.030		1	1.42	2.42	
0200	Roll, primer			1625	.010		.17	.47	.64	
0210	Finish coat, industrial enamel			1625	.010	i	.45	.47	.92	
0220	Primer & 1 coat enamel			975	.016	: 1	.63	.78	1.41	1
0230	Primer & 2 coats enamel			650	.025	1 1	1.08	1.18	2.26	1
0240	Spray, primer			3900	.004		.13	.20	.33	
0250	Finish coat, industrial enamel			3900	.004		.38	.20	.58	
0260	Primer & 1 coat enamel			2275	.007		.51	.34	.85	
0270	Primer & 2 coats enamel		· ; ·	- 1625	.010	1	.89	.47	1.36	
0280	Waterproof sealer, first coat			4485	.004	1	.12	.17	.29	
0290	Second coat		1	5235	.003	1	.12	.15 [.27	
0300	Rough wood incl. shingles, shakes or rough sawn siding									
0310	Brushwork, primer		2 Pord	1280	.013	S.F.	.31	.60 }	.91	
0320	Finish coat, exterior latex		-	1280	.013		.23	.60 ;	.83	
0330	Primer & 1 coat exterior latex			960	.017		.54	.80	1.34	
0340	Primer & 2 coats exterior latex			700	.023		.76	1.09	1.85	
0350	Roll, primer			2925	.005	:	.41	.26	.67	
0360	Finish coat, exterior latex			2925	.005		.27	.26	.53	
0370	Primer & 1 coat exterior latex			1790	.009	11	.69	.43	1.12	
0380	Primer & 2 coats exterior latex			1300	.012		.96	.59	1.55	
0390	Spray, primer		1 1	3900	.004	1 1	.35	.20	.55	
0400	Finish coat, exterior latex			3900	.004		.21	.20	.41	
0410	Primer & 1 coat exterior latex			2600	.006	}	.56	.29	.85	
0420	Primer & 2 coats exterior latex			2080	.008	1	.77	.37	1.14	
0430	Waterproof sealer, first coat			4485	.004		.22	.17	.39	
0440	Second coat		i i	4485	.004	I video	.12	.17	.29	
0450	Smooth wood incl. butt, T&G, beveled, drop or B&B siding			. 103	,501		.12		·L1	
0460	Brushwork, primer		2 Pord	2325	.007	S.F.	.22	.33	.55	
0470	Finish coat, exterior latex		2 1010	1280	.013	J.1.	.23	.60 :	.83	
0480	Primer & 1 coat exterior latex			800	.020		.45	.96	1.41	