

# **DATA SHEET**

SURFACE MOUNT MULTILAYER CERAMIC CAPACITORS

General purpose & High capacitance Class 2, X5R

100~pF to  $220~\mu F$  RoHS compliant & Halogen free



YAGEO Phícomp



### SCOPE

This specification describes X5R series chip capacitors with leadfree terminations.

# **APPLICATIONS**

PCs, Hard disk, Game PCs Power supplies **DVD** players Mobile phones Data processing

#### **FEATURES**

Supplied in tape on reel Nickel-barrier end termination RoHS compliant Halogen free compliant

# ORDERING INFORMATION-GLOBAL PART NUMBER, PHYCOMP CTC & 12NC

All part numbers are identified by the series, size, tolerance, TC material, packing style, voltage, process code, termination and capacitance value.

# YAGEO BRAND ordering code

# **GLOBAL PART NUMBER (PREFERRED)**

CC xxxx x x X5R x BB xxx (1) (2) (3) (4)

# (I) SIZE – INCH BASED (METRIC)

0201 (0603) 0402 (1005)

0603 (1608) 0805 (2012)

1206 (3216)

1210 (3225)

# (2) TOLERANCE

 $K = \pm 10\%$  $M = \pm 20\%$ 

# (3) PACKING STYLE

R = Paper/PE taping reel; Reel 7 inch

K = Blister taping reel; Reel 7 inch

P = Paper/PE taping reel; Reel 13 inch

F = Blister taping reel; Reel 13 inch

C = Bulk case

#### (4) RATED VOLTAGE

 $4 = 4 \ \lor$ 

5 = 6.3 V

6 = 10 V

7 = 16 V

8 = 25 V

9 = 50 V

#### (5) CAPACITANCE VALUE

2 significant digits+number of zeros


The 3rd digit signifies the multiplying factor, and letter R is decimal point

Example:  $103 = 10 \times 10^3 = 10,000 \text{ pF} = 10 \text{ nF}$ 

# CONSTRUCTION

The capacitor consists of a rectangular block of ceramic dielectric in which a number of interleaved metal electrodes are contained. This structure gives rise to a high capacitance per unit volume.


The inner electrodes are connected to the two end terminations and finally covered with a layer of plated tin (NiSn). The terminations are lead-free. A cross section of the structure is shown in Fig. I.



# **DIMENSION**

Table I For outlines see fig. 2				L <sub>2</sub> / L <sub>3</sub>	(mm)	L <sub>4</sub>	DIMENSION
TYPE	L <sub>I</sub> (mm)	W (mm)	T (MM)	min.	max.	(mm) min.	CODE
	0.6 ±0.03	0.3 ±0.03	0.3 ±0.03	0.1	0.2	0.2	BA
0201	0.6 ±0.05	0.3 ±0.05	0.3 ±0.05	0.1	0.2	0.2	BB
0201	0.6 ±0.09	0.3 ±0.09	0.3 ±0.09	0.1	0.25	0.2	ВС
	0.6 ±0.15	0.3 ±0.15	0.3 ±0.15	0.1	0.25	0.2	BD
	1.0 ±0.05	0.5 ±0.05	0.5 ±0.05	0.15	0.35	0.4	CA
0402	1.0 ±0.10	0.5 ±0.10	0.5 ±0.10	0.15	0.35	0.4	СВ
0402	$1.0 \pm 0.15$	0.5 ±0.15	0.5 ±0.15	0.15	0.35	0.4	CC
	1.0 ±0.20	0.5 ±0.20	0.5 ±0.20	0.15	0.35	0.4	CD
	1.6 ±0.10	0.8 ±0.10	0.8 ±0.10	0.2	0.6	0.4	DA
0603	1.6 ±0.15	0.8 ±0.15	$0.8 \pm 0.15$	0.2	0.6	0.4	DB
	1.6 ±0.20	0.8 ±0.20	0.8 ±0.20	0.2	0.6	0.4	DC
0805	$2.0 \pm 0.20$	1.25 ±0.20	$0.85 \pm 0.10$	0.25	0.75	0.7	EA
0003	2.0 ±0.20	1.25 ±0.20	1.25 ±0.20	0.25	0.75	0.7	EB
	$3.2 \pm 0.15$	1.6 ±0.15	$1.15 \pm 0.10$	0.25	0.75	1.4	FA
1206	$3.2 \pm 0.30$	1.6 ±0.20	$1.25 \pm 0.20$	0.25	0.75	1.4	FB
1200	$3.2 \pm 0.30$	1.6 ±0.30	$1.60 \pm 0.20$	0.25	0.80	1.4	FC
	3.2 ±0.30	1.6 ±0.30	1.60 ±0.30	0.30	0.90	1.4	FD
	$3.2 \pm 0.40$	2.5 ±0.30	$1.25 \pm 0.20$	0.25	0.75	1.4	GA
1210	$3.2 \pm 0.40$	$2.5 \pm 0.30$	$1.90 \pm 0.20$	0.25	0.75	1.4	GB
	$3.2 \pm 0.40$	2.5 ±0.30	$2.5 \pm 0.20$	0.25	0.75	1.0	GC
-	3.2 ±0.40	2.5 ±0.30	2.5 ±0.30	0.25	0.75	1.0	GD

# **OUTLINES**



# CAPACITANCE RANGE & THICKNESS FOR X5R

**Table 2** Sizes from 0201 to 0402

CAP.	0201						0402					
	4 V	6.3 V	10 V	16 V	25 V	50 V	4 V	6.3 V	10 V	16 V	25 V	50 V
100 pF		ВА	ВА	ВА	ВА	ВА						
150 pF		ВА	ВА	ВА	ВА	ВА						
220 pF		ВА	ВА	ВА	ВА	ВА						
330 pF		ВА	ВА	BA	ВА	ВА						
470 pF		ВА	ВА	ВА	ВА	ВА						
680 pF		ВА	ВА	BA	ВА	ВА						
I.O nF		ВА	ВА	BA	ВА	ВА						
1.5 nF		ВА	ВА	BA	ВА							
2.2 nF		ВА	ВА	ВА	ВА							
3.3 nF		ВА	ВА	BA	ВА							
4.7 nF		ВА	ВА	ВА	ВА							
6.8 nF		ВА	ВА	ВА	ВА							
IO nF		ВА	ВА	BA	ВА							
15 nF		ВА	ВА	BA								
22 nF		ВА	ВА	ВА	ВА			CA	CA	CA	CA	CA
33 nF		ВА	ВА	ВА				CA	CA	CA	CA	CA
47 nF		ВА	ВА	ВА				CA	CA	CA	CA	CA
68 nF		ВА	ВА	ВА				CA	CA	CA	CA	CA
100 nF		ВА	ВА	ВА	ВВ			CA	CA	CA	CA	CA
150 nF								CA	CA	CA	CA	CA
220 nF	ВА	ВА	ВА					CA	CA	CA	CA	CA
330 nF								CA	CA			
470 nF	ВА	ВА						CA	CA	СВ	СВ	СВ
680 nF								CA	CA			
Ι.0 μF	ВВ	ВВ	ВВ					CA	CA	CA	CA	
2.2 µF	ВС	ВС	ВС					CA	CA	CC	CD	
4.7 µF	BD						CC	CC	CC	CC		
10 μF							CD	CD	CD			
22 µF							CD	CD				

# NOTE

- 1. Values in shaded cells indicate thickness class in mm
- 2. Capacitance value of non E-6 series is available on request

# CAPACITANCE RANGE & THICKNESS FOR X5R

**Table 3** Sizes from 0603 to 0805

CAP.	0603						0805					
	4V	6.3 V	10 V	16 V	25 V	50V	4V	6.3 V	10 V	16 V	25 V	50V
10 nF												
15 nF												
22 nF												
33 nF												
47nF												
68 nF												
100 nF												
150 nF												
220 nF		DA	DA	DA	DA	DA						
330 nF		DA	DA	DA	DA	DA						
470 nF		DA	DA	DA	DA	DA		EA EB	EA EB	EA EB	EB	EB
680 nF		DA	DA	DA	DA	DA		EA EB	EA EB	EA EB	EB	EB
Ι.Ο μF		DA	DA	DA	DA	DA		EA EB	EA EB	EA EB	EB	EB
2.2 µF		DA	DA	DA	DB	DC		EA EB	EA EB	EA EB	EA EB	EB
4.7 µF		DA	DA	DB	DB			EA EB	EA EB	EB	EB	EB
10 μF		DB	DC	DC	DC			EA EB	EA EB	EA EB	EB	
22 µF		DC	DC					EB	EB	EB	EB	
47 µF	DC	DC						EB	EB			
100 μF												

#### NOTE

- 1. Values in shaded cells indicate thickness class in mm
- 2. Capacitance value of non E-6 series is available on request

CAP.	1206	10.)/	17.17	25.1/	F0\/	1210 6.3 V	10.\/	17.17	25.1/	50V
10 - 5	6.3 V	10 V	16 V	25 V	50V	6.3 V	10 V	16 V	25 V	307
10 nF										
15 nF										
22 nF										
33 nF										
47nF										
68 nF										
100 nF										
150 nF										
220 nF										
330 nF										
470 nF										
680 nF										
Ι.0 μF	FA	FA	FA	FA	FC	GA	GA	GA	GA	GA
2.2 µF	FA	FA	FA	FA	FC	GB	GB	GB	GB	GB
4.7 µF	FC	FC	FC	FC	FC	GB	GB	GB	GB	GC
10 μF	FC	FC	FC	FC	FD	GB	GB	GB	GB	GD
22 µF	FC	FC	FC	FD		GC	GC	GC	GD	
47 µF	FC	FC	FD			GC	GC	GC		
100 µF	FD					GD	GD	GD		
220 µF						GD				

#### NOTE

- 1. Values in shaded cells indicate thickness class in mm
- 2. Capacitance value of non E-6 series is available on request

# THICKNESS CLASSES AND PACKING QUANTITY

Table 5	;						
SIZE CODE	THICKNESS CLASSIFICATION	TAPE WIDTH QUANTITY PER REEL	Ø180 MM Paper	I / 7 INCH Blister	Ø330 MM Paper	/ 13 INCH Blister	QUANTITY PER BULK CASE
0201	0.3 ±0.03 mm	8 mm	15,000		50,000		
0402	0.5 ±0.05 / 0.1 mm	8 mm	10,000		50,000		50,000
0102	0.5 ±0.15 / 0.2 mm	8 mm	10,000		40,000		
0603	0.8 ±0.1 mm	8 mm	4,000		15,000		15,000
	0.6 ±0.1 mm	8 mm	4,000		20,000		10,000
0805	0.85 ±0.1 mm	8 mm	4,000		15,000		8,000
	1.25 ±0.2 mm	8 mm		3,000		10,000	5,000
	0.6 ±0.1 mm	8 mm	4,000		20,000		
	0.85 ±0.1 mm	8 mm	4,000		15,000		
1206	1.00 / 1.15 ±0.1 mm	8 mm		3,000		10,000	
. 200	1.25 ±0.2 mm	8 mm		3,000		10,000	
	1.6 ±0.15 mm	8 mm		2,500		10,000	
	1.6 ±0.2 mm	8 mm		2,000		8,000	
	0.6 / 0.7 ±0.1 mm	8 mm		4,000		15,000	
	0.85 ±0.1 mm	8 mm		4,000		10,000	
	1.15 ±0.1 mm	8 mm		3,000		10,000	
	1.15 ±0.15 mm	8 mm		3,000		10,000	
	1.25 ±0.2 mm	8 mm		3,000			
1210	1.5 ±0.1 mm	8 mm		2,000			
	1.6 / 1.9 ±0.2 mm	8 mm		2,000			
	2.0 ±0.2 mm	8 mm		2,000 1,000			
	2.5 ±0.2 mm	8 mm		1,000 500			

# **ELECTRICAL CHARACTERISTICS**

# **X5R DIELECTRIC CAPACITORS; NISN TERMINATIONS**

Unless otherwise specified, all tests and measurements shall be made under standard atmospheric conditions for testing as given in 5.3 of IEC 60068-1:

- Temperature: 15 °C to 35 °C - Relative humidity: 25% to 75% - Air pressure: 86 kPa to 106 kPa

Before the measurements are made, the capacitor shall be stored at the measuring temperature for a time sufficient to allow the entire capacitor to reach this temperature.

The period as prescribed for recovery at the end of a test is normally sufficient for this purpose.

Capacitano	e range					100 pF	to 220 µF
Capacitano	e tolerance					'	and ±20%
Dissipation	factor (D.F.)						
X5R	0201	0402	0603	0805	1206	1210	D.F
≤ 6.3V	100pF to 10nF	22nF to 100nF	220nF to TuF	470nF to 680nF	luF to 10uF	luF to 10uF	≤ 5%
		I 20nF to 220nF				22uF	≤ 7%
	12nF to 1uF	330nF to 10uF	2.2uF to 47uF	luF to 100uF	22uF to 47uF	47uF to 220uF	≤ 10%
	2.2uF				100uF, 220uF		≤ 15%
	4.7uF	22uF					≤ 20%
10V	100pF to 10nF	22nF to 100nF	220nF to 470nF	470nF to 680nF	IuF to 4.7uF	luF to 4.7uF	≤ 5%
		I 20nF to 220nF	680nF	IuF			≤ 7%
	12nF to 220nF, 1uF	330nF to 10uF	I uF to 22uF	2.2uF to 47uF	10uF to 47uF	10uF to 100uF	≤ 10%
	470nF						≤ 15%
	2.2uF						≤ 20%
16V	100pF to 10nF	22nF to 100nF	220nF to 470nF	470nF to 680nF	IuF to 4.7uF	IuF to 4.7uF	≤ 5%
		120nF to 220nF	680nF to TuF	I uF to 2.2uF			≤ 7%
	I2nF to 220nF	470nF to 4.7uF	2.2uF to 10uF	4.7uF to 22uF	10uF to 47uF	10uF to 100uF	≤ 10%
	470nF						≤ 20%
25V	100pF to 470pF	22nF		470nF to TuF	IuF to 2.2uF	IuF to 4.7uF	≤ 3.5%
	560pF to 10nF	27nF to 100nF	220nF to 470nF	2.2uF	4.7uF	I OuF	≤ 5%
		120nF to 220nF	680nF to TuF				≤ 7%
	22nF, 100nF	470nF to 2.2uF	2.2uF to 10uF	4.7uF to 22uF	10uF to 22uF	22uF	≤ 10%
50V	100pF to InF	22nF					≤ 3.5%
		27nF to 120nF					≤ 5%
		150nF to 220nF					≤ 7%
		470nF	220nF to 2.2uF	470nF to 10uF	luF to 10uF	luF to 10uF	≤ 10%
Insulation	resistance after 1 min	ute at Ur (DC)	Ri	ns≥ 10 GΩ or Rir	ns × Cr ≥ 50/100/5	500* seconds which	ever is less
Maximum	capacitance change as a	function of tempe	rature				

#### NOTE

\* Rins  $\geq$  10 G $\Omega$  or Rins  $\times$  Cr  $\geq$  500 $\Omega$ .F:

0201 : I00pF to 47nF 0402 : 22nF to 470nF 0603 : 220nF to TuF

0805:470 nF to 2.2 uF, 4.7 uF/6.3 V to 10 V1206 : IuF to 2.2uF, 4.7uF/6.3V to IOV 1210 : IuF to 2.2uF, 4.7uF/6.3V to 16V

\* Rins × Cr  $\geq$  50 $\Omega$ .F:

0201 : luF 0402 : IOuF

0603 : IOuF to 22uF

0805 : I0uF/50V, 47uF to I00uF

1206: 100uF, 220uF

\* Rins × Cr  $\geq$  100 $\Omega$ .F:

0201: 100nF to 470nF 0402 : IuF to 4.7uF 0603: 2.2uF to 4.7uF


0805:4.7uF/16V to 50V, 10uF to 22uF/4V to 25V

1206: 4.7uF/16V to 50V, 10uF to 47uF 1210: 4.7uF/25V to 50V, 10uF to 220uF


\* Rins × Cr  $\geq$  20 $\Omega$ ,F:


0201: 2.2uF to 4.7uF


0402 : 22uF 0603:47uF

















# SOLDERING RECOMMENDATION

Table 7						
SOLDERING METHOD	SIZE 0201	0402	0603	0805	1206	≥ 1210
METHOD	0201	0402	0603	0003	1206	≥ 1210
Reflow	Reflow only	> 100 nF	> IµF	> 2.2 µF	$>$ 2.2 $\mu F$	Reflow only
Reflow/Wave		≤ 100 nF	≤IµF	≤ 2.2 µF	≤ 2.2 µF	

# TESTS AND REQUIREMENTS

**Table 8** Test procedures and requirements

TEST	TEST MET	HOD	PROCEDURE	REQUIREMENTS		
Mounting	IEC 60384- 21/22	4.3	The capacitors may be mounted on printed-circuit boards or ceramic substrates	No visible damage		
Visual Inspection and Dimension Check		4.4	Any applicable method using × 10 magnification	In accordance with specification		
Capacitance (I)		4.5.1	Class 2:	Within specified tolerance		
Dissipation Factor (D.F.) <sup>(1)</sup>		4.5.2	At 20 °C, 24 hrs after annealing Cap $\leq$ I $\mu$ F, f = I KHz, measuring at voltage I Vrms at 20 °C Cap > IuF, f = I KHz for C $\leq$ I0 $\mu$ F, rated voltage > 6.3 V, measuring at voltage I Vrms at 20 °C f = I KHz, for C $\leq$ I0 $\mu$ F, rated voltage $\leq$ 6.3 V, measuring at voltage 0.5 Vrms at 20 °C f = I20 Hz for C > I0 $\mu$ F, measuring at voltage 0.5 Vrms at 20 °C			
Insulation Resistance		4.5.3	At U <sub>r</sub> (DC) for I minute	In accordance with specification		

# NOTE

 $I.\ The\ figure\ indicates\ typical\ inspection.\ Please\ refer\ to\ individual\ specifications.$ 

**REQUIREMENTS** <General purpose series>

 $\Delta$  C/C:  $\pm 30$ ppm

X7R: Δ C/C: ±15% Y5V: Δ C/C: 22~-82%

<High Capacitance series>

 $\times$ 7R/ $\times$ 5R:  $\Delta$  C/C:  $\pm$ 15% Y5V: Δ C/C: 22~-82%

Class I:

Class2:

Class2:

#### **TEST TEST METHOD PROCEDURE**

# **Temperature** Characteristic

Capacitance shall be measured by the steps shown in the following table.

> The capacitance change should be measured after 5 min at each specified temperature stage.

Step	Temperature(°C)
a	25±2
Ь	Lower temperature±3℃
С	25±2
d	Upper Temperature±2°C
е	25±2

(I) Class I

Temperature Coefficient shall be calculated from the formula as below

Temp, Coefficient = 
$$\frac{C2 - C1}{C1 \times \Delta T} \times 10^6$$
 [ppm/°C]

C1: Capacitance at step c

C2: Capacitance at 125°C

 $\Delta T$ : 100°C(=125°C-25°C)

# (2) Class II

Capacitance Change shall be calculated from the formula

$$\Delta C = \frac{C2 - C1}{C1} \times 100\%$$

CI: Capacitance at step c

C2: Capacitance at step b or d

# Adhesion

4.7 A force applied for 10 seconds to the line joining the terminations and in a plane parallel to the substrate

Force

size ≥ 0603: 5N size = 0402: 2.5N size = 0201: 1N

Bending Strength

IEC 60384-21/22


4.8

Mounting in accordance with IEC 60384-22 paragraph 4.3

No visible damage

Conditions: bending I mm at a rate of I mm/s, radius jig 5 mm

# Test Substrate:



Unit: mm

 $\Delta$ C/C Class2:

<General purpose series>

X5R: ±10%

<High Capacitance series>

X5R: ±12.5%

	Dimensio	Dimension(mm)					
Туре	а	b	С				
0201	0.3	0.9	0.3				
0402	0.4	1.5	0.5				
0603	1.0	3.0	1.2				
0805	1.2	4.0	1.65				
1206	2.2	5.0	1.65				
1210	2.2	5.0	2.0				

TEST	TEST METH	IOD	PROCEDURE	REQUIREMENTS
Resistance to Soldering Heat	4.9		Precondition: 150 +0/ $-$ 10 °C for I hour, then keep for 24 $\pm$ 1 hours at room temperature  Preheating: for size $\leq$ 1206: 120 °C to 150 °C for I	Dissolution of the end face plating shall not exceed 25% of the length of the edge concerned
			minute  Preheating: for size > 1206: 100 °C to 120 °C for I minute and 170 °C to 200 °C for I minute  Solder bath temperature: 260 ±5 °C  Dipping time: 10 ±0.5 seconds	<general purpose="" series=""> ΔC/C Class2: ×5R: ±10% <high capacitance="" series=""></high></general>
			Recovery time: 24 ±2 hours	ΔC/C Class2: X5R: ±10%
			·	D.F. within initial specified value R <sub>ins</sub> within initial specified value
Solderability		4.10	Preheated the temperature of 80 °C to 140 °C and maintained for 30 seconds to 60 seconds.	The solder should cover over 95% of the critical area of each termination
			I. Temperature: 235±5°C / Dipping time: 2 ±0.5 s	
			2. Temperature: $245\pm5^{\circ}\text{C}$ / Dipping time: $3\pm0.5\text{ s}$ (lead free)	
			Depth of immersion: 10mm	
Rapid Change of	IEC 60384- 21/22	4.11	Preconditioning; 150 +0/-10 °C for 1 hour, then keep for 24 $\pm$ 1 hours at $_{\cdot}$	No visual damage
Temperature			room temperature	<general purpose="" series=""> ΔC/C</general>
			5 cycles with following detail: 30 minutes at lower category temperature 30 minutes at upper category temperature	Class2: X5R: ±15%
			Recovery time 24 ±2 hours	<pre><high capacitance="" series=""> <math>\Delta C/C</math></high></pre>
				Class2: X5R: ±15%
			-	D.F. meet initial specified value R <sub>ins</sub> meet initial specified value

4 V to 50 V

TEST **TEST METHOD PROCEDURE REQUIREMENTS** Damp Heat 1. Preconditioning, class 2 only: No visual damage after recovery with U<sub>r</sub> Load 150 + 0/-10 °C /I hour, then keep for 24  $\pm$ I hour <General purpose series> at room temp  $\Delta C/C$ 2. Initial measure: Class2: Spec: refer to initial spec C, D, IR X5R: ±15% 3. Damp heat test: D.F. 500  $\pm$ 12 hours at 40  $\pm$ 2 °C; Class2: 90 to 95% R.H. I.O  $U_r$  applied X5R: 4. Recovery: ≤ 16V: ≤ 7% or 2 x initial value whichever Class 2: 24 ±2 hours is greater 5. Final measure: C, D, IR  $\geq$  25V:  $\leq$  5% or 2 x initial value whichever is greater P.S. If the capacitance value is less than the minimum  $R_{\text{ins}} \\$ value permitted, then after the other measurements Class2: have been made the capacitor shall be preconditioned  $X5R: \ge 500 \ M\Omega \ or \ R_{ins} \times C_r \ge 25s$ according to "IEC 60384 4.1" and then the whichever is less requirements shall be met. <High Capacitance series> \* General product:  $\Delta$ C/C 0201 < 100 nF0402 < IuFClass2: 0603 < 2.2uF X5R: ±20% 0805, 1206, 1210 < 4.7uF D.F. Class2: \* High cap product: X5R: 2 x initial value max 0201 ≥ 100nF  $R_{\text{ins}}$ 0402 ≥ IuF Class2: 0603 ≥ 2.2uF 0805, 1206, 1210 ≥ 4.7uF Rins x Cr ≥ 5s whichever is less

	TEST METHOD		PROCEDURE	REQUIREMENTS	
Endurance	IEC 60384- 21/22	4.14	<ol> <li>Preconditioning, class 2 only:</li> <li>150 +0/-10 °C /I hour, then keep for 24 ±1 hour at</li> </ol>	No visual damage	
			room temp	<general purpose="" series=""></general>	
			2. Initial measure:	ΔC/C	
			Spec: refer to initial spec C, D, IR	Class2:	
			3. Endurance test:	X5R: ±15%	
			Temperature: X5R: 85 °C	D.F.	
			Specified stress voltage applied for 1,000 hours:	Class2:	
			Applied 2.0 x Ur for general product*.	X5R:	
			Applied 1.5 $\times$ Ur for high cap. product*.	$\leq$ 16V: $\leq$ 7% or 2 × initial value whichever	
			Applied 1.0 $\times$ Ur for high cap. product*.	is greater	
			4. Recovery time: 24 ±2 hours	$\geq$ 25V: $\leq$ 5% or 2 × initial value whichever	
			5. Final measure: C, D, IR	is greater	
				R <sub>ins</sub>	
			P.S. If the capacitance value is less than the minimum	Class2:	
			value permitted, then after the other measurements	Class 2: $X5R: \geq 1,000 \text{ M}\Omega \text{ or } R_{ins} \times C_r \geq 50s$	
			have been made the capacitor shall be preconditioned	whichever is less	
			according to "IEC 60384 4.1" and then the requirements	whichever is less	
			shall be met.	<high capacitance="" series=""></high>	
				ΔC/C	
			* General product (Applied 2.0 x Ur):	Class 2:	
			0201 < 100nF	X5R: ±20%	
			0402 < 1uF	D.F.	
			0603 < 2.2uF		
			0805, 1206, 1210 < 4.7uF	Class 2:	
				X5R: 2 x initial value max	
			* High cap product (Applied 1.5 x Ur):	R <sub>ins</sub>	
			0201 ≥ 100nF	Class 2:	
			0402 ≥ 1uF	Rins x Cr ≥ 10s	
			0603 ≥ 2.2uF 0805, 1206, 1210 ≥ 4.7uF	whichever is less	
			* High cap product (Applied 1.0 x Ur):		
			0201: 100nF/25V, 2.2uF to 4.7uF 0402: 4.7uF to 22uF		
			0603: 4.7uF/25V, 10uF/10V to 25V, 22uF to 47uF		
			0805: 10uF/ 25V, 50V, 22uF to 100uF		
			1206: 10uF/ 50V		
Voltage Proof		4.6	Specified stress voltage applied for 1~5 seconds	No breakdown or flashover	
			$Ur \le 100 \text{ V}$ : series applied 2.5 $Ur$		
			100 V < Ur ≤ 200 V series applied		
			(1.5 Ur + 100)		
			200 V < Ur ≤ 500 V series applied		
			(1.3  Ur + 100)		
			Ur > 500 V: 1.3 Ur		
			Ur ≥ 1000 V: 1.2 Ur		
			Charge/Discharge current is less than 50 mA		

# REVISION HISTORY

REVISION	DATE	CHANGE NOTIFICATION	DESCRIPTION
Version 26	Mar. 26, 2020	-	- Capacitance range updated for 0201/0805/1206, 0201 D.F spec update, 1210 dimension update
Version 25	Jun. 2, 2017	=	- I.R spec updated
Version 24	Mar. 6, 2017	-	- 0805 L4 spec updated
Version 23	Nov. 15, 2016	-	- Dimension updated
Version 22	Oct. 3, 2016	-	- Dimension and Soldering recommendation updated
Version 21	Jan. 28, 2016	-	- Tests and requirements updated
Version 20	Dec. 04, 2015	-	- Size updated
Version 19	Apr. 09, 2015	-	- Voltage updated
Version 18	Jul. 07, 2014	-	- Voltage updated
Version 17	Mar. 31, 2014	-	- Test condition updated
Version 16	Nov. 29, 2012	-	- Test condition updated
Version 15	Sep. 03, 2012	-	- Test condition updated
Version 14	May 16, 2012	-	- Product range updated
Version 13	May 02, 2012	-	- Product range updated
Version 12	Feb 10, 2012	-	- Product range updated
Version I I	Oct 21, 2011	-	- Product range updated
Version 10	Jun 21, 2011	-	- Product range updated
Version 9	Mar 23, 2011	-	- Product range updated
Version 8	Jan 25, 2011	-	- Rated voltage of 0201 extend to 50V
Version 7	Jan 05, 2011	-	- Product range updated
Version 6	Jul 27, 2010	-	- Dimension on 0603 and 1206 case size updated
Version 5	Apr 21, 2010	-	- The statement of "Halogen free" on the cover added
			- Dimension updated
Version 4	Jan 13, 2010	-	- Thickness updated
Version 3	Aug 17, 2009	-	- Dimension updated
Version 2	Jun 09, 2009	-	- Ordering code updated
Version I	May 15, 2009	-	- Product range updated
Version 0	Apr 15, 2009	-	- New datasheet for general purpose and high capacitance X5R series with RoHS compliant
			- Replace the "6.3V to 50V" part of pdf files: UP-X5R_X7R_HighCaps_6.3-to-25V_II, UY-X5R_X7R_HighCaps_6.3-to-25V_II
			<ul> <li>Combine 0201 from pdf files: UP-NP0X5RX7RY5V_0201_6.3-to-50V_2 and UY-NPOX5RX7RY5V_0201_6.3-to-50V_2</li> </ul>
			- Define global part number
			- Description of "Halogen free compliant" added