


HOW TO PROCESS LOMOGRAPHY LADY GREY 400 ISO FILM

lomography



Developer	Dilution	Minutes	Temperature Celsius
Arista Liquid	stock	8	20°C (68°F)
Arista Premium	1+9	7	20°C (68°F)
Kodak D-23	stock	7	20°C (68°F)
Kodak D-23	1+1	10	20°C (68°F)
Ilford Microphen	stock	7	20°C (68°F)
Tetenal Neofin Blue	stock	12	20°C (68°F)
Tetenal Neofin Red	stock	10	20°C (68°F)
Rodinal	1+25	5	20°C (68°F)
Rodinal	1+50	5	20°C (68°F)
Kodak TMax Developer	1+50	5	20°C (68°F)
Kodak TMax RS	stock	6	20°C (68°F)
Kodak Professional X-Tol	1+3	13	20°C (68°F)
Kodak Professional X-Tol	stock	6.5	20°C (68°F)