

GoReact - Project Management System

GoReact - Project Management System

Base URLs:

- Develop Env: http://103.49.239.40:3030

Authentication

- HTTP Authentication, scheme: bearer

Auth

POST Login

POST /v1/auth/login

Testing

Body Parameters

```
{  
  "email": "string",  
  "password": "pa$$word"  
}
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none
» email	body	string	yes	none
» password	body	string(passw ord)	yes	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Login successful",  
  "data": {  
    "access_token":  
    "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJlbWFpbCI6ImFkbWluQGV4YW1wbGUuY29tIiw  
    iZXhwIjoxNzUzNjEwNTQyLCJwdWJfaWQiOiJiNjVhZDA4My0wNmJhLTRlNDAtOGNjOS0xNzY0MjQ3  
  }  
}
```

```

ZTcwMTMiLCJyb2xIjoiYWRTaW4iLCJ1c2VyX2lkIjoxfQ.XjVMoACM-bvNe1zDIj0zgMbIMNspk0
PzRCdIPmF970A",
  "refresh_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJleHAiOjE3NTM2ODk3NDIsInVzZXJfaWQiOjF
9.yA7T0GjjYK8xK9FqWnLXE2D6v9a3xPjjuXwFDZag7k0",
  "user": {
    "public_id": "b65ad083-06ba-4e40-8cc9-1764247e7013",
    "name": "Super Admin",
    "email": "admin@example.com",
    "role": "admin",
    "created_at": "2025-06-08T20:52:57.515916+07:00",
    "updated_at": "2025-06-08T20:52:57.515916+07:00"
  }
}
}

```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

HTTP Status Code 200

Name	Type	Required	Restrictions	Title	Description
» status	string	true	none		none
» response_code	integer	true	none		none
» message	string	true	none		none
» data	object	true	none		none
»» access_token	string	true	none		none
»» refresh_token	string	true	none		none
»» user	object	true	none		none
»»» internal_id	integer	true	none		none
»»» name	string	true	none		none
»»» email	string	true	none		none

Name	Type	Required	Restrictions	Title	Description
»»» role	string	true	none		none

POST Sign Up

POST /v1/auth/register

Body Parameters

```
{
  "name": "Test User",
  "email": "testuser7@example.com",
  "password": "admin123",
  "role": "user"
}
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none
» email	body	string	yes	none
» name	body	string	yes	none
» role	body	string	no	none
» password	body	string	yes	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Register successful",
  "data": {
    "public_id": "5e980e0c-3f91-4e8f-a03b-fc6c0636b78f",
    "name": "Test User",
    "email": "cobauser3@example.com",
    "role": "user",
    "created_at": "2025-07-24T11:21:30.131644+07:00"
  }
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Projects

POST Create a project

POST /projects

Body Parameters

```
{  
    "title": "string",  
    "description": "string",  
    "dueDate": "string",  
    "userId": "string"  
}
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none
» title	body	string	yes	none
» description	body	string	yes	none
» dueDate	body	string	no	none
» userId	body	string	yes	sebagai member

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET Get all projects

GET /projects

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET Get a project

GET /projects/{:id}

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none

Response Examples

200 Response

```
{
  "title": "string",
  "description": "string",
  "dueDate": "string",
  "list": [
    {
      "title": "string",
      "description": "string",
      "members": [
        {
          "id": "string",
          "avatar": "string"
        }
      ],
      "dueDate": "string",
      "label": "string"
    }
  ]
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

HTTP Status Code **200**

Name	Type	Required	Restriction	Title	Description
» title	string	true	none		none
» string	string	true	none		none
description					
» dueDate	string	true	none		none
» list	[object]	true	none		none
»» title	string	true	none		none
»» string	string	true	none		none
description					
»» members	[object]	true	none		none
»»» id	string	true	none		none
»»» avatar	string	true	none		none
»» string	string	true	none		none
dueDate					
»» label	string	true	none		none

DELETE Delete a project

DELETE /projects/{:id}

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT Update a project

PUT /project/{:id}

Body Parameters

```
{  
  "title": "string",  
  "description": "string",  
  "dueDate": "string"  
}
```

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none
body	body	object	no	none
» title	body	string	yes	none
» description	body	string	yes	none
» dueDate	body	string	no	none

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT Close a project

PUT /projects/{:id}/close

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Projects/Cards

GET Get all cards

GET /cards

Params

Name	Location	Type	Required	Description
projectId	query	string	no	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

POST Create a card

POST /cards

Body Parameters

```
{
  "title": "string",
  "description": "string",
  "userIds": [
    "string"
  ],
  "attachments": [
    {
      "fileName": "string",
      "fileUrl": "string"
    }
  ],
  "dueDates": "string",
  "label": "string"
}
```

Params

Name	Location	Type	Required	Description
projectId	query	string	no	none
body	body	object	no	none
» title	body	string	yes	none
» description	body	string	yes	none
» userIds	body	[string]	no	none
» attachments	body	[object]	no	none
»» fileName	body	string	yes	none
»» fileUrl	body	string	yes	none
» dueDates	body	string	yes	none
» label	body	string	yes	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET Get a card

GET /cards/{:id}

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none
projectId	query	string	no	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT Update a card

PUT /card/{:id}

Body Parameters

```
{  
  "title": "string",  
  "description": "string",  
  "userIds": [  
    "string"  
,  
  ],  
  "attachments": [  
    {  
      "fileName": "string",  
      "fileUrl": "string"  
    }  
,  
  ],  
  "dueDates": "string",  
  "label": "string"  
}
```

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none
projectId	query	string	no	none
body	body	object	no	none
» title	body	string	yes	none
» description	body	string	yes	none
» userIds	body	[string]	no	none
» attachments	body	[object]	no	none
»» fileName	body	string	yes	none
»» fileUrl	body	string	yes	none
» dueDates	body	string	yes	none
» label	body	string	no	none

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

DELETE Delete a card

DELETE /card/{:id}

Body Parameters

{}

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none
projectId	query	string	no	none
body	body	object	no	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PATCH Update a card status

PATCH /card/{:id}

Body Parameters

```
{  
  "boardId": "string",  
  "cardOrder": [  
    "string"  
  ]  
}
```

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none

Name	Location	Type	Required	Description
projectId	query	string	no	none
body	body	object	no	none
» boardId	body	string	no	public_id -> board
» cardOrder	body	[string]	yes	isinya card_id aja

Response Examples

200 Response

```
{}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Upload

POST Upload file

POST /upload

Body Parameters

```
file: ""
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none
» file	body	string(binary)	no	none

Response Examples

200 Response

```
{
  "id": "string",
  "fileName": "string",
  "url": "string",
  "fileType": "string"
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

HTTP Status Code 200

Name	Type	Required	Restriction	Title	Description
» id	string	true	none		none
» fileName	string	true	none		none
» url	string	true	none		none
» fileType	string	true	none		none

DELETE Delete a file

DELETE /upload/{:id}

Params

Name	Location	Type	Required	Description
:id	path	string	yes	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Users

GET Get user profile

GET /api/v1/users/{id}

Params

Name	Location	Type	Required	Description
id	path	string	yes	none

Name	Location	Type	Required	Description
Authorization	header	string	yes	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Data pengguna berhasil diambil",
  "data": {
    "public_id": "5e980e0c-3f91-4e8f-a03b-fc6c0636b78f",
    "name": "Test User",
    "email": "cobauser3@example.com",
    "role": "user",
    "created_at": "2025-07-24T11:21:30.131644+07:00"
  }
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT Update user profile

PUT /api/v1/users/{pub_id}

Body Parameters

```
{
  "id": "5e980e0c-3f91-4e8f-a03b-fc6c0636b78f",
  "name": "Test User tiga tiga"
}
```

Params

Name	Location	Type	Required	Description
pub_id	path	string	yes	none
body	body	object	no	none
» id	body	string	yes	none
» name	body	string	yes	none

Response Examples

```
{  
    "status": "error",  
    "response_code": 401,  
    "message": "Token is expired",  
    "error": "Authentication required"  
}  
  
{  
    "status": "success",  
    "response_code": 200,  
    "message": "Berhasil update user",  
    "data": {  
        "public_id": "5e980e0c-3f91-4e8f-a03b-fc6c0636b78f",  
        "name": "Test User tiga tiga",  
        "email": "cobauser3@example.com",  
        "role": "user",  
        "created_at": "2025-07-24T11:21:30.131644+07:00",  
        "updated_at": "2025-07-27T09:28:30.068312+07:00"  
    }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET Get ALL Users Pagination

GET /api/v1/users/page?filter="tri"&....

Params

Name	Location	Type	Required	Description
filter	query	string	no	none
sort	query	string	no	none
page	query	string	no	none
limit	query	string	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Data pengguna berhasil diambil",  
  "data": [  
    {  
      "public_id": "5e980e0c-3f91-4e8f-a03b-fc6c0636b78f",  
      "name": "Test User tiga tiga",  
      "email": "cobauuser3@example.com",  
      "role": "user",  
      "created_at": "2025-07-24T11:21:30.131644+07:00",  
      "updated_at": "2025-07-27T17:34:43.974599+07:00"  
    },  
    {  
      "public_id": "b65ad083-06ba-4e40-8cc9-1764247e7013",  
      "name": "Super Admin",  
      "email": "admin@example.com",  
      "role": "admin",  
      "created_at": "2025-06-08T20:52:57.515916+07:00",  
      "updated_at": "2025-06-08T20:52:57.515916+07:00"  
    }  
  ],  
  "meta": {  
    "page": 1,  
    "limit": 20,  
    "total": 7,  
    "total_pages": 1,  
    "sort": "-id"  
  }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Board

POST Create Board

POST /api/v1/boards

Body Parameters

```
{  
    "title": "Project Kursi Pak Fulan",  
    "description": "ini adalah project pertama"  
}
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none

Response Examples

200 Response

```
{  
    "status": "success",  
    "response_code": 200,  
    "message": "Board berhasil dibuat",  
    "data": {  
        "internal_id": 0,  
        "public_id": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20",  
        "title": "Project Kursi Pak Fulan",  
        "description": "ini adalah project pertama",  
        "owner_internal_id": 9,  
        "owner_public_id": "00000000-0000-0000-0000-000000000000",  
        "created_at": "2025-08-02T16:33:36.462609+07:00"  
    }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET GET Boards by admin

GET /api/v1/boards

Body Parameters

```
{
  "title": "Project Kursi Pak Fulan",
  "description": "ini adalah project pertama"
}
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Data boards berhasil diambil",
  "data": [
    {
      "internal_id": 0,
      "public_id": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20",
      "title": "Project Kursi Pak Fulan",
      "description": "ini adalah project pertama",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:33:36.462609Z"
    },
    {
      "internal_id": 1,
      "public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",
      "title": "Project Kursi Pak Anto",
      "description": "ini adalah project kedua",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:57:25.993303Z"
    }
  ]
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET GET My Boards

GET /api/v1/boards/my

Body Parameters

{}

Params

Name	Location	Type	Required	Description
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Data boards berhasil diambil",
  "data": [
    {
      "internal_id": 0,
      "public_id": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20",
      "title": "Project Kursi Pak Fulan",
      "description": "ini adalah project pertama",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:33:36.462609Z"
    },
    {
      "internal_id": 1,
      "public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",
      "title": "Project Kursi Pak Anto",
      "description": "ini adalah project kedua",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:57:25.993303Z"
    }
  ]
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET GET Boards By ID

GET /api/v1/boards/4ff6ad6d-4b24-446a-86a6-de0533ef3c20

Body Parameters

{}

Params

Name	Location	Type	Required	Description
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Data boards berhasil diambil",
  "data": [
    {
      "internal_id": 0,
      "public_id": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20",
      "title": "Project Kursi Pak Fulan",
      "description": "ini adalah project pertama",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:33:36.462609Z"
    },
    {
      "internal_id": 1,
      "public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",
      "title": "Project Kursi Pak Anto",
      "description": "ini adalah project kedua",
      "owner_internal_id": 9,
      "owner_public_id": "00000000-0000-0000-0000-000000000000",
      "created_at": "2025-08-02T16:57:25.993303Z"
    }
  ]
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT Update Board Copy

PUT /api/v1/boards/4ff6ad6d-4b24-446a-86a6-de0533ef3c20

Body Parameters

```
{  
  "title": "Project Kursi Pak Fulan bin fulan",  
  "description": "ini adalah project pertama"  
}
```

Params

Name	Location	Type	Required	Description
user.PublicID	query	string	no	none
Updates(m				
ap[string]int				
erface{}{"na				
me":				
user.Name,				
//"email":				
newEmail,				
}).Error				
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Board berhasil diperbarui",  
  "data": {  
    "internal_id": 0,  
    "public_id": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20",  
    "title": "Project Kursi Pak Fulan bin fulan",  
    "description": "ini adalah project pertama",  
    "owner_internal_id": 0,  
    "owner_public_id": "00000000-0000-0000-0000-000000000000",  
    "created_at": "2001-01-01T00:00:00Z"  
  }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

DELETE Delete board

DELETE /api/v1/boards/{:boardId}

Body Parameters

{}

Params

Name	Location	Type	Required	Description
:boardId	path	string	yes	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Board berhasil dihapus",
  "data": "4ff6ad6d-4b24-446a-86a6-de0533ef3c20"
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

POST Add members

POST /api/v1/boards/{:boardId}/members

Body Parameters

[

```
"2255affe-8ed3-446a-9efc-978de63d085e",
"75a25a74-493c-4d51-93ca-9f2c6a14fed8"
```

]

Params

Name	Location	Type	Required	Description
:boardId	path	string	yes	none
body	body	object	no	none

Response Examples

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Members berhasil ditambahkan"  
}  
  
{  
  "status": "error",  
  "response_code": 400,  
  "message": "Gagal Menambahkan Members",  
  "error": "user not found: 75a25a74-493c-4d51-93ca-9f2c6a14fed9"  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET GET BOARD MEMBER

GET /api/v1/boards/{:boardId}/members

Body Parameters

```
{}
```

Params

Name	Location	Type	Required	Description
:boardId	path	string	yes	none
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Data member board berhasil diambil",  
}
```

```

"data": [
  {
    "public_id": "2255affe-8ed3-446a-9efc-978de63d085e",
    "name": "Test User",
    "email": "testuser5@example.com",
    "role": "user",
    "created_at": "2025-06-08T22:13:38.200744+07:00",
    "updated_at": "2025-06-08T22:13:38.200744+07:00"
  },
  {
    "public_id": "75a25a74-493c-4d51-93ca-9f2c6a14fed8",
    "name": "Test User",
    "email": "testuser7@example.com",
    "role": "user",
    "created_at": "2025-06-13T11:10:09.977962+07:00",
    "updated_at": "2025-06-13T11:10:09.977962+07:00"
  }
]
}

```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

DELETE DELETE BOARD MEMBER

DELETE /api/v1/boards/e9f73c0d-9d5a-41dd-9945-cf45bb786179/members

Body Parameters

```
[
  "2255affe-8ed3-446a-9efc-978de63d085e"
]
```

Params

Name	Location	Type	Required	Description
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
```

```
        "message": "Members berhasil dihapus"
    }
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET GET LIST ON BOARD

GET /api/v1/boards/{:boardId}/lists

Params

Name	Location	Type	Required	Description
:boardId	path	string	yes	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Data list berhasil diambil",
  "data": {
    "Positions": [
      "1f6d23b6-36ef-4abf-b97b-25ea8ea01043",
      "29df6de0-2f89-4478-8ac4-51848c24c58f"
    ],
    "Lists": [
      {
        "internal_id": 7,
        "public_id": "1f6d23b6-36ef-4abf-b97b-25ea8ea01043",
        "board_public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",
        "title": "backlog",
        "created_at": "2025-08-03T14:46:34.101275Z"
      },
      {
        "internal_id": 14,
        "public_id": "29df6de0-2f89-4478-8ac4-51848c24c58f",
        "board_public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",
        "title": "inprogress",
        "created_at": "2025-08-03T15:35:45.571354Z"
      }
    ]
  }
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

LISTS

POST CREATE LIST

POST /api/v1/lists

Body Parameters

```
{  
  "board_public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",  
  "title": "title"  
}
```

Params

Name	Location	Type	Required	Description
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "List berhasil dibuat",  
  "data": {  
    "internal_id": 0,  
    "public_id": "e20eeeb9-5a9c-4b3b-a1bb-677f6ab0cac2",  
    "board_public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",  
    "title": "title",  
    "created_at": "2025-08-03T06:19:23.683523+07:00"  
  }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT UPDATE LIST BY ID

PUT /api/v1/lists/e20eeeb9-5a9c-4b3b-a1bb-677f6ab0cac2

Body Parameters

```
{  
  "title": "BACKLOG 1"  
}
```

Params

Name	Location	Type	Required	Description
s	query	string	no	none
Authorizatio n	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "List berhasil diperbarui",  
  "data": {  
    "internal_id": 0,  
    "public_id": "e20eeeb9-5a9c-4b3b-a1bb-677f6ab0cac2",  
    "board_public_id": "e9f73c0d-9d5a-41dd-9945-cf45bb786179",  
    "title": "BACKLOG 1",  
    "created_at": "2025-08-03T06:19:23.683523Z"  
  }  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

DELETE DELETE LIST BY ID

DELETE /api/v1/lists/{:listID}

Params

Name	Location	Type	Required	Description
:listID	path	string	yes	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "List berhasil dihapus",  
  "data": "1af7c1f4-539f-4b67-85b6-d9be3aaab583"  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT UPDATE LIST POSITION ON BOARD

PUT /api/v1/boards/e9f73c0d-9d5a-41dd-9945-cf45bb786179/positions

Body Parameters

```
[  
  "1f6d23b6-36ef-4abf-b97b-25ea8ea01043",  
  "29df6de0-2f89-4478-8ac4-51848c24c58f"  
]
```

Params

Name	Location	Type	Required	Description
body	body	object	no	none

Response Examples

200 Response

```
{  
  "status": "success",  
  "response_code": 200,  
  "message": "Posisi list berhasil diperbarui"  
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

GET Get cards on a list

GET /api/v1/lists/{:listId}/cards

Params

Name	Location	Type	Required	Description
:listId	path	string	yes	none

Response Examples

200 Response

{}

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Card

POST Create CARD

POST /base_url/api/v1/cards

create card from list

Body Parameters

```
{  
  "list_id": "1f6d23b6-36ef-4abf-b97b-25ea8ea01043",  
  "title": "Mengerjakan tugas API",  
  "description": "Membuat endpoint create card",  
  "due_date": "2023-12-31T23:59:59Z",  
  "position": 0  
}
```

Params

Name	Location	Type	Required	Description
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Card berhasil dibuat",
  "data": {
    "internal_id": 1,
    "public_id": "75c5bbea-f928-4f41-b22a-1ccaf3133b77",
    "list_internal_id": 7,
    "title": "Mengerjakan tugas API",
    "description": "Membuat endpoint create card",
    "due_date": "2023-12-31T23:59:59Z",
    "position": 0,
    "created_at": "2025-09-05T13:28:35.410729+07:00"
  }
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT GET CARD ON LIST

PUT /base_url/api/v1/cards/id

create card from list

Body Parameters

```
{
  "list_id": "1f6d23b6-36ef-4abf-b97b-25ea8ea01043",
  "title": "Mengerjakan tugas API",
  "description": "Membuat endpoint create card 1",
  "due_date": "2023-12-31T23:59:59Z",
  "position": 0
}
```

Params

Name	Location	Type	Required	Description
Authorization	header	string	no	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
```

```

    "response_code": 200,
    "message": "Card berhasil diperbarui",
    "data": {
        "internal_id": 1,
        "public_id": "75c5bbea-f928-4f41-b22a-1ccaf3133b77",
        "list_internal_id": 7,
        "title": "Mengerjakan tugas API",
        "description": "Membuat endpoint create card 1",
        "due_date": "2023-12-31T23:59:59Z",
        "position": 0,
        "created_at": "2025-09-05T13:28:35.410729Z"
    }
}

```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

PUT UPDATE POSITION CARD ON LIST

PUT /api/v1/lists/{:listId}/positions

Body Parameters

```
{
  "positions": [
    "75c5bbea-f928-4f41-b22a-1ccaf3133b77",
    "76d12614-84c6-4d8c-9d53-44040d146d6a"
  ]
}
```

Params

Name	Location	Type	Required	Description
:listId	path	string	yes	none
body	body	object	no	none

Response Examples

200 Response

```
{
  "status": "success",
  "response_code": 200,
  "message": "Posisi card berhasil diperbarui"
}
```

Responses

HTTP Status

Code	Meaning	Description	Data schema
200	OK	none	Inline

Responses Data Schema

Data Schema