## 1243I - VL 54 - Mixes

Last Updated 11/3/2023

Domain	Submittal	Mix	28D Design Strength (PSI)	Slump (in)	W / CM Ratio			
Civil								
Street/ Concrete Base	4.3	Central - 704CC	5000	4 ±1	0.44			
Parking Strip/ Curb and Gutter	4.3	Central - 604	4000	4 ±1	0.50			
Sidewalks	4.4	Central - 564LB	3000	4 ±1	0.50			
Bus Pads	4.4	Central - 66G1R5P1	6000	4 ±1	0.40			
Curb Ramps	4.5	Central - 554	3000	4 ±1	0.55			
Sewer								
Manhole	4.3	Central - 6012	4000	4 ±1	0.49			
Misc.								
2SK Sand Slurry – F20100FX	4.2	Central - F20100FX	100	8 ±1	2.40			

Domain	Submittal	Mix - Identification Number	Type/Grading	Location	
Civil					
ACWS	5.0	GraniteRock - 323	1/2" HMA	South SF / Redwood City	
ACWS	5.0	GraniteRock - 803	1/2" HMA	South SF / Redwood City	
ACWS	5.0	GraniteRock - SS1- H- Emulsion	1/2" HMA	South SF / Redwood City	
ACWS	5.0	GraniteRock - 323	1/2" HMA	South SF / Redwood City	
ACWS	5.0	GraniteRock - 803	1/2" HMA	South SF / Redwood City	
ACWS	110.0	GraniteRock - 788	1/2" HMA	South SF / Redwood City	
ACWS	110.0	GraniteRock - 784	1/2" HMA	South SF / Redwood City	
ACWS	110.0	GraniteRock - 103	1/2" HMA	South SF / Redwood City	