

Executive Release Summary

PRODUCT	PROTOCOL	REVIEW	BATCHES
OG-217 tablets	STB-217-26A	2026-07-01	4

QA disposition

Release G217-2401 and G217-2402. Hold G217-2403 because accelerated 6M dissolution fails S1 and impurities trend high. G217-2404 is conditional and limited to domestic stability reserve pending 9M accelerated review.

Batch	Strength	Mfg date	Pack	Initial state	QA decision
G217-2401	25 mg	2026-01-14	HDPE bottle	commercial	release
G217-2402	25 mg	2026-01-16	HDPE bottle	commercial	release
G217-2403	25 mg	2026-01-19	blister	process validation	hold for 6M
G217-2404	50 mg	2026-01-22	HDPE bottle	scale-up	conditional

Batch	Final state	Reason	Shipment
G217-2401	release	all release tests pass	allowed
G217-2402	release	all release tests pass	allowed
G217-2403	hold	6M accelerated dissolution and impurity trendhot allowed	
G217-2404	conditional	CU AV 14.9 and 3M accelerated trend	only domestic stability reserve

Batch Record and Packaging Configuration

Batch	Strength	Mfg date	Pack	Initial state	QA decision
G217-2401	25 mg	2026-01-14	HDPE bottle	commercial	release
G217-2402	25 mg	2026-01-16	HDPE bottle	commercial	release
G217-2403	25 mg	2026-01-19	blister	process validation	hold for 6M
G217-2404	50 mg	2026-01-22	HDPE bottle	scale-up	conditional

Review note

G217-2403 is process validation blister stock; its packaging completion does not imply release.

Assay and Related Substances

Sample	Assay %LC	Imp A	Imp B	Total impurities	State
G217-2401 initial	99.3	0.08	0.05	0.21	pass
G217-2402 initial	98.9	0.07	0.06	0.24	pass
G217-2403 initial	99.8	0.09	0.04	0.23	pass
G217-2404 initial	101.1	0.10	0.05	0.26	watch
G217-2403 6M 40C/75	95.8	0.42	0.31	0.94	hold
G217-2404 3M 40C/75	97.2	0.21	0.18	0.58	conditional

Review note

G217-2403 6M accelerated sample is the critical impurity trend row.

Blend Uniformity

Location	G217-2401	G217-2402	G217-2403	G217-2404
Top left	98.7	99.1	100.2	101.8
Top right	99.0	98.6	99.6	101.4
Middle	99.4	99.0	100.1	101.2
Bottom left	98.8	98.4	99.3	100.9
Bottom right	99.2	98.8	99.5	101.5
RSD %	0.29	0.28	0.36	0.32

Review note

All blend RSD values pass; this table does not clear later stability holds.

Content Uniformity

Batch	Mean	Min	Max	AV	State
G217-2401	99.1	97.8	100.6	6.8	pass
G217-2402	98.8	97.2	100.1	7.4	pass
G217-2403	99.6	96.9	102.8	10.6	pass
G217-2404	101.3	98.2	104.6	14.9	borderline; conditional

Review note

G217-2404 AV 14.9 remains below the hard limit but triggers conditional release.

Packaging Reconciliation

Line item	G217-2401	G217-2402	G217-2403	G217-2404
Start count	90,240	88,800	92,400	47,520
Good bottles/cards	89,760	88,104	91,944	47,112
Rejects	214	332	288	196
Samples	266	364	168	212
Reconciliation	100.00%	100.00%	100.00%	100.00%

Review note

All reconciliations close at 100.00%; reject burst DV-217-13 has no product impact.

Deviation and CAPA Register

Deviation	Batch	Description	Initial impact	Final state
DV-217-11	G217-2403	6M accel dissolution S1 failure	major	batch hold
DV-217-12	G217-2404	CU AV 14.9 near limit	minor	conditional release
DV-217-13	G217-2402	label camera reject burst	minor	closed no product impact
DV-217-14	G217-2401	HPLC vial reinjection	minor	accepted reinjection

Review note

DV-217-11 is the release blocker; DV-217-14 uses accepted reinjection data.


Source Conflict Register

Source	Value shown	Status	Final treatment
Draft batch release	G217-2403 release	superseded	ignore for release
Stability minutes	G217-2403 hold	current	controls
Packaging report	G217-2403 reconciliation 100%	context	does not override stability hold
QA disposition	G217-2404 conditional	current	requires 9M accel review

Review note

Current stability minutes and QA disposition override the draft release page.

Dissolution Profiles



Batch	Stage	10 min	20 min	30 min	45 min	Q state
G217-2401	initial	52	79	91	96	pass S1
G217-2402	initial	50	77	89	95	pass S1
G217-2403	initial	48	74	86	93	pass S1
G217-2403	6M accel	35	58	73	81	fail S1; hold
G217-2404	3M accel	43	69	82	90	pass S2

Dissolution interpretation

G217-2403 6M accelerated reaches 81% at 45 min but fails S1 because the 30 min value is 73% below Q=80. G217-2404 3M passes only after S2 review.

Stability Table Part 1

Batch	Condition	Time	Assay	Imp A	Water	Appearance
G217-2401	25C/60	0M	99.3	0.08	1.2	white
G217-2401	25C/60	3M	99.0	0.10	1.3	white
G217-2401	40C/75	3M	98.1	0.18	1.6	white
G217-2402	25C/60	0M	98.9	0.07	1.1	white
G217-2402	40C/75	3M	97.8	0.17	1.5	white
G217-2403	25C/60	0M	99.8	0.09	1.3	white

Continuation

This is the first part of the stability matrix. The same headers continue on the next page; repeated headers are not additional data rows.





Stability Table Part 2

Batch	Condition	Time	Assay	Imp A	Water	Appearance
G217-2403	40C/75	3M	97.4	0.24	1.9	cream tint
G217-2403	40C/75	6M	95.8	0.42	2.4	cream tint
G217-2404	25C/60	0M	101.1	0.10	1.4	white
G217-2404	40C/75	1M	99.4	0.15	1.7	white
G217-2404	40C/75	3M	97.2	0.21	2.0	white
G217-2404	30C/65	3M	98.4	0.16	1.8	white

Critical rows

G217-2403 at 40C/75 6M has assay 95.8, Imp A 0.42, water 2.4, and cream tint. G217-2404 at 40C/75 3M remains conditional, not fully released.

Chromatogram Plate and Peak Purity



Panel	Peak / RT	Value	Interpretation
A	main 7.42	purity 0.998	release batch clean
B	Imp A 3.18	0.42%	G217-2403 blocker
C	Imp B 5.66	0.31%	G217-2403 trend
D	main 7.43	97.2%	G217-2404 conditional

Particle and Appearance Register

Frame	Batch	Cue	Reviewer mark	Final treatment
VIS-41	G217-2401	no specks	green check	release
VIS-42	G217-2402	label scuff only	blue note	release
VIS-43	G217-2403	cream tint at 6M	amber box	hold
VIS-44	G217-2404	no particles	green check	conditional
VIS-45	G217-2403	tablet edge chip	red circle	stability retain only

Visual state	Affected source	Meaning	Release impact
cream tint	G217-2403 6M	matches impurity trend	hold
edge chip	G217-2403 retain	not commercial sample	context only
label scuff	G217-2402 bottle	secondary packaging only	no impact
green check	G217-2401/G217-2404	visual pass	release/conditional

Stability Chamber Tray Map

Chamber CH-40-75 shelf C, pull map reviewed 2026-06-28. Row letters and column numbers are printed on the tray rails.

	1	2	3	4	5	6
A	G217-2401 3M reserve R	G217-2402 3M reserve R				
B			G217-2403 6M pulled H	G217-2403 9M retain Q		
C		G217-2404 3M pulled C	G217-2404 9M pending C			
D					empty clip broken X	





Mark	Meaning	Tray cells	Disposition effect
R	retained reserve	A1, A2	release support only
H	hold blocker	B3	G217-2403 remains held
Q	quarantined retain	B4	not a release sample
C	conditional stability	C2, C3	G217-2404 pending 9M
X	empty broken clip	D5	do not count as missing sample

Tray interpretation

B3 is the pulled G217-2403 6M hold sample. B4 is a quarantined 9M retain and does not reverse the hold. C2 is the pulled G217-2404 3M conditional sample; C3 is the pending 9M sample.

Hardness Drift Mini-Trends

Tablet hardness is plotted from retain pulls. Values are not repeated in the release tables because the chart is reviewed as visual trend evidence.



Visual finding	Batch	Reviewer mark	Release meaning
Stable hardness	G217-2401	flat blue trace	supports release
Stable hardness	G217-2402	flat green trace	supports release
Alert crossing	G217-2403	red trace crosses alert at final pull	supports hold
Downward drift	G217-2404	purple trace stays above alert	conditional monitoring

Regulatory Commitments

Commitment	Applies to	Due	State
Submit 6M accel update	G217-2403	2026-08-15	required
Complete REL-OG217-A	G217-2404	2026-09-30	open
Annual report note	DV-217-11	2027-01-31	include
Shelf-life claim	24 months	not changed	no expansion

Regulatory interpretation

The file does not support expanding shelf life. G217-2403 data must be reported, and G217-2404 conditional release cannot be converted to unrestricted release until the reliability commitment closes.

Final QA Decision and Audit Trail

Time	Actor	Entry	Effect
2026-06-28 09:20	QC	G217-2403 6M result loaded	stability hold opened
2026-06-28 14:05	QA	draft release page voided	source conflict resolved
2026-06-29 11:30	MSAT	G217-2404 conditional proposed	9M review required
2026-07-01 10:10	QA	release G217-2401/G217-2402	shipment allowed
2026-07-01 10:18	QA	G217-2403 hold remains	shipment blocked

Control item	Final state	Evidence
Release	G217-2401 and G217-2402	assay/dissolution/stability pass
Hold	G217-2403	6M accel dissolution S1 failure + impurity trend
Conditional	G217-2404	CU AV 14.9 + 3M trend
Draft G217-2403 release	voided	stability minutes override