

TECHNICAL DATA SHEET

- COMPRITOL 888 ATO -

DEFINITION

Glycerol dibehenate EP current edition/ Glyceryl dibehenate
NF current edition / Glyceryl dibehenate Ch. P current edition.
Supply Chain Certificate (SCC) number: BVC-RSPO-1-1106949778 from 01
July 2023.

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of strictly vegetable origin.

MANUFACTURING SITE(S)

This product may be manufactured at several sites.
Quality control and batch release are the responsibility of Gattefossé SAS.
The manufacturing site(s) is (are) indicated in the certificate of analysis.

DESCRIPTION

- CAS: 77538-19-3 (or 91052-55-0) (or 30233-64-8) (or 94201-62-4) (or 18641-57-1)
- EINECS: 278-717-5 (or 293-216-1) (or 250-097-0) (or 303-650-6) (or 242-471-7)

REGULATORY INFORMATION

Pharmacopeia Conformity: Product conforms to EP, NF, Ch.P.
For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

NATURAL / ORGANIC LABEL

- Product certified RSPO Mass Balance. More information on www.RSPO.org.
- Gattefossé RSPO certification number: BVC-RSPO-1-1106949778 - from 01 July 2023.

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.
This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

USES

Dermal drug delivery: consistency agent (thickener).

TECHNICAL DATA SHEET

- COMPRITOL 888 ATO -

USES

Oral drug delivery: modified-release agent.
Oral drug delivery: lubricant for tablets and capsules.
Oral drug delivery: excipient for direct compression.

STORAGE RECOMMENDATIONS

Store the product in its original packaging sealed tightly, protected from light and moisture.
Store at a temperature inferior or equal to 30 °C.
During storage at high temperature (> 35°C), there is a risk of powder caking.
Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

HANDLING ADVICE

Presentation: powder.
For additional information, please consult the product handling sheet.

PACKAGING

Bag in cardboard box 25 kg (metal-coated polyester/polyethylene bag).
Sample available upon request.

ADDITIONAL TESTS

Nominal average particle size: 50 µm

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product tox and safety overview.

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Partly soluble in hot ethanol 96°
- Chloroform, Methylene chloride: Soluble under heating conditions
- n-Hexane: Insoluble
- Water: Insoluble
- Mineral oils: Insoluble

TECHNICAL DATA SHEET

- COMPRITOL 888 ATO -

Test	Specification
APPEARANCE	Fine powder
ODOUR	Faint
COLOUR (Gardner Scale)	<= 5.0
MELTING POINT (Cap. tube)	65.0 to 77.0 °C
DROP POINT (METTLER)	69.0 to 74.0 °C
ACID VALUE	<= 4.00 mgKOH/g
SAPONIFICATION VALUE	145 to 165 mgKOH/g
IODINE VALUE	<= 3.0 gI ₂ /100g
PEROXIDE VALUE	<= 6.0 meqO ₂ /kg
TOTAL ASHES CONTENT	<= 0.10 %
WATER CONTENT	<= 1.0 %
HEAVY METALS CONTENT (Pb)	< 10 ppm
ARSENIC CONTENT	< 2 ppm (expressed in AS ₂ O ₃)
RESIDUE ON IGNITION	<= 0.1 %
FREE GLYCEROL CONTENT	<= 1.0 %
TENEUR EN MONOGLYCERIDES TOTAUX	15.0 to 23.0 %
TENEUR EN 1-MONOGLYCERIDES	12.0 to 18.0 %
TOTAL DIESTERS CONTENT	40.0 to 60.0 %
TOTAL TRIESTERS CONTENT	21.0 to 35.0 %
PALMITIC ACID (C16)	<= 3.0 %
STEARIC ACID (C18)	<= 5.0 %
ARACHIDIC ACID (C20)	<= 10.0 %
BEHENIC ACID (C22)	>= 83.0 %
ERUCIC ACID (C22:1)	<= 1.0 %
LIGNOCERIC ACID (C24:0)	<= 3.0 %
NICKEL CONTENT	< 1 ppm
RESIDUAL SOLVENTS (Eur. Pharm., USP/NF)	Meets the requirements (production without solvent)
POLYOXYLETHYLENE (JSFA)	No change of chloroform layer to blue.
JSFA Identification (Test N°1 and 2)	Conforms
EUR. PHARM., USP/NF, JSFA, ChP	Conforms to the monographs

TECHNICAL DATA SHEET

- COMPRITOL 888 ATO -

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.