

TECHNICAL DATA SHEET

- GELUCIRE 44/14 -

DEFINITION

Lauroyl macrogol-32 glycerides EP current edition
Lauroyl polyoxyl-32 glycerides NF current edition
Lauroyl macroglycerides (32) Ch P current edition

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of vegetable and synthetic origins.

MANUFACTURING SITE(S)

This product may be manufactured at several sites.
Quality control and batch release are the responsibility of Gattefossé SAS.
The manufacturing site(s) is (are) indicated in the certificate of analysis.

DESCRIPTION

- INCI (PCPC): Hydrogenated coconut PEG-32 esters
- CAS: 57107-95-6 (or 9004-81-3 + 27638-00-2)
- EINECS: Not applicable (or Not applicable + 248-586-9)

REGULATORY INFORMATION

Pharmacopeia Conformity : product conforms to EP, USP/NF, ChP.
For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.
This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

USES

Oral drug delivery: water dispersible surfactant for SELF (self-emulsifying lipidic formulation).
Oral drug delivery: excipient used in formulations for solubility and bioavailability enhancement.

TECHNICAL DATA SHEET

- GELUCIRE 44/14 -

STORAGE RECOMMENDATIONS

Store the product in its original packaging sealed tightly, protected from light and moisture.

Special temperature storage conditions are not required.

Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

HANDLING ADVICE

Presentation: semi-solid in block.

Lipid excipients are naturally composed of several fractions with different density values and crystallization temperatures. Semi-solid excipients in block form may stratify during crystallization resulting in a non-homogenous composition.

Samples should never be scooped from the top of the container as the contents will not be representative of the batch. It is essential that the entire contents of the container are fully melted to remove all crystallization clusters (by heating to at least 20° C above the drop point) and thoroughly stirred to ensure homogeneity prior to use/sampling.

For additional information, please consult the product handling sheet.

PACKAGING

Plastic container 1 kg.

Iron pail 20 kg.

Bag-in-pail 10 kg (polyethylene bag).

Sample available upon request.

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product tox and safety overview.

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Soluble
- Chloroform, Methylene chloride: Easily soluble
- Water: Dispersible
- Mineral oils: Insoluble

TECHNICAL DATA SHEET

- GELUCIRE 44/14 -

Test	Specification
APPEARANCE	Waxy solid
ODOUR	Faint
COLOUR (Gardner Scale)	<= 5.0
DROP POINT (METTLER)	42.5 to 47.5 °C
IDENTIFICATION TEST BY INFRARED	Conforms
ACID VALUE	<= 2.00 mgKOH/g
SAPONIFICATION VALUE	79 to 93 mgKOH/g
IODINE VALUE	<= 2.0 gI ₂ /100g
HYDROXYL VALUE	36 to 56 mgKOH/g
PEROXIDE VALUE	<= 6.0 meqO ₂ /kg
FREE GLYCEROL CONTENT	<= 3.0 %
ALKALINE IMPURITIES	<= 80 ppm NaOH
WATER CONTENT	<= 0.50 %
TLC (Identification test B, USP/NF)	Conforms to the standard
TOTAL ASHES CONTENT	<= 0.10 %
HEAVY METALS CONTENT (Pb)	< 10 ppm
TOTAL ESTER CONTENT	> 90 %
CAPRYLIC ACID (C8)	<= 15.0 %
CAPRIC ACID (C10)	<= 12.0 %
LAURIC ACID (C12)	30.0 to 50.0 %
MYRISTIC ACID (C14)	5.0 to 25.0 %
PALMITIC ACID (C16)	4.0 to 25.0 %
STEARIC ACID (C18)	5.0 to 35.0 %
ETHYLENE OXIDE CONTENT	< 1 ppm
1,4-DIOXANE CONTENT	<= 10 ppm
ETHYLENE GLYCOL CONTENT	<= 0.1 %
DIETHYLENE GLYCOL CONTENT	<= 0.1 %
TRIETHYLENE GLYCOL CONTENT	<= 0.1 %
RESIDUE ON IGNITION	<= 0.1 %
Ph.eur., USP/NF (current ed.)	Conforms

TECHNICAL DATA SHEET

- GELUCIRE 44/14 -

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.