

8(a)(i)	DERQ and CFSP	B1
8(a)(ii)	charge carriers moving normal to (magnetic) field	B1
	<u>charge carriers</u> experience a <u>force</u> normal to I (and B)	B1
	charge build-up sets up electric field across the slice or build-up of charges results in a p.d. across the slice	B1
	charge stops building up/ V_H becomes constant when $F_B = F_E$	B1
8(b)	V_H inversely proportional to n /number density of charge carriers	B1
	number density of charge carriers (n) lower in semiconductors so V_H larger for semiconductor slice	B1
	or	
	V_H proportional to v /drift velocity	(B1)
	(for same current) drift velocity (v) higher in semiconductors so V_H larger for semiconductor slice	(B1)