

		$-\sqrt{3} - \sqrt{3}$
27	A	Photoelectric equation: $hf = \Phi - eV_s$ where $\Phi = hf_m$ $V_s = \left(\frac{h}{e}\right)f - \Phi$ Smaller work function means threshold frequency f_m is lower. Gradient of $V_s - f$ graph $\left(= \frac{h}{e}\right)$ is constant. Hence the line for the new metal should be parallel to the original line but shifted to the left.
28	A	When operating voltage is decreased, the electrons have less energy and the cut off