

DR set up using restore method from service name on new sever from scratch

First, we will install RAC (real application cluster) - installation step:-

⇒ Connect to grid and set the home and start the runcluvfy.sh file to set up the RAC.

```
[grid@yball1r131do01 ~]$ /asm_home/app/19.0.0/grid_home/runcluvfy.sh stage -pre crsinst -n  
yball1r131do01,yball1r131do02 -verbose
```

Performing following verification checks ...

Physical Memory ...

Node Name	Available	Required	Status
-----	-----	-----	-----
yball1r131do01	502.9997GB (5.27433372E8KB)	8GB (8388608.0KB)	passed
yball1r131do02	754.0111GB (7.90637916E8KB)	8GB (8388608.0KB)	passed

Physical Memory ...PASSED

Available Physical Memory ...

Node Name	Available	Required	Status
-----	-----	-----	-----
yball1r131do01	497.2687GB (5.2142402E8KB)	50MB (51200.0KB)	passed
yball1r131do02	748.9429GB (7.85323504E8KB)	50MB (51200.0KB)	passed

Available Physical Memory ...PASSED

Swap Size ...

Node Name	Available	Required	Status
-----	-----	-----	-----
yball1r131do01	32GB (3.3554428E7KB)	16GB (1.6777216E7KB)	passed
yball1r131do02	32GB (3.3554428E7KB)	16GB (1.6777216E7KB)	passed

Swap Size ...PASSED

Free Space: yball1r131do01:/usr,yball1r131do01:/etc,yball1r131do01:/sbin ...

Path	Node Name	Mount point	Available	Required	Status
-----	-----	-----	-----	-----	-----
/usr	yball1r131do01	/	51.8867GB	25MB	passed
/etc	yball1r131do01	/	51.8867GB	25MB	passed

/sbin yball1r131do01 / 51.8867GB 10MB passed

Free Space: yball1r131do01:/usr,yball1r131do01:/etc,yball1r131do01:/sbin ...PASSED

Free Space: yball1r131do01:/var ...

Path	Node Name	Mount point	Available	Required	Status
------	-----------	-------------	-----------	----------	--------

/var	yball1r131do01	/var	30.0283GB	5MB	passed
------	----------------	------	-----------	-----	--------

Free Space: yball1r131do01:/var ...PASSED

Free Space: yball1r131do01:/tmp ...

Path	Node Name	Mount point	Available	Required	Status
------	-----------	-------------	-----------	----------	--------

/tmp	yball1r131do01	/tmp	31.0234GB	1GB	passed
------	----------------	------	-----------	-----	--------

Free Space: yball1r131do01:/tmp ...PASSED

Free Space: yball1r131do02:/usr,yball1r131do02:/etc,yball1r131do02:/sbin ...

Path	Node Name	Mount point	Available	Required	Status
------	-----------	-------------	-----------	----------	--------

/usr	yball1r131do02	/	51.8799GB	25MB	passed
------	----------------	---	-----------	------	--------

/etc	yball1r131do02	/	51.8799GB	25MB	passed
------	----------------	---	-----------	------	--------

/sbin	yball1r131do02	/	51.8799GB	10MB	passed
-------	----------------	---	-----------	------	--------

Free Space: yball1r131do02:/usr,yball1r131do02:/etc,yball1r131do02:/sbin ...PASSED

Free Space: yball1r131do02:/var ...

Path	Node Name	Mount point	Available	Required	Status
------	-----------	-------------	-----------	----------	--------

/var	yball1r131do02	/var	30.0342GB	5MB	passed
------	----------------	------	-----------	-----	--------

Free Space: yball1r131do02:/var ...PASSED

Free Space: yball1r131do02:/tmp ...

Path	Node Name	Mount point	Available	Required	Status
------	-----------	-------------	-----------	----------	--------

/tmp	yball1r131do02	/tmp	31.1035GB	1GB	passed
------	----------------	------	-----------	-----	--------

Free Space: yball1r131do02:/tmp ...PASSED

User Existence: grid ...

Node Name	Status	Comment
-----------	--------	---------

yball1r131do01 passed exists(1001)

yball1r131do02 passed exists(1001)

Users With Same UID: 1001 ...PASSED

User Existence: grid ...PASSED

Group Existence: asmadmin ...

Node Name	Status	Comment
-----------	--------	---------

yball1r131do01 passed exists

yball1r131do02 passed exists

Group Existence: asmadmin ...PASSED

Group Existence: asmdba ...

Node Name	Status	Comment
-----------	--------	---------

yball1r131do01 passed exists

yball1r131do02 passed exists

Group Existence: asmdba ...PASSED

Group Existence: oinstall ...

Node Name	Status	Comment
-----------	--------	---------

yball1r131do01 passed exists

yball1r131do02 passed exists

Group Existence: oinstall ...PASSED

Group Membership: asmdba ...

Node Name	User Exists	Group Exists	User in Group	Status
-----------	-------------	--------------	---------------	--------

yball1r131do01 yes yes yes passed

yball1r131do02 yes yes yes passed

Group Membership: asmdba ...PASSED

Group Membership: asmadmin ...

Node Name	User Exists	Group Exists	User in Group	Status
-----------	-------------	--------------	---------------	--------

yball1r131do01 yes yes yes passed

yball1r131do02 yes yes yes passed

Group Membership: asmadmin ...PASSED

Group Membership: oinstall(Primary) ...

Node Name	User Exists	Group Exists	User in Group	Primary	Status
-----------	-------------	--------------	---------------	---------	--------

yball1r131do01	yes	yes	yes	yes	passed
----------------	-----	-----	-----	-----	--------

yball1r131do02	yes	yes	yes	yes	passed
----------------	-----	-----	-----	-----	--------

Group Membership: oinstall(Primary) ...PASSED

Run Level ...

Node Name	run level	Required	Status
-----------	-----------	----------	--------

yball1r131do01	3	3,5,3,5	passed
----------------	---	---------	--------

yball1r131do02	3	3,5,3,5	passed
----------------	---	---------	--------

Run Level ...PASSED

Architecture ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	x86_64	x86_64	passed
----------------	--------	--------	--------

yball1r131do02	x86_64	x86_64	passed
----------------	--------	--------	--------

Architecture ...PASSED

OS Kernel Version ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	5.14.0-503.34.1.el9_5.x86_64	5.14.0	passed
----------------	------------------------------	--------	--------

yball1r131do02	5.14.0-503.34.1.el9_5.x86_64	5.14.0	passed
----------------	------------------------------	--------	--------

OS Kernel Version ...PASSED

OS Kernel Parameter: semmsl ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01 250 250 250 passed

yball1r131do02 250 250 250 passed

OS Kernel Parameter: semmsl ...PASSED

OS Kernel Parameter: semmns ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	32000	32000	32000	passed	
----------------	-------	-------	-------	--------	--

yball1r131do02	32000	32000	32000	passed	
----------------	-------	-------	-------	--------	--

OS Kernel Parameter: semmns ...PASSED

OS Kernel Parameter: semopm ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	100	100	100	passed	
----------------	-----	-----	-----	--------	--

yball1r131do02	100	100	100	passed	
----------------	-----	-----	-----	--------	--

OS Kernel Parameter: semopm ...PASSED

OS Kernel Parameter: semmni ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	128	128	128	passed	
----------------	-----	-----	-----	--------	--

yball1r131do02	128	128	128	passed	
----------------	-----	-----	-----	--------	--

OS Kernel Parameter: semmni ...PASSED

OS Kernel Parameter: shmmax ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	270045886464	270045886464	270045886464	passed	
----------------	--------------	--------------	--------------	--------	--

yball1r131do02	404806612992	404806612992	404806612992	passed	
----------------	--------------	--------------	--------------	--------	--

OS Kernel Parameter: shmmax ...PASSED

OS Kernel Parameter: shmmni ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	4096	4096	4096	passed	
----------------	------	------	------	--------	--

yball1r131do02 4096 4096 4096 passed

OS Kernel Parameter: shmmni ...PASSED

OS Kernel Parameter: shmall ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	65929171	65929171	65929171	passed	
----------------	----------	----------	----------	--------	--

yball1r131do02	98829739	98829739	98829739	passed	
----------------	----------	----------	----------	--------	--

OS Kernel Parameter: shmall ...PASSED

OS Kernel Parameter: file-max ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	6815744	6815744	6815744	passed	
----------------	---------	---------	---------	--------	--

yball1r131do02	6815744	6815744	6815744	passed	
----------------	---------	---------	---------	--------	--

OS Kernel Parameter: file-max ...PASSED

OS Kernel Parameter: ip_local_port_range ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	between 9000 & 65500	between 9000 & 65500	between 9000 & 65500	passed	
----------------	----------------------	----------------------	----------------------	--------	--

yball1r131do02	between 9000 & 65500	between 9000 & 65500	between 9000 & 65500	passed	
----------------	----------------------	----------------------	----------------------	--------	--

OS Kernel Parameter: ip_local_port_range ...PASSED

OS Kernel Parameter: rmem_default ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	262144	262144	262144	passed	
----------------	--------	--------	--------	--------	--

yball1r131do02	262144	262144	262144	passed	
----------------	--------	--------	--------	--------	--

OS Kernel Parameter: rmem_default ...PASSED

OS Kernel Parameter: rmem_max ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	4194304	4194304	4194304	passed	
----------------	---------	---------	---------	--------	--

yball1r131do02	4194304	4194304	4194304	passed	
----------------	---------	---------	---------	--------	--

OS Kernel Parameter: rmem_max ...PASSED

OS Kernel Parameter: wmem_default ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	262144	262144	262144	passed	
----------------	--------	--------	--------	--------	--

yball1r131do02	262144	262144	262144	passed	
----------------	--------	--------	--------	--------	--

OS Kernel Parameter: wmem_default ...PASSED

OS Kernel Parameter: wmem_max ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	1048586	1048586	1048576	passed	
----------------	---------	---------	---------	--------	--

yball1r131do02	1048586	1048586	1048576	passed	
----------------	---------	---------	---------	--------	--

OS Kernel Parameter: wmem_max ...PASSED

OS Kernel Parameter: aio-max-nr ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	1048576	1048576	1048576	passed	
----------------	---------	---------	---------	--------	--

yball1r131do02	1048576	1048576	1048576	passed	
----------------	---------	---------	---------	--------	--

OS Kernel Parameter: aio-max-nr ...PASSED

OS Kernel Parameter: panic_on_oops ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	1	1	1	passed	
----------------	---	---	---	--------	--

yball1r131do02	1	1	1	passed	
----------------	---	---	---	--------	--

OS Kernel Parameter: panic_on_oops ...PASSED

OS Kernel Parameter: kernel.panic ...

Node Name	Current	Configured	Required	Status	Comment
-----------	---------	------------	----------	--------	---------

yball1r131do01	1	1	1	passed	
----------------	---	---	---	--------	--

yball1r131do02	1	1	1	passed	
----------------	---	---	---	--------	--

OS Kernel Parameter: kernel.panic ...PASSED

Package: kmod-20-21 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	kmod(x86_64)-28-10.el9	kmod(x86_64)-20-21	passed
yball1r131do02	kmod(x86_64)-28-10.el9	kmod(x86_64)-20-21	passed

Package: kmod-20-21 (x86_64) ...PASSED

Package: kmod-libs-20-21 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	kmod-libs(x86_64)-28-10.el9	kmod-libs(x86_64)-20-21	passed
yball1r131do02	kmod-libs(x86_64)-28-10.el9	kmod-libs(x86_64)-20-21	passed

Package: kmod-libs-20-21 (x86_64) ...PASSED

Package: binutils-2.35.2-17.0.1 ...

Node Name	Available	Required	Status
yball1r131do01	binutils-2.35.2-54.el9	binutils-2.35.2-17.0.1	passed
yball1r131do02	binutils-2.35.2-54.el9	binutils-2.35.2-17.0.1	passed

Package: binutils-2.35.2-17.0.1 ...PASSED

Package: libgcc-11.2.1 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	libgcc(x86_64)-11.5.0-5.el9_5	libgcc(x86_64)-11.2.1	passed
yball1r131do02	libgcc(x86_64)-11.5.0-5.el9_5	libgcc(x86_64)-11.2.1	passed

Package: libgcc-11.2.1 (x86_64) ...PASSED

Package: libstdc++-11.2.1 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	libstdc++(x86_64)-11.5.0-5.el9_5	libstdc++(x86_64)-11.2.1	passed
yball1r131do02	libstdc++(x86_64)-11.5.0-5.el9_5	libstdc++(x86_64)-11.2.1	passed

Package: libstdc++-11.2.1 (x86_64) ...PASSED

Package: sysstat-12.5.4 ...

Node Name	Available	Required	Status
yball1r131do01	sysstat-12.5.4-el9	sysstat-12.5.4	passed
yball1r131do02	sysstat-12.5.4-el9	sysstat-12.5.4	passed

Package: sysstat-12.5.4 ...PASSED

Package: ksh ...

Node Name	Available	Required	Status
yball1r131do01	ksh	ksh	passed
yball1r131do02	ksh	ksh	passed

Package: ksh ...PASSED

Package: make-4.3 ...

Node Name	Available	Required	Status
yball1r131do01	make-4.3-8.el9	make-4.3	passed
yball1r131do02	make-4.3-8.el9	make-4.3	passed

Package: make-4.3 ...PASSED

Package: glibc-2.34 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	glibc(x86_64)-2.34-125.el9_5.3	glibc(x86_64)-2.34	passed
yball1r131do02	glibc(x86_64)-2.34-125.el9_5.3	glibc(x86_64)-2.34	passed

Package: glibc-2.34 (x86_64) ...PASSED

Package: glibc-devel-2.34 (x86_64) ...

Node Name	Available	Required	Status
yball1r131do01	glibc-devel(x86_64)-2.34-125.el9_5.3	glibc-devel(x86_64)-2.34	passed
yball1r131do02	glibc-devel(x86_64)-2.34-125.el9_5.3	glibc-devel(x86_64)-2.34	passed

Package: glibc-devel-2.34 (x86_64) ...PASSED

Package: libaio-0.3.111 (x86_64) ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01 libaio(x86_64)-0.3.111-13.el9 libaio(x86_64)-0.3.111 passed

yball1r131do02 libaio(x86_64)-0.3.111-13.el9 libaio(x86_64)-0.3.111 passed

Package: libaio-0.3.111 (x86_64) ...PASSED

Package: nfs-utils-2.5.4-10 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	nfs-utils-2.5.4-27.el9	nfs-utils-2.5.4-10	passed
----------------	------------------------	--------------------	--------

yball1r131do02	nfs-utils-2.5.4-27.el9	nfs-utils-2.5.4-10	passed
----------------	------------------------	--------------------	--------

Package: nfs-utils-2.5.4-10 ...PASSED

Package: smartmontools-7.2-6 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	smartmontools-7.2-9.el9	smartmontools-7.2-6	passed
----------------	-------------------------	---------------------	--------

yball1r131do02	smartmontools-7.2-9.el9	smartmontools-7.2-6	passed
----------------	-------------------------	---------------------	--------

Package: smartmontools-7.2-6 ...PASSED

Package: net-tools-2.0-0.62 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	net-tools-2.0-0.64.20160912git.el9	net-tools-2.0-0.62	passed
----------------	------------------------------------	--------------------	--------

yball1r131do02	net-tools-2.0-0.64.20160912git.el9	net-tools-2.0-0.62	passed
----------------	------------------------------------	--------------------	--------

Package: net-tools-2.0-0.62 ...PASSED

Package: policycoreutils-2.9-3 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	policycoreutils-3.6-2.1.el9	policycoreutils-2.9-3	passed
----------------	-----------------------------	-----------------------	--------

yball1r131do02	policycoreutils-3.6-2.1.el9	policycoreutils-2.9-3	passed
----------------	-----------------------------	-----------------------	--------

Package: policycoreutils-2.9-3 ...PASSED

Package: policycoreutils-python-utils-2.9-3 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01 polycoreutils-python-utils-3.6-2.1.el9 polycoreutils-python-utils-2.9-3 passed

yball1r131do02 polycoreutils-python-utils-3.6-2.1.el9 polycoreutils-python-utils-2.9-3 passed

Package: polycoreutils-python-utils-2.9-3 ...PASSED

Port Availability for component "Oracle Notification Service (ONS)" ...

Node Name	Port Number	Protocol	Available	Status
-----------	-------------	----------	-----------	--------

yball1r131do01	6200	TCP	yes	successful
----------------	------	-----	-----	------------

yball1r131do02	6200	TCP	yes	successful
----------------	------	-----	-----	------------

yball1r131do01	6100	TCP	yes	successful
----------------	------	-----	-----	------------

yball1r131do02	6100	TCP	yes	successful
----------------	------	-----	-----	------------

Port Availability for component "Oracle Notification Service (ONS)" ...PASSED

Port Availability for component "Oracle Cluster Synchronization Services (CSSD)" ...

Node Name	Port Number	Protocol	Available	Status
-----------	-------------	----------	-----------	--------

yball1r131do01	42424	TCP	yes	successful
----------------	-------	-----	-----	------------

yball1r131do02	42424	TCP	yes	successful
----------------	-------	-----	-----	------------

Port Availability for component "Oracle Cluster Synchronization Services (CSSD)" ...PASSED

Users With Same UID: 0 ...PASSED

Current Group ID ...PASSED

Root user consistency ...

Node Name	Status
-----------	--------

yball1r131do01	passed
----------------	--------

yball1r131do02	passed
----------------	--------

Root user consistency ...PASSED

Package: cvuqdisk-1.0.10-1 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	cvuqdisk-1.0.10-1	cvuqdisk-1.0.10-1	passed
----------------	-------------------	-------------------	--------

yball1r131do02	cvuqdisk-1.0.10-1	cvuqdisk-1.0.10-1	passed
----------------	-------------------	-------------------	--------

Package: cvuqdisk-1.0.10-1 ...PASSED

Package: psmisc-22.6-19 ...

Node Name	Available	Required	Status
-----------	-----------	----------	--------

yball1r131do01	psmisc-23.4-3.el9	psmisc-22.6-19	passed
----------------	-------------------	----------------	--------

yball1r131do02	psmisc-23.4-3.el9	psmisc-22.6-19	passed
----------------	-------------------	----------------	--------

Package: psmisc-22.6-19 ...PASSED

Host name ...PASSED

Node Connectivity ...

Hosts File ...

Node Name	Status
-----------	--------

yball1r131do01	passed
----------------	--------

yball1r131do02	passed
----------------	--------

Hosts File ...PASSED

Interface information for node "yball1r131do01"

Name	IP Address	Subnet	Gateway	Def. Gateway	HW Address	MTU
bond1	10.182.130.96	10.182.128.0	0.0.0.0	10.177.64.1	34:80:0D:84:36:F7	1500
bond0	10.177.67.58	10.177.64.0	0.0.0.0	10.177.64.1	34:80:0D:86:61:96	1500
bond2	10.183.6.228	10.183.0.0	0.0.0.0	10.177.64.1	34:80:0D:86:61:97	1500

Interface information for node "yball1r131do02"

Name	IP Address	Subnet	Gateway	Def. Gateway	HW Address	MTU
bond2	10.183.6.229	10.183.0.0	0.0.0.0	10.177.64.1	34:80:0D:86:45:D1	1500
bond1	10.182.130.97	10.182.128.0	0.0.0.0	10.177.64.1	34:80:0D:84:10:03	1500
bond0	10.177.67.59	10.177.64.0	0.0.0.0	10.177.64.1	34:80:0D:86:45:D0	1500

Check: MTU consistency of the subnet "10.182.128.0".

Node	Name	IP Address	Subnet	MTU
------	------	------------	--------	-----

yball1r131do01	bond1	10.182.130.96	10.182.128.0	1500
----------------	-------	---------------	--------------	------

yball1r131do02 bond1 10.182.130.97 10.182.128.0 1500

Check: MTU consistency of the subnet "10.177.64.0".

Node	Name	IP Address	Subnet	MTU
yball1r131do01	bond0	10.177.67.58	10.177.64.0	1500
yball1r131do02	bond0	10.177.67.59	10.177.64.0	1500

Check: MTU consistency of the subnet "10.183.0.0".

Node	Name	IP Address	Subnet	MTU
yball1r131do01	bond2	10.183.6.228	10.183.0.0	1500
yball1r131do02	bond2	10.183.6.229	10.183.0.0	1500

Check that maximum (MTU) size packet goes through subnet ...PASSED

Source	Destination	Connected?
yball1r131do01[bond1:10.182.130.96]	yball1r131do02[bond1:10.182.130.97]	yes

Source	Destination	Connected?
yball1r131do01[bond0:10.177.67.58]	yball1r131do02[bond0:10.177.67.59]	yes

Source	Destination	Connected?
yball1r131do01[bond2:10.183.6.228]	yball1r131do02[bond2:10.183.6.229]	yes

subnet mask consistency for subnet "10.182.128.0" ...PASSED

subnet mask consistency for subnet "10.177.64.0" ...PASSED

subnet mask consistency for subnet "10.183.0.0" ...PASSED

Node Connectivity ...PASSED

Multicast or broadcast check ...

Checking subnet "10.182.128.0" for multicast communication with multicast group "224.0.0.251"

Multicast or broadcast check ...PASSED

Network Time Protocol (NTP) ...

'/etc/chrony.conf' ...

Node Name	File exists?
-----------	--------------

yball1r131do01	yes
----------------	-----

yball1r131do02	yes
----------------	-----

'/etc/chrony.conf' ...PASSED

Daemon 'chronyd' ...

Node Name	Running?
-----------	----------

yball1r131do01	yes
----------------	-----

yball1r131do02	yes
----------------	-----

Daemon 'chronyd' ...PASSED

NTP daemon or service using UDP port 123 ...

Node Name	Port Open?
-----------	------------

yball1r131do01	yes
----------------	-----

yball1r131do02	yes
----------------	-----

NTP daemon or service using UDP port 123 ...PASSED

chrony daemon is synchronized with at least one external time source ...PASSED

Network Time Protocol (NTP) ...PASSED

Same core file name pattern ...PASSED

User Mask ...

Node Name	Available	Required	Comment
-----------	-----------	----------	---------

yball1r131do01	0027	0022	failed
----------------	------	------	--------

yball1r131do02	0027	0022	failed
----------------	------	------	--------

User Mask ...FAILED (PRVF-7611)

User Not In Group "root": grid ...

Node Name	Status	Comment
-----------	--------	---------

yball1r131do01	passed	does not exist
----------------	--------	----------------

yball1r131do02 passed does not exist

User Not In Group "root": grid ...PASSED

Time zone consistency ...PASSED

Path existence, ownership, permissions and attributes ...

Path "/var" ...PASSED

Path "/dev/shm" ...PASSED

Path existence, ownership, permissions and attributes ...PASSED

Time offset between nodes ...PASSED

resolv.conf Integrity ...

Node Name	Status
-----------	--------

yball1r131do01	passed
----------------	--------

yball1r131do02	passed
----------------	--------

checking response for name "yball1r131do02" from each of the name servers

specified in "/etc/resolv.conf"

Node Name	Source	Comment	Status
yball1r131do02	10.246.192.25	IPv4	passed
yball1r131do02	10.248.192.25	IPv4	passed
yball1r131do02	10.177.192.25	IPv4	passed
yball1r131do02	10.184.192.25	IPv4	passed

checking response for name "yball1r131do01" from each of the name servers

specified in "/etc/resolv.conf"

Node Name	Source	Comment	Status
yball1r131do01	10.246.192.25	IPv4	passed
yball1r131do01	10.248.192.25	IPv4	passed
yball1r131do01	10.177.192.25	IPv4	passed
yball1r131do01	10.184.192.25	IPv4	passed

resolv.conf Integrity ...PASSED

DNS/NIS name service ...PASSED

ORAchk checks ...INFORMATION (PRVH-1507)

Pre-check for cluster services setup was unsuccessful on all the nodes.

IGNORABLE: Below Error.

Failures were encountered during execution of CVU verification request "stage -pre crsinst".

User Mask ...FAILED

yball1r131do01: PRVF-7611 : Proper user file creation mask (umask) for user

"grid" is not found on node "yball1r131do01" [Expected = "0022"
; Found = "0027"]

yball1r131do02: PRVF-7611 : Proper user file creation mask (umask) for user

"grid" is not found on node "yball1r131do02" [Expected = "0022"
; Found = "0027"]

RPM Package Manager database ...INFORMATION

PRVG-11250 : The check "RPM Package Manager database" was not performed because
it needs 'root' user privileges.

Refer to My Oracle Support notes "2548970.1" for more details regarding errors

PRVG-11250".

File system mount options for path /var ...FAILED

yball1r131do01: PRVE-10183 : File system path "/var" is mounted with 'nosuid'
option on node "yball1r131do01.yesbank.com".

yball1r131do02: PRVE-10183 : File system path "/var" is mounted with 'nosuid'
option on node "yball1r131do02.yesbank.com".

ORAchk checks ...INFORMATION

PRVH-1507 : ORAchk/EXAchk checks are skipped.

CVU operation performed: stage -pre crsinst

Date: Apr 28, 2025 6:05:23 PM

CVU version: 19.26.0.0.0 (011625x8664)

CVU home: /asm_home/app/19.0.0/grid_home

User: grid

Operating system: Linux5.14.0-503.34.1.el9_5.x86_64

Completed RAC Installation.

Domain Sockets ...PASSED

Daemon "avahi-daemon" not configured and running ...

Node Name	Configured	Status
-----------	------------	--------

yball1r131do01	no	passed
----------------	----	--------

yball1r131do02	no	passed
----------------	----	--------

Node Name	Running?	Status
-----------	----------	--------

yball1r131do01	no	passed
----------------	----	--------

yball1r131do02	no	passed
----------------	----	--------

Daemon "avahi-daemon" not configured and running ...PASSED

Daemon "proxyt" not configured and running ...

Node Name	Configured	Status
-----------	------------	--------

yball1r131do01	no	passed
----------------	----	--------

yball1r131do02	no	passed
----------------	----	--------

Node Name	Running?	Status
-----------	----------	--------

yball1r131do01	no	passed
----------------	----	--------

yball1r131do02	no	passed
----------------	----	--------

Daemon "proxyt" not configured and running ...PASSED

User Equivalence ...PASSED

RPM Package Manager database ...INFORMATION (PRVG-11250)

Maximum locked memory check ...PASSED

/dev/shm mounted as temporary file system ...PASSED

File system mount options for path /var ...FAILED (PRVE-10183)

DefaultTasksMax parameter ...PASSED

zeroconf check ...PASSED

ASM Filter Driver configuration ...PASSED

Second, Now let set up the DB software, we will unzip the database software & install along with applying latest patch.

⇒ Already software have been installed and kept in the /orabkp/software/ path, need to unzip & start installing.

```
[oracle@ybbri1r131do01 software]$ ls -lth
```

```
total 9.1G
```

```
drwxrwxrwt. 6 grid oinstall 186 Apr 29 13:39 tmp
```

```
-rwxrwx---. 1 oracle oinstall 126M Jan 28 14:55 p6880880_190000_Linux-x86-64.zip
```

```
-rwxrwx---. 1 oracle oinstall 123M Jan 28 14:18 p37213431_190000_Linux-x86-64.zip
```

```
-rwxrwx---. 1 oracle oinstall 3.3G Jan 23 11:22 p37257886_190000_Linux-x86-64.zip
```

```
-rw-rw-r--. 1 grid oinstall 2.5K Jan 21 14:57 PatchSearch.xml
```

```
drwxr-x---. 8 grid oinstall 159 Jan 20 14:03 37257886
```

```
drwxr-xr-x. 4 grid oinstall 67 Dec 19 03:55 37213431
```

```
-rwxrwx---. 1 oracle oinstall 2.9G May 13 2024 V982063-01_Linux_DB_19_soft.zip
```

```
-rwxrwx---. 1 oracle oinstall 2.7G May 13 2024 V982068-01_Linux_grid_19c_soft.zip
```

```
[oracle@ybbri1r131do01 software]$
```

```
[oracle@ybbri1r131do01 software]$ unzip -q V982063-01_Linux_DB_19_soft.zip -d  
/ora_home/app/19.0.0/dbhome_1/
```

⇒ **Database software installation completed. Now lets apply latest patch to it.**

```
[oracle@ybbri1r131do01 software]$ cd /ora_home/app/19.0.0/dbhome_1/
```

```
[oracle@ybbri1r131do01 dbhome_1]$ cd OPatch/
```

```
[oracle@ybbri1r131do01 OPatch]$ cd ..
```

⇒ **Delete old OPatch in \$ORACLE_HOME/OPatch path.**

```
[oracle@ybbri1r131do01 dbhome_1]$ rm -rf OPatch/
```

```
[oracle@ybbri1r131do01 dbhome_1]$
```

```
[oracle@ybbri1r131do01 dbhome_1]$ cd
```

```
[oracle@ybbri1r131do01 ~]$ cd /orabkp/software/
```

```
[oracle@ybbri1r131do01 software]$
```

```
[oracle@ybbri1r131do01 software]$ ls -lrth
```


total 9.1G

-rwxrwx---. 1 oracle oinstall 2.7G May 13 2024 V982068-01_Linux_grid_19c_soft.zip

-rwxrwx---. 1 oracle oinstall 2.9G May 13 2024 V982063-01_Linux_DB_19_soft.zip

drwxr-xr-x. 4 grid oinstall 67 Dec 19 03:55 37213431

drwxr-x---. 8 grid oinstall 159 Jan 20 14:03 37257886

-rw-rw-r--. 1 grid oinstall 2.5K Jan 21 14:57 PatchSearch.xml

-rwxrwx---. 1 oracle oinstall 3.3G Jan 23 11:22 p37257886_190000_Linux-x86-64.zip

-rwxrwx---. 1 oracle oinstall 123M Jan 28 14:18 p37213431_190000_Linux-x86-64.zip

-rwxrwx---. 1 oracle oinstall 126M Jan 28 14:55 p6880880_190000_Linux-x86-64.zip

drwxrwxrwt. 6 grid oinstall 186 Apr 29 13:39 tmp

[oracle@ybbrl1r131do01 software]\$

[oracle@ybbrl1r131do01 software]\$ unzip -q p6880880_190000_Linux-x86-64.zip -d
/ora_home/app/19.0.0/dbhome_1/

[oracle@ybbrl1r131do01 software]\$ export TMPDIR=/orabkp/software/tmp

[oracle@ybbrl1r131do01 software]\$./runInstaller -silent -applyPSU /orabkp/software/37257886

-bash: ./runInstaller: No such file or directory

[oracle@ybbrl1r131do01 software]\$ cd /ora_home/app/19.0.0/dbhome_1/

[oracle@ybbrl1r131do01 dbhome_1]\$ export TMPDIR=/orabkp/software/tmp

[oracle@ybbrl1r131do01 dbhome_1]\$./runInstaller -silent -applyPSU /orabkp/software/37257886

Preparing the home to patch...

Applying the patch /orabkp/software/37257886...

Successfully applied patch.

Third, automate the installation and configuration of Oracle software for grid.

⇒ ./runInstaller -silent -ignorePrereqFailure -responseFile /home/oracle/setup.rsp

oracle.install.responseFileVersion=/oracle/install/rspfmt_dbinstall_response_schema_v19.0.0

oracle.install.option=INSTALL_DB_SWONLY

UNIX_GROUP_NAME=oinstall

INVENTORY_LOCATION=/asm/app/orainventory

ORACLE_BASE=/ora_home/app/oracle_base

oracle.install.db.InstallEdition=EE


```
oracle.install.db.OSDBA_GROUP=oinstall
oracle.install.db.OSOPER_GROUP=oinstall
oracle.install.db.OSBACKUPDBA_GROUP=oinstall
oracle.install.db.OSDGDBA_GROUP=oinstall
oracle.install.db.OSKMDBA_GROUP=oinstall
oracle.install.db.OSRACDBA_GROUP=oinstall
oracle.install.db.rootconfig.executeRootScript=false
oracle.install.db.config.starterdb.type=GENERAL_PURPOSE
oracle.install.db.CLUSTER_NODES=ybbrl1r131do01,ybbrl1r131do02
```

```
[oracle@yball1r131do01 dbhome_1]$ ./runInstaller -silent -ignorePrereqFailure -responseFile
/home/oracle/setup.rsp
```

Launching Oracle Database Setup Wizard...

[WARNING] [INS-13013] Target environment does not meet some mandatory requirements.

CAUSE: Some of the mandatory prerequisites are not met. See logs for details.

/asm_home/app/oraInventory/logs/InstallActions2025-04-29_04-52-17PM/installActions2025-04-29_04-52-17PM.log

ACTION: Identify the list of failed prerequisite checks from the log:

/asm_home/app/oraInventory/logs/InstallActions2025-04-29_04-52-17PM/installActions2025-04-29_04-52-17PM.log. Then either from the log file or from installation manual find the appropriate configuration to meet the prerequisites and fix it manually.

The response file for this session can be found at:

/ora_home/app/19.0.0/dbhome_1/install/response/db_2025-04-29_04-52-17PM.rsp

You can find the log of this install session at:

/asm_home/app/oraInventory/logs/InstallActions2025-04-29_04-52-17PM/installActions2025-04-29_04-52-17PM.log

As a root user, execute the following script(s):

1. **/ora_home/app/19.0.0/dbhome_1/root.sh**

Execute /ora_home/app/19.0.0/dbhome_1/root.sh on the following nodes:

[YBALL1R131DO01, YBALL1R131DO02]

Successfully Setup Software with warning(s).

Fourth, Creating ASM Disk group from the Disk:

⇒ When to add, by checking the below validation.

Provisioned	Disks are formatted and visible to ASM but not yet part of any disk group.
Candidate	Disks are available and can be used to create a new disk group or added to an existing one.
Member	Disks are already part of a disk group. Cannot be used for another disk group unless dropped or reformatted.
Former	Disks that were part of a disk group but have been dropped or removed.
Unknown	ASM cannot access the disk or identify its status.

⇒ Use the KFOD command to check the status of disk group.

Version 19.26.0.0.0

```
[grid@yball1r131do01 ~]$ kfod disks=all status=true dscvgroup=true
```

Disk	Size	Header	Path	Disk Group	User	Group
1:	51200 MB	MEMBER	/dev/mapper/mpatha	OCR_VOTE	grid	oinstall
2:	51200 MB	MEMBER	/dev/mapper/mpathb	OCR_VOTE	grid	oinstall
3:	512000 MB	CANDIDATE	/dev/mapper/mpathc	#	grid	oinstall
4:	512000 MB	CANDIDATE	/dev/mapper/mpathd	#	grid	oinstall
5:	512000 MB	CANDIDATE	/dev/mapper/mpathe	#	grid	oinstall
6:	512000 MB	CANDIDATE	/dev/mapper/mpathf	#	grid	oinstall
7:	512000 MB	CANDIDATE	/dev/mapper/mpathg	#	grid	oinstall
8:	51200 MB	MEMBER	/dev/mapper/mpathh	OCR_VOTE	grid	oinstall
9:	51200 MB	MEMBER	/dev/mapper/mpathi	OCR_VOTE	grid	oinstall
10:	51200 MB	MEMBER	/dev/mapper/mpathj	OCR_VOTE	grid	oinstall
11:	102400 MB	CANDIDATE	/dev/mapper/mpathk	#	grid	oinstall
12:	102400 MB	CANDIDATE	/dev/mapper/mpathl	#	grid	oinstall
13:	512000 MB	CANDIDATE	/dev/mapper/mpathm	#	grid	oinstall
14:	512000 MB	CANDIDATE	/dev/mapper/mpathn	#	grid	oinstall
15:	512000 MB	CANDIDATE	/dev/mapper/mpatho	#	grid	oinstall

ORACLE_SID ORACLE_HOME


```
[grid@yball1r131do01 ~]$ sqlplus / as sysasm
```

```
create diskgroup POSDR_DATA external REDUNDANCY disk
'/dev/mapper/mpathe','/dev/mapper/mpathf','/dev/mapper/mpathg' ATTRIBUTE 'compatible.asm' = '19.0';
/dev/mapper/mpathk

create diskgroup POSDR_ARCHIVE external REDUNDANCY disk '/dev/mapper/mpathc','/dev/mapper/mpathd'
ATTRIBUTE 'compatible.asm' = '19.0';

create diskgroup POSDR_REDO1 external REDUNDANCY disk '/dev/mapper/mpathk' ATTRIBUTE
'compatible.asm' = '19.0';

create diskgroup POSDR_REDO2 external REDUNDANCY disk '/dev/mapper/mpathl' ATTRIBUTE
'compatible.asm' = '19.0';

alter diskgroup POSDR_DATA ADD disk
'/dev/mapper/mpathm','/dev/mapper/mpathn','/dev/mapper/mpatho' rebalance power 6;
```

⇒ After creating disk group if not mounted then, the command to mount the disk group.

```
alter diskgroup POSDR_DATA mount;
alter diskgroup POSDR_ARCHIVE mount;
alter diskgroup POSDR_REDO1 mount;
alter diskgroup POSDR_REDO2 mount;
```

NAME	TYPE	TOTAL_MB/1024	FREE_MB/1024	USABLE_FILE_MB/1024
OCR_VOTE	HIGH	250	248.742188	49.5800781
POSDR_DATA	EXTERN	3000	2999.87598	2999.87598
POSDR_ARCHIVE	EXTERN	1000	999.918945	999.918945
POSDR_REDO1	EXTERN	100	99.9375	99.9375
POSDR_REDO2	EXTERN	100	99.9375	99.9375

Fifth, Check the ports are opened by checking telnet.

```
[grid@yball1r131do01 ~]$ srvctl config scan
```

SCAN name: scan-eddsdc.yesbank.com, Network: 1

Subnet IPv4: 10.177.64.0/255.255.240.0/bond0, static

Subnet IPv6:

SCAN 1 IPv4 VIP: 10.177.67.62

SCAN VIP is enabled.

SCAN 2 IPv4 VIP: 10.177.67.63

SCAN VIP is enabled.

SCAN 3 IPv4 VIP: 10.177.67.64

SCAN VIP is enabled.

```
[grid@yball1r131do01 ~]$ srvctl config nodeapps -a
```

Network 1 exists

Subnet IPv4: 10.177.64.0/255.255.240.0/bond0, static

Subnet IPv6:

Ping Targets:

Network is enabled

Network is individually enabled on nodes:

Network is individually disabled on nodes:

VIP exists: network number 1, hosting node yball1r131do01

VIP Name: yball1r131do01-vip.yesbank.com

VIP IPv4 Address: 10.177.67.60

VIP IPv6 Address:

VIP is enabled.

VIP is individually enabled on nodes:

VIP is individually disabled on nodes:

VIP exists: network number 1, hosting node yball1r131do02

VIP Name: yball1r131do02-vip.yesbank.com

VIP IPv4 Address: 10.177.67.61

VIP IPv6 Address:

VIP is enabled.

VIP is individually enabled on nodes:

VIP is individually disabled on nodes:

```
[grid@yball1r131do01 ~]$ nslookup yball1r131do01
```

```
:: Got recursion not available from 10.246.192.25, trying next server
```

```
:: Got recursion not available from 10.248.192.25, trying next server
```

```
Server: 10.177.192.25
```

```
Address: 10.177.192.25#53
```

```
Name: yball1r131do01.yesbank.com
```

```
Address: 10.177.67.58
```

```
:: Got recursion not available from 10.246.192.25, trying next server
```

```
:: Got recursion not available from 10.248.192.25, trying next server
```

```
timeout 3 curl -vv telnet://10.246.115.32:1621
```

```
timeout 3 curl -vv telnet://10.177.67.58:1621
```

```
timeout 3 curl -vv telnet://10.177.67.59:1621
```

```
timeout 3 curl -vv telnet://10.177.67.60:1621
```

```
timeout 3 curl -vv telnet://10.177.67.61:1621
```

```
timeout 3 curl -vv telnet://10.177.67.62:1651
```

```
timeout 3 curl -vv telnet://10.177.67.63:1651
```

```
timeout 3 curl -vv telnet://10.177.67.64:1651
```

```
===== check on other sever 10.246.114.233=====
```

```
grid@ybbrl1r131do01 ~]$
```

```
[grid@ybbrl1r131do01 ~]$ srvctl config scan
```

```
SCAN name: scan-eddsdr.yesbank.com, Network: 1
```

```
Subnet IPv4: 10.246.112.0/255.255.240.0/bond0, static
```

```
Subnet IPv6:
```

```
SCAN 1 IPv4 VIP: 10.246.114.237
```

```
SCAN VIP is enabled.
```

```
SCAN 2 IPv4 VIP: 10.246.114.238
```

```
SCAN VIP is enabled.
```


SCAN 3 IPv4 VIP: 10.246.114.239

SCAN VIP is enabled.

[grid@ybb1r1r131do01 ~]\$ srvtl config nodeapps -a

Network 1 exists

Subnet IPv4: 10.246.112.0/255.255.240.0/bond0, static

Subnet IPv6:

Ping Targets:

Network is enabled

Network is individually enabled on nodes:

Network is individually disabled on nodes:

VIP exists: network number 1, hosting node ybb1r1r131do01

VIP Name: ybb1r1r131do01-vip.yesbank.com

VIP IPv4 Address: 10.246.114.235

VIP IPv6 Address:

VIP is enabled.

VIP exists: network number 1, hosting node ybb1r1r131do02

VIP Name: ybb1r1r131do02-vip.yesbank.com

VIP IPv4 Address: 10.246.114.236

VIP IPv6 Address:

VIP is enabled.

VIP is individually enabled on nodes:

VIP is individually disabled on nodes:

timeout 3 curl -vv telnet://10.246.115.32:1621

timeout 3 curl -vv telnet://10.246.114.233:1621

timeout 3 curl -vv telnet://10.246.114.234:1621

timeout 3 curl -vv telnet://10.246.114.235:1621

timeout 3 curl -vv telnet://10.246.114.236:1621

timeout 3 curl -vv telnet://10.246.114.237:1651

timeout 3 curl -vv telnet://10.246.114.238:1651

timeout 3 curl -vv <telnet://10.246.114.239:1651>

Sixth, Creating the standby database using restore way method by service name.

⇒ Create pfile, make changes required and start the database with pfile.

```
*.audit_file_dest='/ora_home/app/oracle_base/admin/POSDXDR/adump'
*.audit_trail='db'
*.cluster_database=true
*.compatible='19.0.0'
*.control_files='+POSDR_DATA'
*.db_block_size=8192
*.db_create_file_dest='+POSDR_DATA'
*.db_name='POSDR'
*.db_unique_name='POSDXDR'
*.diagnostic_dest='/ora_home/app/oracle_base'
*.dispatchers='(PROTOCOL=TCP) (SERVICE=POSDRXDB)'
family:dw_helper.instance_mode='read-only'
POSDXDR1.instance_number=2
POSDXDR2.instance_number=1
*.local_listener='-oraagent-dummy-'
*.nls_language='AMERICAN'
*.nls_territory='AMERICA'
*.open_cursors=300
*.pga_aggregate_target=2560m
*.processes=7680
*.remote_login_passwordfile='exclusive'
*.sga_target=7680m
POSDXDR2.thread=2
POSDXDR1.thread=1
POSDXDR2.undo_tablespace='UNDOTBS2'
POSDXDR1.undo_tablespace='UNDOTBS1'
```


⇒ Set the bash profile or set home path.

```
export ORACLE_HOME=/ora_home/app/19.0.0/dbhome_1
export PATH=/ora_home/app/19.0.0/dbhome_1/bin:$PATH
```

```
SQL> startup nomount pfile ='/ora_home/app/19.0.0/dbhome_1/dbs/initPOSDXDR1.ora';
```

ORACLE instance started.

Total System Global Area 8053060248 bytes

Fixed Size 8958616 bytes

Variable Size 2365587456 bytes

Database Buffers 5620367360 bytes

Redo Buffers 58146816 bytes

on PROD

```
SQL> select force_logging from v$database;
```

FORCE_LOGGING

YES

⇒ TNS Entries for both sides on PR & DR.

vi tnsnames.ora

tnsnames.ora Network Configuration File: /ora_home/app/19.0.0/dbhome_1/network/admin/tnsnames.ora

Generated by Oracle configuration tools.

POSDR =

(DESCRIPTION =

(ADDRESS = (PROTOCOL = TCP)(HOST = scan-eddsdr1.yesbank.com)(PORT = 1651))

(CONNECT_DATA =

(SERVER = DEDICATED)

(SERVICE_NAME = POSDR)

)

)

POSDXDR =

(DESCRIPTION =

(ADDRESS = (PROTOCOL = TCP)(HOST = scan-eddsdr.yesbank.com)(PORT = 1651))

(CONNECT_DATA =

(SERVER = DEDICATED)

(SERVICE_NAME = POSDXDR)

)

)

[grid@ybbrl1r131do01 ~]\$ export ORACLE_HOME=/asm_home/app/19.0.0/grid_home

[grid@ybbrl1r131do01 ~]\$ export PATH=\$ORACLE_HOME/bin:\$PATH

[grid@ybbrl1r131do01 ~]\$ vi .bash_profile

[grid@ybbrl1r131do01 ~]\$. .bash_profile

[grid@ybbrl1r131do01 ~]\$ **lsnrctl status**

LSNRCTL for Linux: Version 19.0.0.0.0 - Production on 30-APR-2025 13:04:16

Copyright (c) 1991, 2024, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))

STATUS of the LISTENER

Alias LISTENER

Version TNSLSNR for Linux: Version 19.0.0.0.0 - Production

Start Date 30-APR-2025 12:58:03

Uptime 0 days 0 hr. 6 min. 13 sec

Trace Level off

Security ON: Local OS Authentication

SNMP OFF

Listener Parameter File /asm_home/app/19.0.0/grid_home/network/admin/listener.ora

Listener Log File /asm_home/app/grid_base/diag/tnslsnr/ybbrl1r131do01/listener/alert/log.xml

Listening Endpoints Summary...

(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=LISTENER)))

(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.233)(PORT=1621)))

(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.235)(PORT=1621)))

Services Summary...

Service "+ASM" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_OCR_VOTE" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_ARCHIVE" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_DATA" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_REDO1" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_REDO2" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

The command completed successfully.

[grid@ybbrl1r131do01 ~]\$

[grid@ybbrl1r131do01 ~]\$ ps -ef | grep pmon

oracle 1107195 1 0 12:38 ? 00:00:00 ora_pmon_POSDXDR1

grid 1132778 1127879 0 13:04 pts/2 00:00:00 grep --color=auto pmon

grid 4029817 1 0 Apr29 ? 00:00:05 asm_pmon_+ASM1

[grid@ybbrl1r131do01 ~]\$ sudo su - grid

Last login: Wed Apr 30 12:58:42 IST 2025 on pts/2

[grid@ybbrl1r131do01 ~]\$

logout

[grid@ybbrl1r131do01 ~]\$

logout

[root@ybbrl1r131do01 ~]#

⇒ Set Primary Database Initialization Parameters:

On Primary:

```
SQL> ALTER SYSTEM SET LOG_ARCHIVE_CONFIG='DG_CONFIG=(POSDR,POSDXDR)' scope=both sid='*';
```

System altered.

```
SQL> ALTER SYSTEM SET LOG_ARCHIVE_DEST_3='SERVICE=POSDXDR LGWR ASYNC  
VALID_FOR=(ONLINE_LOGFILES,PRIMARY_ROLE) DB_UNIQUE_NAME=POSDXDR' scope=both sid='*';
```

System altered.

```
SQL> ALTER SYSTEM SET LOG_ARCHIVE_DEST_STATE_3=ENABLE scope=both sid='*';
```

System altered.

```
SQL> ALTER SYSTEM SET DB_FILE_NAME_CONVERT='+POSDR_DATA','+POSDR_DATA' SCOPE=SPFILE sid='*';
```

System altered.

```
SQL> ALTER SYSTEM SET LOG_FILE_NAME_CONVERT='+POSDR_DATA','+POSDR_DATA' SCOPE=SPFILE sid='*';
```

System altered.

```
SQL> ALTER SYSTEM SET STANDBY_FILE_MANAGEMENT=AUTO scope=both sid='*';
```

System altered.

```
SQL> create pfile='/home/oracle/initPOSDXDR1.ora' from spfile;
```

File created.

⇒ Restore the controlfile for standby database.

On Standby:

restore controlfile from service POSDR;

[Mistake happened, need to use "restore standby controlfile from service POSDR;"], After restoring the standby database we will start MRP & it will give error control file is primary database. Then usually what we think lets drop the database & recreate but lets try the below method without dropping the database create the standby database.

```
RMAN> restore controlfile from service POSDR;
```

restore controlfile from service POSDR;

Starting restore at 30-APR-25

using target database control file instead of recovery catalog

allocated channel: ORA_DISK_1

channel ORA_DISK_1: SID=8991 instance=POSDXDR1 device type=DISK

channel ORA_DISK_1: starting datafile backup set restore

channel ORA_DISK_1: using network backup set from service POSDR

channel ORA_DISK_1: restoring control file

channel ORA_DISK_1: restore complete, elapsed time: 00:00:02

output file name=+POSDR_DATA/POSDXDR/CONTROLFILE/current.256.1199811455

Finished restore at 30-APR-25

run

{

SET NEWNAME FOR database to '+POSDR_DATA';

switch datafile all;

}

executing command: SET NEWNAME

Starting restore at 30-APR-25

using target database control file instead of recovery catalog

allocated channel: ORA_DISK_1

channel ORA_DISK_1: SID=1887 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_2

channel ORA_DISK_2: SID=2032 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_3

channel ORA_DISK_3: SID=2177 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_4

channel ORA_DISK_4: SID=2322 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_5

channel ORA_DISK_5: SID=2467 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_6

channel ORA_DISK_6: SID=2612 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_7

channel ORA_DISK_7: SID=2757 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_8

channel ORA_DISK_8: SID=2902 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_9

channel ORA_DISK_9: SID=3047 instance=POSDXDR1 device type=DISK

allocated channel: ORA_DISK_10

channel ORA_DISK_10: SID=3192 instance=POSDXDR1 device type=DISK

channel ORA_DISK_1: starting datafile backup set restore

channel ORA_DISK_1: using network backup set from service POSDR

channel ORA_DISK_1: specifying datafile(s) to restore from backup set

channel ORA_DISK_1: restoring datafile 00001 to +POSDR_DATA

channel ORA_DISK_2: starting datafile backup set restore

channel ORA_DISK_2: using network backup set from service POSDR

channel ORA_DISK_2: specifying datafile(s) to restore from backup set

channel ORA_DISK_2: restoring datafile 00002 to +POSDR_DATA

channel ORA_DISK_3: starting datafile backup set restore

channel ORA_DISK_3: using network backup set from service POSDR

channel ORA_DISK_3: specifying datafile(s) to restore from backup set

channel ORA_DISK_3: restoring datafile 00003 to +POSDR_DATA

channel ORA_DISK_2: starting datafile backup set restore

channel ORA_DISK_2: using network backup set from service POSDR

channel ORA_DISK_2: specifying datafile(s) to restore from backup set

channel ORA_DISK_2: restoring datafile 00019 to +POSDR_DATA

channel ORA_DISK_4: restore complete, elapsed time: 00:01:32

channel ORA_DISK_4: starting datafile backup set restore

channel ORA_DISK_4: using network backup set from service POSDR

channel ORA_DISK_4: specifying datafile(s) to restore from backup set

channel ORA_DISK_4: restoring datafile 00020 to +POSDR_DATA

channel ORA_DISK_5: restore complete, elapsed time: 00:01:32

channel ORA_DISK_5: starting datafile backup set restore

channel ORA_DISK_5: using network backup set from service POSDR

channel ORA_DISK_5: specifying datafile(s) to restore from backup set

channel ORA_DISK_5: restoring datafile 00021 to +POSDR_DATA

channel ORA_DISK_6: restore complete, elapsed time: 00:01:32

channel ORA_DISK_6: starting datafile backup set restore
channel ORA_DISK_6: using network backup set from service POSDR
channel ORA_DISK_6: specifying datafile(s) to restore from backup set
channel ORA_DISK_6: restoring datafile 00022 to +POSDR_DATA
channel ORA_DISK_8: restore complete, elapsed time: 00:01:34
channel ORA_DISK_8: starting datafile backup set restore
channel ORA_DISK_8: using network backup set from service POSDR
channel ORA_DISK_8: specifying datafile(s) to restore from backup set
channel ORA_DISK_8: restoring datafile 00023 to +POSDR_DATA
channel ORA_DISK_9: restore complete, elapsed time: 00:01:34
channel ORA_DISK_9: starting datafile backup set restore
channel ORA_DISK_9: using network backup set from service POSDR
channel ORA_DISK_9: specifying datafile(s) to restore from backup set
channel ORA_DISK_9: restoring datafile 00024 to +POSDR_DATA
channel ORA_DISK_1: restore complete, elapsed time: 00:01:22
channel ORA_DISK_1: starting datafile backup set restore
channel ORA_DISK_1: using network backup set from service POSDR
channel ORA_DISK_5: starting datafile backup set restore
channel ORA_DISK_5: using network backup set from service POSDR
channel ORA_DISK_5: specifying datafile(s) to restore from backup set
channel ORA_DISK_5: restoring datafile 00051 to +POSDR_DATA
channel ORA_DISK_3: starting datafile backup set restore
channel ORA_DISK_3: using network backup set from service POSDR
channel ORA_DISK_3: specifying datafile(s) to restore from backup set
channel ORA_DISK_3: restoring datafile 00052 to +POSDR_DATA
channel ORA_DISK_10: restore complete, elapsed time: 00:01:27
channel ORA_DISK_4: restore complete, elapsed time: 00:01:31
channel ORA_DISK_7: restore complete, elapsed time: 00:01:29
channel ORA_DISK_1: restore complete, elapsed time: 00:01:38
channel ORA_DISK_2: restore complete, elapsed time: 00:01:05
channel ORA_DISK_8: restore complete, elapsed time: 00:00:58

channel ORA_DISK_3: restore complete, elapsed time: 00:00:46

channel ORA_DISK_5: restore complete, elapsed time: 00:01:01

Finished restore at 30-APR-25

datafile 1 switched to datafile copy

input datafile copy RECID=5 STAMP=1199811661 file
name=+POSDR_DATA/POSDXDR/DATAFILE/system.257.1199811639

datafile 2 switched to datafile copy

input datafile copy RECID=8 STAMP=1199811722 file
name=+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.258.1199811639

datafile 3 switched to datafile copy

input datafile copy RECID=7 STAMP=1199811666 file
name=+POSDR_DATA/POSDXDR/DATAFILE/sysaux.259.1199811639.....

datafile 52 switched to datafile copy

input datafile copy RECID=51 STAMP=1199812057 file
name=+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.307.1199812019

RMAN>

Continuation of Sixth step: To restore or create the standby database.

sqlplus / as sysdba

SQL*Plus: Release 19.0.0.0.0 - Production on Wed Apr 30 17:34:33 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2024, Oracle. All rights reserved.

Connected to:

Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

SQL> sho parameter local

NAME	TYPE	VALUE
local_listener	string	-oraagent-dummy-
parallel_force_local	boolean	FALSE

SQL> **shut immediate**

ORA-01109: database not open

Database dismounted.

ORACLE instance shut down.

SQL> exit

Disconnected from Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

[oracle@ybbri1r131do01 ~]\$

[oracle@ybbri1r131do01 ~]\$ lps

ps -ef|grep pmon

oracle 1384575 1348368 0 17:35 pts/3 00:00:00 grep --color=auto pmon

grid 4029817 1 0 Apr29 ? 00:00:06 asm_pmon_+ASM1

[oracle@ybbri1r131do01 ~]\$ lsq

sqlplus / as sysdba

SQL*Plus: Release 19.0.0.0.0 - Production on Wed Apr 30 17:36:01 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2024, Oracle. All rights reserved.

Connected to an idle instance.

SQL> lls -lrt

total 20

-rwxrwxr-x. 1 oracle oinstall 693 Apr 29 17:37 setup.rsp

-rw-r-----. 1 oracle oinstall 418 Apr 30 17:12 db.sql

-rw-r-----. 1 oracle oinstall 112 Apr 30 17:14 dest.sql

-rw-r-----. 1 oracle oinstall 147 Apr 30 17:14 asm.sql

SQL>

SQL> **startup nomount;**

ORACLE instance started.

Total System Global Area 8053060248 bytes

Fixed Size 8958616 bytes

Variable Size 2365587456 bytes

Database Buffers 5620367360 bytes

Page | 35

Redo Buffers 58146816 bytes

SQL> exit

Disconnected from Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

[oracle@ybbrl1r131do01 ~]\$ sudo su - grid

Last login: Wed Apr 30 17:12:56 IST 2025

[grid@ybbrl1r131do01 ~]\$

[grid@ybbrl1r131do01 ~]\$ **lsnrctl status**

LSNRCTL for Linux: Version 19.0.0.0.0 - Production on 30-APR-2025 17:36:41

Copyright (c) 1991, 2024, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))

STATUS of the LISTENER

Alias LISTENER

Version TNSLSNR for Linux: Version 19.0.0.0.0 - Production

Start Date 30-APR-2025 16:53:47

Uptime 0 days 0 hr. 42 min. 54 sec

Trace Level off

Security ON: Local OS Authentication

SNMP OFF

Listener Parameter File /asm_home/app/19.0.0/grid_home/network/admin/listener.ora

Listener Log File /asm_home/app/grid_base/diag/tnslsnr/ybbrl1r131do01/listener/alert/log.xml

Listening Endpoints Summary...

(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=LISTENER)))

(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.233)(PORT=1621)))

(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.235)(PORT=1621)))

Services Summary...

Service "+ASM" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_OCR_VOTE" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_ARCHIVE" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_DATA" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_REDO1" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_REDO2" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

The command completed successfully

Set the local listener for proper connectivity.

[grid@ybbrl1r131do01 ~]\$

logout

[oracle@ybbrl1r131do01 ~]\$!sq

sqlplus / as sysdba

SQL*Plus: Release 19.0.0.0.0 - Production on Wed Apr 30 17:36:45 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2024, Oracle. All rights reserved.

Connected to:

Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

SQL> **alter system set
local_listener='(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.235)(PORT=1621)))';**

System altered.

SQL> **alter system register;**

System altered.

SQL> exit

Disconnected from Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

⇒ Primary database Data have been restored by previous restore command. So lets just make that primary database to standby database.

[oracle@ybbrl1r131do01 ~]\$ rman target /

Recovery Manager: Release 19.0.0.0.0 - Production on Wed Apr 30 17:37:23 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2019, Oracle and/or its affiliates. All rights reserved.

connected to target database: POSDR (not mounted)

RMAN> **restore standby controlfile from service POSDR;**

restore standby controlfile from service POSDR;

Starting restore at 30-APR-25

using target database control file instead of recovery catalog

allocated channel: ORA_DISK_1

channel ORA_DISK_1: SID=727 instance=POSDXDR1 device type=DISK

channel ORA_DISK_1: starting datafile backup set restore

channel ORA_DISK_1: using network backup set from service POSDR

channel ORA_DISK_1: restoring control file

channel ORA_DISK_1: restore complete, elapsed time: 00:00:02

output file name=**+POSDR_DATA/POSDXDR/CONTROLFILE/current.256.1199811455**

Finished restore at 30-APR-25

RMAN> exit

exit

Recovery Manager complete.

[oracle@ybbrl1r131do01 ~]\$

[oracle@ybbrl1r131do01 ~]\$ rman target /

Recovery Manager: Release 19.0.0.0.0 - Production on Wed Apr 30 17:38:32 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2019, Oracle and/or its affiliates. All rights reserved.

connected to target database: POSDR (not mounted)

RMAN> **alter database mount;**

alter database mount;

Statement processed

RMAN>

RMAN> catalog start with '+POSDR_DATA';

catalog start with '+POSDR_DATA';

searching for all files that match the pattern +POSDR_DATA

List of Files Unknown to the Database

=====

File Name: +POSDR_DATA/POSDXDR/DATAFILE/system.257.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.258.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/sysaux.259.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.260.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.261.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.262.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.263.1199811639

File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.264.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.265.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.266.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.267.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.268.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.269.1199811641

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.270.1199811667

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.271.1199811667

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.272.1199811667

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.273.1199811667

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.274.1199811733

File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.275.1199811733

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.276.1199811735

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.277.1199811735

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.278.1199811735

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.279.1199811735

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.280.1199811749

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.281.1199811749

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.282.1199811749

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.283.1199811749
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.284.1199811815
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.285.1199811817
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.286.1199811831
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.287.1199811831
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.288.1199811831
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.289.1199811833
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.290.1199811833
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.291.1199811835
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.292.1199811835
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.293.1199811839
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.294.1199811913
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.295.1199811913
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.296.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.297.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.298.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.299.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.300.1199811929
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.301.1199811929
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.302.1199811933
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.303.1199811933
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.304.1199811989
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.305.1199811995
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.306.1199812003
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.307.1199812019

Do you really want to catalog the above files (enter YES or NO)? yes

cataloging files...

cataloging done

List of Cataloged Files

=====

File Name: +POSDR_DATA/POSDXDR/DATAFILE/system.257.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.258.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/sysaux.259.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.260.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.261.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.262.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.263.1199811639
File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.264.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.265.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/users.266.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.267.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.268.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.269.1199811641
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs1.270.1199811667
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.271.1199811667
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.272.1199811667
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.273.1199811667
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.274.1199811733
File Name: +POSDR_DATA/POSDXDR/DATAFILE/undotbs2.275.1199811733
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.276.1199811735
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.277.1199811735
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.278.1199811735
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.279.1199811735
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.280.1199811749
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.281.1199811749
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.282.1199811749
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.283.1199811749
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.284.1199811815
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.285.1199811817
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.286.1199811831

File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.287.1199811831
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.288.1199811831
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.289.1199811833
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.290.1199811833
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.291.1199811835
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.292.1199811835
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.293.1199811839
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.294.1199811913
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.295.1199811913
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.296.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.297.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.298.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.299.1199811921
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.300.1199811929
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.301.1199811929
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.302.1199811933
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.303.1199811933
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.304.1199811989
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.305.1199811995
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.306.1199812003
File Name: +POSDR_DATA/POSDXDR/DATAFILE/posidex_data.307.1199812019

RMAN>

RMAN> switch database to copy;

switch database to copy;

datafile 1 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/system.257.1199811639"

datafile 2 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.258.1199811639"

datafile 3 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/sysaux.259.1199811639"

datafile 4 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs1.260.1199811639"

datafile 5 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.261.1199811639"

datafile 7 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/users.262.1199811639"

datafile 8 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.263.1199811639"

datafile 9 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/users.264.1199811641"
datafile 10 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/users.265.1199811641"
datafile 11 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/users.266.1199811641"
datafile 12 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs1.267.1199811641"
datafile 13 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs1.268.1199811641"
datafile 14 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs1.269.1199811641"
datafile 15 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs1.270.1199811667"
datafile 16 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.271.1199811667"
datafile 17 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.272.1199811667"
datafile 18 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.273.1199811667"
datafile 19 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.274.1199811733"
datafile 20 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/undotbs2.275.1199811733"
datafile 21 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.276.1199811735"
datafile 22 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.277.1199811735"
datafile 23 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.278.1199811735"
datafile 24 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.279.1199811735"
datafile 25 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.280.1199811749"
datafile 26 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.281.1199811749"
datafile 27 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.282.1199811749"
datafile 28 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.283.1199811749"
datafile 29 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.284.1199811815"
datafile 30 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.285.1199811817"
datafile 31 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.286.1199811831"
datafile 32 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.287.1199811831"
datafile 33 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.288.1199811831"
datafile 34 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.289.1199811833"
datafile 35 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.290.1199811833"
datafile 36 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.291.1199811835"
datafile 37 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.292.1199811835"
datafile 38 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.293.1199811839"
datafile 39 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.294.1199811913"

datafile 40 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.295.1199811913"
datafile 41 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.296.1199811921"
datafile 42 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.297.1199811921"
datafile 43 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.298.1199811921"
datafile 44 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.299.1199811921"
datafile 45 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.300.1199811929"
datafile 46 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.301.1199811929"
datafile 47 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.302.1199811933"
datafile 48 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.303.1199811933"
datafile 49 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.304.1199811989"
datafile 50 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.305.1199811995"
datafile 51 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.306.1199812003"
datafile 52 switched to datafile copy "+POSDR_DATA/POSDXDR/DATAFILE/posidex_data.307.1199812019"
RMAN> exit

RMAN Client Diagnostic Trace file :

/ora_home/app/oracle_base/diag/clients/user_oracle/host_1230678074_110/trace/ora_1386956_13986067303
4752.trc

Recovery Manager complete.

[oracle@ybbrl1r131do01 ~]\$

[oracle@ybbrl1r131do01 ~]\$ cd

[oracle@ybbrl1r131do01 ~]\$ lsq

sqlplus / as sysdba

SQL*Plus: Release 19.0.0.0.0 - Production on Wed Apr 30 17:40:20 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2024, Oracle. All rights reserved.

Connected to:

Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

SQL> @db

NAME	INSTANCE_NAME	OPEN_MODE	LOG_MODE	HOST_NAME	DATABASE_ROLE
SWITCHOVER_STATUS	FLASHBACK_ON				

POSDR POSDXDR1 MOUNTED ARCHIVELOG ybbrl1r131do01.yesbank.com PHYSICAL STANDBY
TO PRIMARY NO

SQL> select * from v\$recover_file;

FILE#	ONLINE	ONLINE_	ERROR	CHANGE#	TIME	CON_ID
-------	--------	---------	-------	---------	------	--------

1	ONLINE	ONLINE		1294871915	30-APR-25	0
2	ONLINE	ONLINE		1294871917	30-APR-25	0
3	ONLINE	ONLINE		1294872001	30-APR-25	0
4	ONLINE	ONLINE		1294872010	30-APR-25	0
5	ONLINE	ONLINE		1294872016	30-APR-25	0
7	ONLINE	ONLINE		1294872047	30-APR-25	0
8	ONLINE	ONLINE		1294872051	30-APR-25	0
9	ONLINE	ONLINE		1294872063	30-APR-25	0
10	ONLINE	ONLINE		1294872067	30-APR-25	0
11	ONLINE	ONLINE		1294872069	30-APR-25	0
12	ONLINE	ONLINE		1294872080	30-APR-25	0
13	ONLINE	ONLINE		1294872082	30-APR-25	0
14	ONLINE	ONLINE		1294872094	30-APR-25	0
15	ONLINE	ONLINE		1294872836	30-APR-25	0
16	ONLINE	ONLINE		1294872848	30-APR-25	0
17	ONLINE	ONLINE		1294872854	30-APR-25	0
18	ONLINE	ONLINE		1294872856	30-APR-25	0
19	ONLINE	ONLINE		1294876609	30-APR-25	0
20	ONLINE	ONLINE		1294876611	30-APR-25	0
21	ONLINE	ONLINE		1294876649	30-APR-25	0
22	ONLINE	ONLINE		1294876653	30-APR-25	0
23	ONLINE	ONLINE		1294876657	30-APR-25	0
24	ONLINE	ONLINE		1294876659	30-APR-25	0
25	ONLINE	ONLINE		1294878943	30-APR-25	0
26	ONLINE	ONLINE		1294878945	30-APR-25	0

27 ONLINE ONLINE	1294878960 30-APR-25	0
28 ONLINE ONLINE	1294879106 30-APR-25	0
29 ONLINE ONLINE	1294882509 30-APR-25	0
30 ONLINE ONLINE	1294882550 30-APR-25	0
31 ONLINE ONLINE	1294883438 30-APR-25	0
32 ONLINE ONLINE	1294883440 30-APR-25	0
33 ONLINE ONLINE	1294883442 30-APR-25	0
34 ONLINE ONLINE	1294883445 30-APR-25	0
35 ONLINE ONLINE	1294883449 30-APR-25	0
36 ONLINE ONLINE	1294883553 30-APR-25	0
37 ONLINE ONLINE	1294883559 30-APR-25	0
38 ONLINE ONLINE	1294883636 30-APR-25	0
39 ONLINE ONLINE	1294889877 30-APR-25	0
40 ONLINE ONLINE	1294889885 30-APR-25	0
41 ONLINE ONLINE	1294890291 30-APR-25	0
42 ONLINE ONLINE	1294890310 30-APR-25	0
43 ONLINE ONLINE	1294890312 30-APR-25	0
44 ONLINE ONLINE	1294890314 30-APR-25	0
45 ONLINE ONLINE	1294890492 30-APR-25	0
46 ONLINE ONLINE	1294890515 30-APR-25	0
47 ONLINE ONLINE	1294890582 30-APR-25	0
48 ONLINE ONLINE	1294890591 30-APR-25	0
49 ONLINE ONLINE	1294892390 30-APR-25	0
50 ONLINE ONLINE	1294892543 30-APR-25	0
51 ONLINE ONLINE	1294892810 30-APR-25	0
52 ONLINE ONLINE	1294893246 30-APR-25	0

51 rows selected.

```
SQL> select thread#,max(sequence#) from v$archived_log a,v$database b where
a.resetlogs_change#=b.resetlogs_change# group by thread# order by thread#;
```


no rows selected

SQL> set echo off

SQL>

SQL> recover managed standby database disconnect;

Media recovery complete.

SQL> select process,sequence#,status from v\$managed_standby;

PROCESS	SEQUENCE#	STATUS
---------	-----------	--------

DGRD	0	ALLOCATED
ARCH	0	CONNECTED
DGRD	0	ALLOCATED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
MRP0	7757	WAIT_FOR_GAP

7 rows selected.

SQL> sho parameter local

NAME	TYPE	VALUE
local_listener	string	(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.235)(PORT=1621)))
parallel_force_local	boolean	FALSE

SQL> exit

Disconnected from Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

[oracle@ybbri1r131do01 ~]\$


```
[oracle@ybbri1r131do01 ~]$ sudo su - grid
```

```
Last login: Wed Apr 30 17:36:37 IST 2025 on pts/3
```

```
[grid@ybbri1r131do01 ~]$ lsnrctl status
```

```
LSNRCTL for Linux: Version 19.0.0.0.0 - Production on 30-APR-2025 17:42:11
```

```
Copyright (c) 1991, 2024, Oracle. All rights reserved.
```

```
Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))
```

```
STATUS of the LISTENER
```

```
-----  
Alias                LISTENER
```

```
Version              TNSLSNR for Linux: Version 19.0.0.0.0 - Production
```

```
Start Date           30-APR-2025 16:53:47
```

```
Uptime               0 days 0 hr. 48 min. 24 sec
```

```
Trace Level          off
```

```
Security             ON: Local OS Authentication
```

```
SNMP                 OFF
```

```
Listener Parameter File /asm_home/app/19.0.0/grid_home/network/admin/listener.ora
```

```
Listener Log File     /asm_home/app/grid_base/diag/tnslnr/ybbri1r131do01/listener/alert/log.xml
```

```
Listening Endpoints Summary...
```

```
(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=LISTENER)))
```

```
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.233)(PORT=1621)))
```

```
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=10.246.114.235)(PORT=1621)))
```

```
Services Summary...
```

```
Service "+ASM" has 1 instance(s).
```

```
Instance "+ASM1", status READY, has 1 handler(s) for this service...
```

```
Service "+ASM_OCR_VOTE" has 1 instance(s).
```

```
Instance "+ASM1", status READY, has 1 handler(s) for this service...
```

```
Service "+ASM_POSDR_ARCHIVE" has 1 instance(s).
```

```
Instance "+ASM1", status READY, has 1 handler(s) for this service...
```

```
Service "+ASM_POSDR_DATA" has 1 instance(s).
```

```
Instance "+ASM1", status READY, has 1 handler(s) for this service...
```

```
Service "+ASM_POSDR_REDO1" has 1 instance(s).
```


Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "+ASM_POSDR_REDO2" has 1 instance(s).

Instance "+ASM1", status READY, has 1 handler(s) for this service...

Service "POSDXDR" has 1 instance(s).

Instance "POSDXDR1", status READY, has 1 handler(s) for this service...

The command completed successfully

[grid@ybbrl1r131do01 ~]\$

logout

[oracle@ybbrl1r131do01 ~]\$

[oracle@ybbrl1r131do01 ~]\$!sq

sqlplus / as sysdba

SQL*Plus: Release 19.0.0.0.0 - Production on Wed Apr 30 17:42:34 2025

Version 19.26.0.0.0

Copyright (c) 1982, 2024, Oracle. All rights reserved.

Connected to:

Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production

Version 19.26.0.0.0

SQL> sho parameter remote

NAME	TYPE	VALUE
remote_dependencies_mode	string	TIMESTAMP
remote_listener	string	
remote_login_passwordfile	string	EXCLUSIVE
remote_os_authent	boolean	FALSE
remote_os_roles	boolean	FALSE
remote_recovery_file_dest	string	
result_cache_remote_expiration	integer	0

SQL> !srvctl config scan

SCAN name: scan-edds1dr.yesbank.com, Network: 1

Subnet IPv4: 10.246.112.0/255.255.240.0/bond0, static

Subnet IPv6:

SCAN 1 IPv4 VIP: 10.246.114.237

SCAN VIP is enabled.

SCAN 2 IPv4 VIP: 10.246.114.238

SCAN VIP is enabled.

SCAN 3 IPv4 VIP: 10.246.114.239

SCAN VIP is enabled.

SQL> alter system set remote_listener='scan-edds1dr.yesbank.com:1651';

System altered.

SQL> sho parameter config

NAME	TYPE	VALUE
dg_broker_config_file1	string	/ora_home/app/19.0.0/dbhome_1/ dbs/dr1POSDXDR.dat
dg_broker_config_file2	string	/ora_home/app/19.0.0/dbhome_1/ dbs/dr2POSDXDR.dat
identity_provider_config	string	
log_archive_config	string	
tde_configuration	string	

SQL> alter system set log_archive_config='DG_CONFIG=(POSPROD,POSDR,POSDXDR)';

System altered.

SQL> select process,sequence#,status from v\$managed_standby;

PROCESS	SEQUENCE#	STATUS
DGRD	0	ALLOCATED
ARCH	0	CONNECTED
DGRD	0	ALLOCATED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
MRPO	8411	WAIT_FOR_GAP
RFS	0	IDLE

RFS 8414 IDLE

RFS 0 IDLE

10 rows selected.

SQL> lvi sync.sql

SQL> @sync

NAME	OPEN_MODE	DATABASE_ROLE
------	-----------	---------------

POSDR	MOUNTED	PHYSICAL STANDBY
-------	---------	------------------

THREAD# MAX(SEQUENCE#)

1	8418
---	------

2	7757
---	------

THREAD# MAX(SEQUENCE#)

1	8413
---	------

2	7759
---	------

NAME	OPEN_MODE	DATABASE_ROLE
------	-----------	---------------

POSDR	MOUNTED	PHYSICAL STANDBY
-------	---------	------------------

Session altered.

CHECKPOINT_TIME

30/04/2025 17:04:08

30/04/2025 17:05:12

30/04/2025 17:05:20

30/04/2025 17:05:28

30/04/2025 17:05:31

30/04/2025 17:05:32

30/04/2025 17:06:28

30/04/2025 17:06:35

30/04/2025 17:06:42

30/04/2025 17:06:58

10 rows selected.

SQL> @mrp

SP2-0310: unable to open file "mrp.sql"

SQL> lvi mrp.sql

SQL>

SQL> @mrp

PROCESS SEQUENCE# STATUS

DGRD	0	ALLOCATED
ARCH	0	CONNECTED
DGRD	0	ALLOCATED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
ARCH	0	CONNECTED
MRP0	7759	WAIT_FOR_GAP
RFS	0	IDLE
RFS	8419	IDLE
RFS	0	IDLE
RFS	0	IDLE

PROCESS SEQUENCE# STATUS

RFS	0	IDLE
-----	---	------

12 rows selected.

Now database is running from pfile now create spfile and start with spfile:

create spfile='+POSDR_DATA/POSDXDR/PARAMETERFILE/spfilePOSDXDR.ora' from
pfile='+ora_home/app/19.0.0/dbhome_1/dbs/initPOSDXDR1.ora';

After creating spfile check in grid: asmcmd

ASMCMD> ls


```
OCR_VOTE/  
POSDR_DATA/  
POSDR_ARCHIVE/  
POSDR_REDO1/  
POSDR_REDO2/  
ASMCMD> ls  
CONTROLFILE/  
ONLINELOG/  
DATAFILE/  
PARAMETERFILE/  
ASMCMD> cd PARAMETERFILE/  
ASMCMD> spfile.318.1199815911  
ASMCMD> pwd  
+POSDR_DATA/POSDXDR/PARAMETERFILE/spfile.318.1199815911
```

for node 1:

Add the database by adding the spfile along with instances.

```
[oracle@ybbrl1r131do01 ~]$ srvctl add database -db POSDXDR -oraclehome /ora_home/app/19.0.0/dbhome_1  
-spfile +POSDR_DATA/POSDXDR/PARAMETERFILE/spfile.318.1199815911
```

```
[oracle@ybbrl1r131do01 ~]$ srvctl add instance -db POSDXDR -instance POSDXDR1 -node ybbrl1r131do01
```

```
[oracle@ybbrl1r131do01 ~]$ srvctl add instance -db POSDXDR -instance POSDXDR2 -node ybbrl1r131do02
```

```
[oracle@ybbrl1r131do01 ~]$ srvctl config db -d POSDXDR
```

Database unique name: POSDXDR

Database name:

Oracle home: /ora_home/app/19.0.0/dbhome_1

Oracle user: oracle

Spfile: +POSDR_DATA/POSDXDR/PARAMETERFILE/spfile.318.1199815911

Password file:

Domain:

Start options: open

Stop options: immediate

Database role: PRIMARY

Management policy: AUTOMATIC

Server pools:

Disk Groups:

Mount point paths:

Services:

Type: RAC

Start concurrency:

Stop concurrency:

OSDBA group: oinstall

OSOPER group: oinstall

Database instances: POSDXDR1,POSDXDR2

Configured nodes: ybbrl1r131do01,ybbrl1r131do02

CSS critical: no

CPU count: 0

Memory target: 0

Maximum memory: 0

Default network number for database services:

Database is administrator managed

⇒ **Copy the passwordfile from dbs location to grid ASMCMD and modify.**

```
asmcmd cp /tmp/orapwPOSDXDR +POSDR_DATA/POSDXDR/Passwordfile/orapwPOSDXDR
```

Node 1:

```
srvctl add pwfile -db POSDXDR -pwfile +POSDR_DATA/POSDXDR/orapwPOSDXDR
```

```
[oracle@ybbrl1r165do03 ~]$ srvctl modify db -d POSDXDR -pwfile
```

```
+POSDR_DATA/POSDXDR/Passwordfile/orapwPOSDXDR
```

```
[oracle@ybbrl1r165do03 ~]$ srvctl config db -d POSDXDR
```

Completed creating standby database with new method using service name.

Thankyou