
This section contains the preset parameter values for all program variations in the latest version of 224X software. Tables are organized by bank and program.

Variation Presets

Halls

Concert Hall Variation 1 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	2.0 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [0]

Concert Hall Variation 2 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.7 sec	1.7 sec	720 Hz	6.30 kHz	33	30.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	15	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	18	20	14	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Concert Hall
Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.8 sec	2.4 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	01	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Concert Hall
Variation 4 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	3.0 sec	720 Hz	6.30 kHz	33	42.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	7.50 kHz	01	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	45	37	25	18	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	7.00 msec	8.75 msec	18.5 msec	34.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Concert Hall
Variation 5 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	7.5 sec	5.7 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Concert Hall
Variation 6 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.7 sec	1.7 sec	720 Hz	6.30 kHz	33	30.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	5.7 sec	5.7 sec	50	9.00 kHz	15	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	18	20	14	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [1] Mode Enhancement [1]
Decay Optimization [1]

Concert Hall
 Variation 7 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	5.7 sec	5.7 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.7 sec	1.7 sec	50	9.00 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [1] Mode Enhancement [1]
 Decay Optimization [1]

Bright Hall
 Variation 1 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	2.0 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	19.0 kHz	44	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	19.0 msec	0.00 msec	1.00 msec	0.75 msec	0.50 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Bright Hall

Variation 2 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.7 sec	1.7 sec	720 Hz	6.30 kHz	33	30.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	18	20	14	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	6.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Bright Hall

Variation 3 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.8 sec	2.4 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	19.0 kHz	01	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	19.0 msec	0.00 msec	1.00 msec	0.75 msec	0.50 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Bright Hall
 Variation 4 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	3.0 sec	720 Hz	6.30 kHz	33	42.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	7.50 kHz	37	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	45	37	25	18	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	7.00 msec	8.00 msec	24.0 msec	34.0 msec	0.75 msec	0.50 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Bright Hall
 Variation 5 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	7.5 sec	5.7 sec	720 Hz	6.30 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	19.0 kHz	44	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	19.0 msec	0.00 msec	1.00 msec	0.75 msec	0.50 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Dark Hall

Variation 1 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	2.0 sec	720 Hz	9.00 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	53	6.30 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Dark Hall

Variation 2 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.7 sec	1.7 sec	720 Hz	9.00 kHz	33	30.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	53	6.30 kHz	15	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	18	20	14	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Dark Hall
 Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.8 sec	2.4 sec	720 Hz	9.00 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	53	6.30 kHz	01	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Dark Hall
 Variation 4 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	3.0 sec	720 Hz	9.00 kHz	33	42.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	53	6.30 kHz	01	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	45	37	25	18	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	7.00 msec	8.75 msec	18.5 msec	34.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Dark Hall

Variation 5 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	7.5 sec	5.7 sec	720 Hz	9.00 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	53	6.30 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Dark Hall

Variation 6 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.7 sec	1.7 sec	720 Hz	9.00 kHz	33	30.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	5.7 sec	5.7 sec	53	6.30 kHz	15	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	18	20	14	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [1] Mode Enhancement [1]
Decay Optimization [1]

Dark Hall
Variation 7 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	5.7 sec	5.7 sec	720 Hz	9.00 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.7 sec	1.7 sec	53	6.30 kHz	25	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	9.75 msec	17.5 msec	25.0 msec	0.36 msec	10.2 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [1] Mode Enhancement [1]
Decay Optimization [1]

Variation Presets

Rooms

Room	Page	Variable Parameter Presets					
Variation 1 Presets	1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
		0.5 sec	0.5 sec	920 Hz	4.50 kHz	14	24.0 msec
	2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
		1.7 sec	1.7 sec	53	19.0 kHz	42	00
	3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
		00	00	00	00	Inactive	Inactive
	4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
		13.0 msec	14.0 msec	24.0 msec	32.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6	

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Room	Page	Variable Parameter Presets					
Variation 2 Presets	1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
		1.4 sec	1.4 sec	920 Hz	7.50 kHz	33	24.0 msec
	2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
		1.7 sec	1.7 sec	53	7.50 kHz	42	00
	3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
		00	00	00	00	Inactive	Inactive
	4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
		13.0 msec	14.0 msec	24.0 msec	32.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6	

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Room	Page	Variable Parameter Presets				
Variation 3 Presets						
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	1.4 sec	1.4 sec	920 Hz	7.50 kHz	33	24.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.7 sec	1.7 sec	53	5.80 kHz	22	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	12	14	17	17	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	13.0 msec	14.0 msec	24.0 msec	32.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Room	Page	Variable Parameter Presets				
Variation 4 Presets						
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	0.4 sec	0.5 sec	920 Hz	7.50 kHz	14	48.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.7 sec	1.7 sec	53	19.0 kHz	42	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	45	50	39	45	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	13.0 msec	14.0 msec	24.0 msec	32.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Rooms

Small Room

Variation 1 Presets

Page

Variable Parameter Presets

	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
1	0.7 sec	0.7 sec	920 Hz	11.3 kHz	33	12.0 msec
	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
2	1.2 sec	1.2 sec	53	7.50 kHz	25	00
	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
3	00	00	00	00	Inactive	Inactive
	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
4	7.00 msec	11.0 msec	20.0 msec	18.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Room

Variation 2 Presets

Page

Variable Parameter Presets

	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
1	0.7 sec	0.7 sec	920 Hz	11.3 kHz	33	12.0 msec
	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
2	1.2 sec	1.2 sec	53	5.80 kHz	18	00
	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
3	12	14	17	17	Inactive	Inactive
	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
4	7.00 msec	11.0 msec	20.0 msec	18.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Room
 Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	0.4 sec	0.5 sec	920 Hz	11.3 kHz	06	12.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.2 sec	1.2 sec	53	19.0 kHz	31	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	7.00 msec	11.0 msec	20.0 msec	18.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Small Room
 Variation 4 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	0.4 sec	0.5 sec	920 Hz	11.3 kHz	06	36.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.2 sec	1.2 sec	53	19.0 kHz	31	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	45	50	39	45	Inactive	Inactive
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	7.00 msec	11.0 msec	20.0 msec	18.0 msec	2.37 msec	2.75 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Chamber

Variation 1 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	2.8 sec	2.2 sec	1.13 kHz	11.3 kHz	00	25.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	
	3.4 sec	3.4 sec	50	9.00 kHz	34	Inactive
1	2	3	4	5	6	

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Rich Chamber

Variation 1 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	2.1 sec	2.1 sec	720 Hz	9.00 kHz	31	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.1 sec	2.1 sec	50	5.80 kHz	44	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	10.5 msec	11.5 msec	16.0 msec	18.0 msec	16.5 msec	19.5 msec
1	2	3	4	5	6	

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Rich Chamber
Variation 2 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	2.1 sec	2.1 sec	720 Hz	9.00 kHz	31	35.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.1 sec	2.1 sec	50	5.80 kHz	44	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	53	48	25	22	12	11
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	10.5 msec	11.5 msec	16.0 msec	18.0 msec	16.5 msec	19.5 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Rich Chamber
Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	6.0 sec	2.8 sec	720 Hz	7.50 kHz	82	64.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.1 sec	2.1 sec	50	5.80 kHz	34	00
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	53	52	37	36	33	34
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	23.0 msec	23.5 msec	60.5 msec	57.0 msec	63.0 msec	65.0 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Rich Chamber		Variable Parameter Presets				
Variation 4 Presets		Page				
	1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack
		6.0 sec	2.8 sec	1.57 kHz	7.50 kHz	82
						Predelay
						124 msec
	2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion
		13 sec	3.8 sec	50	5.80 kHz	34
	3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5
		25	25	11	11	06
	4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5
		32.0 msec	35.3 msec	77.6 msec	83.7 msec	119 msec
		1	2	3	4	5
						6
Sliders						
Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]						
Decay Optimization [1]						

Variation Presets

Plates

Plate	Page	Variable Parameter Presets				
Variation 1 Presets	1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack
		1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00
	2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion
		3.4 sec	3.4 sec	50	7.50 kHz	58
	3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5
		00	00	00	00	00
	4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5
		4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec
	5	Preecho Delay 6				
		55.3 msec				
	6					

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate	Page	Variable Parameter Presets				
Variation 2 Presets	1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack
		0.6 sec	1.8 sec	170 Hz	15.0 kHz	00
	2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion
		3.4 sec	3.4 sec	50	19.0 kHz	58
	3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5
		00	00	00	00	00
	4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5
		4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec
	5	Preecho Delay 6				
		55.3 msec				
	6					

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate

Variation 3 Presets

Page**Variable Parameter Presets**

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	4.2 sec	3.0 sec	1.13 kHz	6.30 kHz	80	25.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	7.50 kHz	31	66
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	52	52	39	45	34	25
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec	55.3 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate

Variation 4 Presets

Page**Variable Parameter Presets**

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	7.5 sec	5.2 sec	1.13 kHz	6.30 kHz	80	25.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	7.50 kHz	31	66
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	52	52	39	45	34	25
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec	55.3 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate
Variation 5 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	19.0 kHz	58	44
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec	55.3 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate
Variation 6 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	4.2 sec	3.0 sec	1.13 kHz	6.30 kHz	80	25.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	7.50 kHz	31	66
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	4.12 msec	8.50 msec	13.2 msec	36.0 msec	57.0 msec	55.3 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Plate

Variation 1 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.9 sec	2.9 sec	50	7.50 kHz	58	06
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Plate

Variation 2 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	0.4 sec	1.1 sec	170 Hz	15.0 kHz	00	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	1.8 sec	1.8 sec	50	19.0 kHz	58	06
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Plate
 Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	4.1 sec	2.9 sec	1.13 kHz	6.30 kHz	80	50.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.1 sec	2.1 sec	50	7.50 kHz	31	06
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	52	52	39	45	34	25
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Small Plate
 Variation 4 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	10 sec	5.3 sec	1.13 kHz	6.30 kHz	80	50.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.1 sec	2.1 sec	50	7.50 kHz	31	06
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	52	52	39	45	34	25
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [1]

Small Plate

Variation 5 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.9 sec	2.9 sec	50	19.0 kHz	58	44
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Small Plate

Variation 6 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	4.1 sec	2.9 sec	1.13 kHz	6.30 kHz	80	50.0 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	2.9 sec	2.9 sec	50	7.50 kHz	31	06
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	8.00 msec	16.0 msec	26.0 msec	72.0 msec	114 msec	110 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Variation Presets

Effects

Constant-Density Plate A

Variation 1 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	12	5.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	
	3.4 sec	3.4 sec	44	19.0 kHz	58	Inactive
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	01	01	01	01	01	01
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	16.0 msec	24.0 msec	69.0 msec	55.0 msec	36.0 msec	48.0 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Note: Decay Optimization inactive.

Constant-Density Plate B

Variation 1 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	920 kz	15.0 kHz	33	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	
	3.8 sec	3.8 sec	44	7.50 kHz	58	Inactive
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	3.25 msec	3.75 msec	4.62 msec	8.25 msec	0.00 msec	0.00 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Note: Decay Optimization inactive.

Constant-Density Plate B
Variation 2 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	0.6 sec	0.6 sec	920 Hz	15.0 kHz	20	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	
	3.8 sec	3.8 sec	00	19.0 kHz	58	Inactive
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	00	00	00	00	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	3.25 msec	3.75 msec	4.62 msec	8.25 msec	0.00 msec	0.00 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Note: Decay Optimization inactive.

Constant-Density Plate B
Variation 3 Presets

Page	Variable Parameter Presets					
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	920 Hz	15.0 kHz	33	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	
	3.8 sec	3.8 sec	44	7.50 kHz	58	Inactive
3	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Preecho Level 5	Preecho Level 6
	15	14	12	09	00	00
4	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Preecho Delay 5	Preecho Delay 6
	3.25 msec	3.75 msec	4.62 msec	8.25 msec	0.00 msec	0.00 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Note: Decay Optimization inactive.

Chorus & Echo
Variation 1 Presets

Page

Variable Parameter Presets

			Chorus	HF Bandwidth	Diffusion	
1	Inactive	Inactive	69	19.0 kHz	09	Inactive
	Voice Level 1	Voice Level 2	Voice Level 3	Voice Level 4	Voice Level 5	Voice Level 6
2	56	56	50	50	44	44
	Voice Delay 1	Voice Delay 2	Voice Delay 3	Voice Delay 4	Voice Delay 5	Voice Delay 6
3	36.0 msec	24.0 msec	84.0 msec	90.0 msec	120 msec	142 msec
	Feedback 1	Feedback 2	Feedback 3	Feedback 4	Feedback 5	Feedback 6
4	00%	00%	00%	00%	00%	00%
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	99	25	37	00	99
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [0]

Note: This variation has fast vibrato.

Chorus & Echo
 Variation 2 Presets

Page

Variable Parameter Presets

			Chorus	HF Bandwidth	Diffusion	
1	Inactive	Inactive	69	19.0 kHz	09	Inactive
	Voice Level 1	Voice Level 2	Voice Level 3	Voice Level 4	Voice Level 5	Voice Level 6
2	56	56	50	50	44	44
	Voice Delay 1	Voice Delay 2	Voice Delay 3	Voice Delay 4	Voice Delay 5	Voice Delay 6
3	36.0 msec	24.0 msec	84.0 msec	90.0 msec	120 msec	142 msec
	Feedback 1	Feedback 2	Feedback 3	Feedback 4	Feedback 5	Feedback 6
4	00%	00%	00%	00%	00%	00%
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	99	25	37	00	99
	1	2	3	4	5	6

Sliders
 Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [0]

Chorus & Echo
Variation 3 Presets

Page

Variable Parameter Presets

			Chorus	HF Bandwidth	Diffusion	
1	Inactive	Inactive	94	19.0 kHz	94	Inactive
	Voice Level 1	Voice Level 2	Voice Level 3	Voice Level 4	Voice Level 5	Voice Level 6
2	50	50	50	50	50	50
	Voice Delay 1	Voice Delay 2	Voice Delay 3	Voice Delay 4	Voice Delay 5	Voice Delay 6
3	420 msec	400 msec	420 msec	422 msec	422 msec	426 msec
	Feedback 1	Feedback 2	Feedback 3	Feedback 4	Feedback 5	Feedback 6
4	-94%	00%	15%	-85%	00%	18%
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	99	00	99	00	99
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [0]

Chorus & Echo
 Variation 4 Presets

Page

Variable Parameter Presets

			Chorus	HF Bandwidth Diffusion		
1	Inactive	Inactive	82	19.0 kHz	25	Inactive
	Voice Level 1	Voice Level 2	Voice Level 3	Voice Level 4	Voice Level 5	Voice Level 6
2	50	50	50	50	50	50
	Voice Delay 1	Voice Delay 2	Voice Delay 3	Voice Delay 4	Voice Delay 5	Voice Delay 6
3	4.00 msec	8.00 msec	12.0 msec	6.00 msec	8.00 msec	14.0 msec
	Feedback 1	Feedback 2	Feedback 3	Feedback 4	Feedback 5	Feedback 6
4	00%	00%	82%	00%	00%	82%
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	99	00	99	00	99
	1	2	3	4	5	6

Sliders
 Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
 Decay Optimization [0]

Resonant Chords Variation 1 Presets

Page

Variable Parameter Presets

	Note Level 1	Note Level 2	Note Level 3	Note Level 4	Note Level 5	Note Level 6
1	50	50	50	50	50	50
	Note Pitch 1	Note Pitch 2	Note Pitch 3	Note Pitch 4	Note Pitch 5	Note Pitch 6
2	4.40 msec	5.87 msec	6.96 msec	8.75 msec	11.6 msec	17.3 msec
	Resonance 1	Resonance 2	Resonance 3	Resonance 4	Resonance 5	Resonance 6
3	97%	97%	97%	97%	97%	97%
	Predelay 1	Predelay 2	Predelay 3	Predelay 4	Predelay 5	Predelay 6
4	8.00 msec	100 msec	400 msec	300 msec	196 msec	504 msec
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	07	34	69	88	99
	Crossfeed	Crossfeed	HF Cutoff L	HF Cutoff R		
6	01%	01%	6.30 kHz	6.30 kHz	Inactive	Inactive
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [0]
Decay Optimization [0]

Multiband Delay
 Variation 1 Presets

Page

Variable Parameter Presets

	Band Level 1	Band Level 2	Band Level 3	Band Level 4	Band Level 5	Band Level 6
1	50	50	50	50	50	50
	Band Delay 1	Band Delay 2	Band Delay 3	Band Delay 4	Band Delay 5	Band Delay 6
2	257 msec	385 msec	513 msec	642 msec	770 msec	899 msec
	LF Cutoff 1	LF Cutoff 2	LF Cutoff 3	LF Cutoff 4	LF Cutoff 5	LF Cutoff 6
3	170 Hz	350 Hz	530 Hz	1.13 kHz	3.80 kHz	19.0 kHz
	HF Cutoff 1	HF Cutoff 2	HF Cutoff 3	HF Cutoff 4	HF Cutoff 5	HF Cutoff 6
4	170 Hz	350 Hz	530 Hz	1.13 kHz	3.80 kHz	19.0 kHz
	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	Pan 6
5	00	06	28	52	74	91
	Feedback 1	Feedback 2			Diffusion	
6	00%	00%	Inactive	Inactive	00	Inactive
	1	2	3	4	5	6

Sliders
 Parameter Toggles: Dynamic Decay [0] Mode Enhancement [0]
 Decay Optimization [0]

Variation Presets

Splits

Hall/Hall

Variation 1 Presets

Page

Variable Parameter Presets

	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
1	3.0 sec	2.0 sec	720 Hz	6.30 kHz	33	24.0 msec
2	3.0 sec	2.0 sec	720 Hz	6.30 kHz	33	24.0 msec
3	LF Stop Decay	HF Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	50	9.00 kHz	25	00
4	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
5	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	5.00 msec	19.0 msec	0.00 msec	0.00 msec	0.75 msec	0.50 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate/Plate

Variation 1 Presets

Page

Variable Parameter Presets

	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
1	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	1.8 sec	1.8 sec	1.13 kHz	9.00 kHz	00	0.00 msec
3	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	19.0 kHz	58	00
4	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
5	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	16.0 msec	24.0 msec	69.0 msec	55.0 msec	4.50 msec	6.00 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate/Plate
Variation 2 Presets

Page

Variable Parameter Presets

	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
1	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	85.0 msec
2	1.8 sec	1.8 sec	1.13 kHz	9.00 kHz	00	69.0 msec
3	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	19.0 kHz	58	00
4	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4	Inactive	Inactive
	50	45	37	31		
5	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4	Fine Predelay	Fine Predelay
	6.00 msec	17.0 msec	24.0 msec	37.0 msec	6.87 msec	8.37 msec
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate/Hall	Page	Variable Parameter Presets				
Variation 1 Presets						
1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	LF Decay	Mid Decay	Crossover	Treble Decay	Depth	Predelay
	3.0 sec	2.0 sec	720 Hz	6.30 kHz	33	0.00 msec
3	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.4 sec	3.4 sec	50	9.00 kHz	58	00
4	Preecho Level 1	Preecho Level 2	Preecho Level 3	Preecho Level 4		
	00	00	00	00	Inactive	Inactive
5	Preecho Delay 1	Preecho Delay 2	Preecho Delay 3	Preecho Delay 4		
	16.0 msec	24.0 msec	64.0 msec	55.0 msec	Inactive	Inactive
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]

Plate/Chorus
Variation 1 Presets

Page

Variable Parameter Presets

1	LF Decay	Mid Decay	Crossover	Treble Decay	Attack	Predelay
	1.8 sec	1.8 sec	1.13 kHz	15.0 kHz	00	0.00 msec
2	LF Stop Decay	Mid Stop Decay	Chorus	HF Bandwidth	Diffusion	Definition
	3.0 sec	3.0 sec	69	6.30 kHz	58	00
3	Voice Level 1	Voice Level 2	Voice Level 3	Voice Level 4	Voice Level 5	
	50	50	44	44	37	Inactive
4	Voice Delay 1	Voice Delay 2	Voice Delay 3	Voice Delay 4	Voice Delay 5	
	6.00 msec	14.0 msec	20.0 msec	28.0 msec	34.0 msec	Inactive
5	Feedback Gain 1	Feedback Gain 2	Feedback Gain 3	Feedback Gain 4	Feedback Gain 5	
	00%	00%	00%	00%	00%	Inactive
6	Pan 1	Pan 2	Pan 3	Pan 4	Pan 5	
	00	99	25	75	50	Inactive
	1	2	3	4	5	6

Sliders

Parameter Toggles: Dynamic Decay [0] Mode Enhancement [1]
Decay Optimization [1]