ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-AUTH-01	Mobile	Login		Successful login with valid driver credentials	Active driver/tech account exists
MOB-AUTH-02	Mobile	Auth	Login	Login blocked with wrong password	Valid account exists
MOB-AUTH-03	Mobile	Auth	Login	Login blocked with unconfirmed email	Account with unconfirmed email exists
MOB-AUTH-04	Mobile	Auth	Login	Login shows network-failure message when offline	Device has no network connectivity
MOB-AUTH-05	Mobile	Auth	Login	Sign-in button disabled with empty fields	App on login screen
MOB-AUTH-06	Mobile	Auth	Login	Login with mixed-case/extra-space email still succeeds	Valid account exists with lowercase email on file
MOB-AUTH-07	Mobile	Auth	Access Control	Manager/CEO account is denied access to driver app	Account with role manager or ceo exists
MOB-AUTH-08	Mobile	Auth	Access Control	Inactive user is denied access	Driver/tech account exists with is_active=false

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-AUTH-09	Mobile	Auth	Access Control	Missing employee profile shows friendly error	Auth user exists but has no matching users table row
MOB-AUTH-10	Mobile	Auth	Access Control	'Sign in with another account' signs out from Access Denied screen	On AccessDeniedScreen
MOB-AUTH-11	Mobile	Auth	Access Control	Logging out from Home clears session and stops tracking	Logged in and clocked in (location tracking active)
MOB-AUTH-12	Mobile	Auth	Access Control	Session persists across app relaunch while token valid	Logged in, app fully closed and reopened
MOB-CLK-01	Mobile	Time Clock	Clock In - Geofence	Clock In is enabled once a GPS position is available	Driver has a route today (warehouse with coordinates, or a pending first stop whose client has coordinates); location permission granted
MOB-CLK-02	Mobile	Time Clock	Clock In - Geofence	Clock In is allowed outside the warehouse geofence	Device located outside the warehouse radius; location permission granted
MOB-CLK-03	Mobile	Time Clock	Clock In - Geofence	Clock In blocked when location permission denied	Location permission denied at OS level

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-CLK-04	Mobile	Time Clock	Clock In - Geofence	Clock In blocked with no assigned warehouse/route	Driver has no draft/scheduled/in-progress route for today (or the route has neither a warehouse with coordinates nor a pending stop with client coordinates)
MOB-CLK-05	Mobile	Time Clock	Clock In - Geofence	Clock-in target prefers the warehouse, falls back to the first pending stop	Route A has a warehouse with coordinates; Route B has no warehouse (or warehouse without coordinates) but has pending stops
MOB-CLK-06	Mobile	Time Clock	Clock In - Creation	Successful clock-in creates open time entry	Inside geofence, no existing open shift
MOB-CLK-07	Mobile	Time Clock	Clock In - Creation	Clock In blocked if an open shift already exists	Same driver signed in on two devices; no open shift yet
MOB-CLK-08	Mobile	Time Clock	Clock In - Creation	Location tracking starts silently after clock-in even if it fails	Successful clock-in, but background location permission not yet granted
MOB-CLK-09	Mobile	Time Clock	Clock In - Creation	'Go to Home' from ClockedInScreen navigates correctly	Just completed clock-in (selfie step pending or done)

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-CLK-10	Mobile	Time Clock	Clock In - Location	Clock In stays unavailable until the GPS position is acquired	Location permission granted; GPS fix not yet available (e.g. just opened screen indoors)
MOB-CLK-11	Mobile	Time Clock	Clock In - Location	Back from Clock In returns to Home without creating a time entry	On Clock In screen, not yet clocked in
MOB-SELFIE-01	Mobile	Time Clock	Selfie Capture	Camera permission prompt shown on first selfie capture	First time opening Selfie Capture, permission not yet granted
MOB-SELFIE-02	Mobile	Time Clock	Selfie Capture	Selfie uses front-facing mirrored camera	Camera permission granted
MOB-SELFIE-03	Mobile	Time Clock	Selfie Capture	Capture then Retake returns to camera view	On selfie preview after capture
MOB-SELFIE-04	Mobile	Time Clock	Selfie Capture	Confirm Selfie uploads and completes clock-in	On selfie preview after capture
MOB-SELFIE-05	Mobile	Time Clock	Selfie Capture	Retake/Confirm buttons disabled during upload	Upload in progress after Confirm Selfie tapped
MOB-SELFIE-06	Mobile	Time Clock	Selfie Capture	Oversized selfie after compression is rejected	Dev/debug build only — a normal camera capture cannot stay above ~2MB after compression

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SELFIE-07	Mobile	Time Clock	Selfie Capture	Network failure during selfie upload shows friendly error	Device goes offline mid-upload
MOB-SELFIE-08	Mobile	Time Clock	Selfie Capture	Re-uploading a selfie for an already-uploaded shift is blocked	Selfie Capture screen is open on device A for an open entry; the same entry gets selfie_status=uploaded elsewhere (second device or DB)
MOB-SELFIE-09	Mobile	Time Clock	Selfie Capture	Uploading selfie for a waived shift is blocked	Selfie Capture screen is open; a manager/DB update sets selfie_status=waived for that entry meanwhile
MOB-SELFIE-10	Mobile	Time Clock	Selfie Capture	Home shows 'Resume Selfie' when clock-in selfie incomplete	openEntry exists with selfie_status required/missing
MOB-SELFIE-11	Mobile	Time Clock	Selfie Capture	Waived selfie shows note on active shift card	openEntry.selfie_status = waived
MOB-SELFIE-12	Mobile	Time Clock	Selfie Capture	Corrupted/empty captured file shows processing error	Dev/debug build only — simulate a capture that yields an empty/invalid file
MOB-CLKOUT-01	Mobile	Time Clock	Clock Out	Clock Out succeeds after selfie completed	openEntry.selfie_status is uploaded or waived

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-CLKOUT-02	Mobile	Time Clock	Clock Out	Clock Out blocked when selfie still required	openEntry.selfie_status is required/missing
MOB-CLKOUT-03	Mobile	Time Clock	Clock Out	Clock Out requires foreground location permission again	Location permission revoked after clock-in
MOB-CLKOUT-04	Mobile	Time Clock	Clock Out	Clock Out on an already-closed entry shows stale-state error	Entry was already closed elsewhere (e.g. auto-closed by admin)
MOB-CLKOUT-05	Mobile	Time Clock	Clock Out	Clock Out button shows spinner and is disabled while processing	Clock Out tapped
MOB-CLKOUT-06	Mobile	Time Clock	Clock Out	Logging out also stops location tracking like Clock Out	Clocked in and tracking active
MOB-FLEET-01	Mobile	Fleet Tracking	Background Tracking	Location tracking starts automatically after clock-in	Successful clock-in with both foreground and background permission granted
MOB-FLEET-02	Mobile	Fleet Tracking	Background Tracking	Background location permission denial blocks tracking start	Foreground permission granted, background denied
MOB-FLEET-03	Mobile	Fleet Tracking	Background Tracking	Android shows persistent foreground-service notification while tracking	Tracking active on Android device

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-FLEET-04	Mobile	Fleet Tracking	Background Tracking	Tracking restores automatically after app relaunch mid-shift	Clocked in, app force-killed and reopened
MOB-FLEET-05	Mobile	Fleet Tracking	Background Tracking	Tracking stops automatically if no open entry found on relaunch	App relaunched but shift was already clocked out server-side
MOB-FLEET-06	Mobile	Fleet Tracking	Background Tracking	Location pings queue locally when offline	Device offline while clocked in and moving
MOB-FLEET-07	Mobile	Fleet Tracking	Background Tracking	Queued pings flush once connectivity restored	Pings queued while offline
MOB-FLEET-08	Mobile	Fleet Tracking	Background Tracking	Ping queue is capped at 500 entries	Device offline for a very long time generating >500 queued pings
MOB-FLEET-09	Mobile	Fleet Tracking	Background Tracking	Clock Out flushes remaining queued pings	Some pings queued locally, still clocked in
MOB-ROUTE-01	Mobile	Routes	Today's Route List	Route loads and displays stops in sequence order	Driver has an active route today with multiple stops
MOB-ROUTE-02	Mobile	Routes	Today's Route List	Empty state when no route assigned	No route exists for driver today
MOB-ROUTE-03	Mobile	Routes	Today's Route List	Empty state when route exists but has zero stops	Route record exists with 0 stops

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-ROUTE-04	Mobile	Routes	Today's Route List	Tap Refresh reloads route from network	Route already loaded
MOB-ROUTE-05	Mobile	Routes	Today's Route List	Offline fallback shows cached route with warning banner	Route was previously loaded and cached; device now offline
MOB-ROUTE-06	Mobile	Routes	Today's Route List	Network error with no cache available shows error state	User already signed in; no cached route for today (fresh install or cache cleared); device offline
MOB-ROUTE-07	Mobile	Routes	Today's Route List	Stop status badges reflect correct states	Route with stops in varied statuses
MOB-ROUTE-08	Mobile	Routes	Today's Route List	Route preview accessible before clocking in, but stops locked	Not yet clocked in
MOB-ROUTE-09	Mobile	Routes	Today's Route List	Stop tap opens Stop Details once selfie/clock-in complete	Clocked in with selfie completed/waived
MOB-ROUTE-10	Mobile	Routes	Today's Route List	Route selection prefers route with incomplete stops	Driver has multiple routes today, one fully completed one not
MOB-ROUTE-11	Mobile	Routes	Today's Route List	A stop whose client record fails to load is silently omitted	One stop references a client blocked by RLS or deleted

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-ROUTE-12	Mobile	Routes	Today's Route List	Header subtitle shows warehouse start point when applicable	Route has an assigned warehouse
MOB-ROUTE-13	Mobile	Routes	Today's Route List	Route cancelled on web disappears from the driver app	Driver has a scheduled route today; manager cancels it on web (see WEB-RT-15)
MOB-STOP-01	Mobile	Routes	Stop Details	Stop details show client, schedule, machine info correctly	Stop with full client/machine data
MOB-STOP-02	Mobile	Routes	Stop Details	Missing machine assignment shows fallback text	Stop has no machine linked
MOB-STOP-03	Mobile	Routes	Stop Details	Distance to destination updates live from GPS	Location permission granted, destination has coordinates
MOB-STOP-04	Mobile	Routes	Stop Details	Missing client coordinates disables map	Client has null latitude/longitude
MOB-STOP-05	Mobile	Routes	Stop Details	Map auto-fits destination and current location markers	Valid destination coordinates and current GPS fix available
MOB-STOP-06	Mobile	Routes	Stop Details	'Center map' button re-centers view	Map already loaded and possibly panned by user

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-STOP-07	Mobile	Routes	Stop Details	Location permission denied on map shows retry option	Location permission denied
MOB-STOP-08	Mobile	Routes	Stop Details	Open Navigation launches platform map app (iOS)	Running on iOS device, destination coordinates valid
MOB-STOP-09	Mobile	Routes	Stop Details	Open Navigation launches platform map app (Android)	Running on Android device, destination coordinates valid
MOB-STOP-10	Mobile	Routes	Stop Details	Navigation falls back to Google Maps web link if no native app available	No compatible maps app installed / canOpenURL fails
MOB-STOP-11	Mobile	Routes	Stop Details	Open Navigation disabled without destination coordinates	Client has no lat/long
MOB-STOP-12	Mobile	Routes	Stop Details	'Resume Service' shown instead of 'Start Service' for an existing visit	A service visit already exists for this stop (in progress locally)
MOB-STOP-13	Mobile	Routes	Stop Details	Starting service blocked while a different stop's visit is active	activeVisit.status = in_progress for a different stopId
MOB-STOP-14	Mobile	Routes	Stop Details	Starting service with no machine assigned is blocked	Stop has no machine

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-STOP-15	Mobile	Routes	Stop Details	Starting service with machine missing a QR code is blocked	Machine record has blank qrCode
MOB-STOP-16	Mobile	Routes	Stop Details	Completed stop cannot be started again	A stop with status completed on today's route
MOB-STOP-17	Mobile	Routes	Stop Details	Skipped stop cannot be started	A stop with status skipped on today's route
MOB-STOP-18	Mobile	Routes	Stop Details	Start Service re-checks the stop status on the server	Stop Details shows a pending stop from a stale/cached route, but the stop was completed or skipped in the database meanwhile
MOB-SV-START-0	Mobile	Service Visit	Start Visit	Visit starts successfully and opens Step 1 Arrival	Valid stop with machine+QR+geofence data, no other active visit
MOB-SV-START-0	Mobile	Service Visit	Start Visit	Invalid/missing client geofence data blocks visit start	Client missing valid geofence coordinates or radius
MOB-SV-START-0	Mobile	Service Visit	Start Visit	Step counter shows 9 vs 8 steps based on drink count requirement	One stop with drinkCountRequired true, another false

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-START-04	Mobile	Service Visit	Start Visit	Back button returns to route without cancelling visit	Visit in progress, on any step
MOB-SV-START-05	Mobile	Service Visit	Start Visit	Step counter and title advance consistently through the whole visit	Visit in progress
MOB-SV-01-01	Mobile	Service Visit	Step 1 - Arrival	Confirm Arrival enabled only within geofence	GPS status ready, device within geofenceRadiusMeters
MOB-SV-01-02	Mobile	Service Visit	Step 1 - Arrival	Confirm Arrival disabled outside geofence	Device outside radius
MOB-SV-01-03	Mobile	Service Visit	Step 1 - Arrival	Manual override reveals reason textarea	Outside geofence (GPS issue)
MOB-SV-01-04	Mobile	Service Visit	Step 1 - Arrival	Manual override rejected under 10 characters	Override textarea visible
MOB-SV-01-05	Mobile	Service Visit	Step 1 - Arrival	Manual override accepted with valid reason	Override textarea visible
MOB-SV-01-06	Mobile	Service Visit	Step 1 - Arrival	Override reason over 300 characters is rejected or truncated	Override textarea visible
MOB-SV-01-07	Mobile	Service Visit	Step 1 - Arrival	Arrival advances to Step 2 Machine Scan	Arrival just confirmed

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-02-01	Mobile	Service Visit	Step 2 - Machine Scan	Camera permission required before scanning	Camera permission not yet granted
MOB-SV-02-02	Mobile	Service Visit	Step 2 - Machine Scan	Scanning correct machine QR advances the step	Machine's QR matches machineTarget.qrCode exactly
MOB-SV-02-03	Mobile	Service Visit	Step 2 - Machine Scan	Scanning a mismatched QR code is rejected	Scan a different machine's QR code
MOB-SV-02-04	Mobile	Service Visit	Step 2 - Machine Scan	Scanner re-enables after mismatch (auto + manual)	Just hit a QR mismatch
MOB-SV-02-05	Mobile	Service Visit	Step 2 - Machine Scan	Whitespace-only differences in QR code are trimmed before comparing	QR payload has incidental leading/trailing whitespace matching the target after trim
MOB-SV-03-01	Mobile	Service Visit	Step 3 - Before Photos	Both exterior and interior/hopper photos required	On Before Photos step, none captured yet
MOB-SV-03-02	Mobile	Service Visit	Step 3 - Before Photos	Photo captured and uploads automatically	Camera permission granted
MOB-SV-03-03	Mobile	Service Visit	Step 3 - Before Photos	Failed upload shows Retry Upload option	Network interrupted during photo upload

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-03-04	Mobile	Service Visit	Step 3 - Before Photos	Photo can be retaken before step completion	A photo already captured for exterior or interior/hopper
MOB-SV-03-05	Mobile	Service Visit	Step 3 - Before Photos	Continue button enabled only when both photos fully uploaded	One photo uploaded, one still pending/failed
MOB-SV-03-06	Mobile	Service Visit	Step 3 - Before Photos	Before-photo local files persist under visit-specific directory	Photos captured for a visit
MOB-SV-04-01	Mobile	Service Visit	Step 4 - Drink Count	Drink Count step only appears when required for the stop	Stop with drinkCountRequired=false
MOB-SV-04-02	Mobile	Service Visit	Step 4 - Drink Count	Running Total accepts a non-negative integer	On Drink Count step (required)
MOB-SV-04-03	Mobile	Service Visit	Step 4 - Drink Count	Running Total lower than previous reading is rejected	Machine has a prior meter reading of value X
MOB-SV-04-04	Mobile	Service Visit	Step 4 - Drink Count	Non-numeric or negative input is rejected	On Drink Count step
MOB-SV-05-01	Mobile	Service Visit	Step 5 - Inventory Audit	Products are grouped by category	Reach Inventory Audit step
MOB-SV-05-02	Mobile	Service Visit	Step 5 - Inventory Audit	Required products must all have an explicit quantity	One or more required products left blank

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-05-03	Mobile	Service Visit	Step 5 - Inventory Audit	Explicit zero quantity is accepted (blank is not the same as 0)	Required product
MOB-SV-05-04	Mobile	Service Visit	Step 5 - Inventory Audit	Audit saves locally immediately as pending_sync	Valid quantities entered
MOB-SV-05-05	Mobile	Service Visit	Step 5 - Inventory Audit	Audit syncs via RPC and unlocks Step 6 only on success	Valid quantities entered, network available
MOB-SV-05-06	Mobile	Service Visit	Step 5 - Inventory Audit	Sync failure keeps audit in failed state and blocks progression	Network drops right after local save, before RPC completes
MOB-SV-05-07	Mobile	Service Visit	Step 5 - Inventory Audit	Issue-unit and loose-unit inputs both accepted per product	Product supports loose units
MOB-SV-05-08	Mobile	Service Visit	Step 5 - Inventory Audit	Opening the audit step offline shows a friendly load error	Device offline when the Inventory Audit step opens
MOB-SV-06-01	Mobile	Service Visit	Step 6 - Client Delivery	Step inaccessible until Reserve Before audit is synced	Step 5 audit still pending_sync/failed
MOB-SV-06-02	Mobile	Service Visit	Step 6 - Client Delivery	Recommended delivery auto-calculates from par level minus reserve	Product with configured parLevel and known reserveBefore

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-06-03	Mobile	Service Visit	Step 6 - Client Delivery	Missing par level blocks submission for that product	A product has no parLevel configured
MOB-SV-06-04	Mobile	Service Visit	Step 6 - Client Delivery	Missing delivery quantity for any product blocks submit	A product's delivery quantity left blank
MOB-SV-06-05	Mobile	Service Visit	Step 6 - Client Delivery	Zero-quantity delivery is a valid submission	All products intentionally set to 0 delivery
MOB-SV-06-06	Mobile	Service Visit	Step 6 - Client Delivery	Delivery saves locally then syncs via RPC before unlocking next step	Valid delivery entered
MOB-SV-07-01	Mobile	Service Visit	Step 7 - Machine Refill	Refill quantities entered independently of client reserve numbers	On Machine Refill step
MOB-SV-07-02	Mobile	Service Visit	Step 7 - Machine Refill	Zero-quantity refill allows optional reason selection	A product left at 0 refill quantity
MOB-SV-07-03	Mobile	Service Visit	Step 7 - Machine Refill	Selecting 'Other' as zero reason requires free-text note	Zero-quantity product, reason set to Other
MOB-SV-07-04	Mobile	Service Visit	Step 7 - Machine Refill	Refill submission triggers Reserve-After calculation	Refill submitted successfully, Restock (Step 6) already synced

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-07-05	Mobile	Service Visit	Step 7 - Machine Refill	Reserve-After sync gated on Restock being synced	Dev/debug only — Restock (Step 6) forced to an unsynced state in local storage
MOB-SV-07-06	Mobile	Service Visit	Step 7 - Machine Refill	Machine Refill saves locally first, then syncs	Valid refill data entered offline
MOB-SV-08-01	Mobile	Service Visit	Step 8 - After-Service Photo	Single 'Completed machine' photo required to continue	On After-Service Photo step
MOB-SV-08-02	Mobile	Service Visit	Step 8 - After-Service Photo	Continue is allowed even if upload is still pending	Photo captured, upload still in progress or failed
MOB-SV-08-03	Mobile	Service Visit	Step 8 - After-Service Photo	Failed after-photo upload can be retried from Summary or the step	Upload failed for after-service photo
MOB-SV-09-01	Mobile	Service Visit	Step 9 - Summary & Signature	Summary shows correct per-product reserve/delivery/refill table	All prior steps completed with known values
MOB-SV-09-02	Mobile	Service Visit	Step 9 - Summary & Signature	'Machine refilled' flag derives correctly from refill quantities	At least one refill item had actualQuantity > 0
MOB-SV-09-03	Mobile	Service Visit	Step 9 - Summary & Signature	'Machine refilled: No' when all refill quantities are zero	All refill quantities are 0
MOB-SV-09-04	Mobile	Service Visit	Step 9 - Summary & Signature	Save Signature disabled until a stroke is drawn	Blank signature canvas

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-09-05	Mobile	Service Visit	Step 9 - Summary & Signature	Signature saves locally then uploads to storage	Valid signature drawn
MOB-SV-09-06	Mobile	Service Visit	Step 9 - Summary & Signature	'Confirm & Complete Service' disabled until signature uploaded	Signature saved locally but still uploading
MOB-SV-09-07	Mobile	Service Visit	Step 9 - Summary & Signature	Completion blocked if any prerequisite step is missing/unsynced	One of: audit/delivery/refill/reserve-after not synced, or after-photo missing
MOB-SV-09-08	Mobile	Service Visit	Step 9 - Summary & Signature	Successful completion syncs via Edge Function and shows Finish button	All prerequisites met, signature uploaded
MOB-SV-09-09	Mobile	Service Visit	Step 9 - Summary & Signature	Sync failure after completion shows retry banner	Edge Function call fails right after local completion
MOB-SV-09-10	Mobile	Service Visit	Step 9 - Summary & Signature	'Finish and Return Home' only appears once fully synced	syncStatus is synced
MOB-SV-SYNC-01	Mobile	Service Visit	Resume & Offline Integrity	In-progress visit resumes correctly after app kill	Visit in progress on some step, app force-quit
MOB-SV-SYNC-02	Mobile	Service Visit	Resume & Offline Integrity	Corrupted/invalid local visit data is rejected gracefully	Dev/debug only — locally stored visit data manually corrupted or belonging to a different user

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-SV-SYNC-03	Mobile	Service Visit	Resume & Offline Integrity	Old-format visits (pre machine-refill step) are migrated on load	Dev/debug only — a locally saved visit created before the Machine Refill step existed, already past Restock
MOB-SV-SYNC-04	Mobile	Service Visit	Resume & Offline Integrity	Cannot clear a completed-but-unsynced visit	Visit completed locally but syncStatus is failed/pending_sync
MOB-SV-SYNC-05	Mobile	Service Visit	Resume & Offline Integrity	Cannot clear an in-progress (non-completed) visit	Visit still in_progress, not yet at Summary completion
MOB-SV-SYNC-06	Mobile	Service Visit	Resume & Offline Integrity	Internet connection is required throughout the service visit	Clocked in, on Stop Details; device offline
MOB-SV-SYNC-07	Mobile	Service Visit	Resume & Offline Integrity	Signature timestamp must not predate arrival timestamp	Attempt to tamper with local clock/data so signature time < arrival time
MOB-TT-01	Mobile	Technical Tickets	Report Issue	'Technical issue?' button only visible during an active visit	No active in-progress visit
MOB-TT-02	Mobile	Technical Tickets	Report Issue	Report Technical Issue modal opens with client context	In an active in-progress visit
MOB-TT-03	Mobile	Technical Tickets	Report Issue	Submit blocked with empty description	Modal open, description blank

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
MOB-TT-04	Mobile	Technical Tickets	Report Issue	Description over 1000 characters is rejected	Modal open
MOB-TT-05	Mobile	Technical Tickets	Report Issue	Ticket can be submitted without a photo	Valid description entered, no photo attached
MOB-TT-06	Mobile	Technical Tickets	Report Issue	Ticket can include a back-camera photo	Valid description entered
MOB-TT-07	Mobile	Technical Tickets	Report Issue	Photo can be retaken or removed before submitting	Photo already attached in the modal
MOB-TT-08	Mobile	Technical Tickets	Report Issue	Orphaned upload is cleaned up if DB patch fails	Photo uploads successfully but ticket DB patch fails (simulated)
WEB-MKT-01	Web	Public Site	Marketing Pages	Home page renders hero and CTAs	Anonymous visitor
WEB-MKT-02	Web	Public Site	Marketing Pages	Feature grid cards link to the correct destinations	Anonymous visitor on /

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-MKT-03	Web	Public Site	Marketing Pages	'Get started' page renders as static mockup	Anonymous visitor
WEB-MKT-04	Web	Public Site	Marketing Pages	'How it works' page renders as static mockup	Anonymous visitor
WEB-MKT-05	Web	Public Site	Marketing Pages	Header shows Sign in/Get started when logged out, user name/Sign out when logged in	Toggle between logged-out and logged-in state
WEB-MKT-06	Web	Public Site	Marketing Pages	Footer legal links are placeholders	Any page
WEB-AUTH-01	Web	Auth	Login	Admin (manager/CEO) logs in successfully	Active manager or CEO account
WEB-AUTH-02	Web	Auth	Login	Login blocked with empty fields	On /login
WEB-AUTH-03	Web	Auth	Login	Login blocked with wrong credentials	Valid account exists
WEB-AUTH-04	Web	Auth	Login	Login blocked for account with missing user profile row	Auth user exists, no users table row
WEB-AUTH-05	Web	Auth	Login	Driver/tech account cannot access the web dashboard	Valid driver or tech account

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-AUTH-06	Web	Auth	Login	Button shows 'Signing in…' while request pending	On /login
WEB-AUTH-07	Web	Auth	Password Reset	Forgot password sends reset email for valid address	Existing account email
WEB-AUTH-08	Web	Auth	Password Reset	Forgot password blocked with empty email	On /forgot-password
WEB-AUTH-09	Web	Auth	Password Reset	Reset link routes through /auth/callback to /reset-password/update	Valid reset email received
WEB-AUTH-10	Web	Auth	Password Reset	New password under 8 characters is rejected	On /reset-password/update with valid session
WEB-AUTH-11	Web	Auth	Password Reset	Mismatched password confirmation is rejected	On /reset-password/update
WEB-AUTH-12	Web	Auth	Password Reset	Successful password reset signs the user out and returns to login	Valid matching password ≥8 chars
WEB-AUTH-13	Web	Auth	Route Guards	Unauthenticated user hitting any /dashboard/* route is redirected to /login	Logged out
WEB-AUTH-14	Web	Auth	Route Guards	Non-user-manager admin is redirected away from /dashboard/users	Logged in as manager/CEO (currently canManageUsers=canAccessAdminApp for any active manager/CEO)

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-AUTH-15	Web	Auth	Route Guards	Inactive admin account is blocked from the dashboard	Manager/CEO account with is_active=false
WEB-AUTH-16	Web	Auth	Route Guards	/api/users endpoints reject non-user-managers	Logged in as a role without canManageUsers, or logged out
WEB-HOME-01	Web	Dashboard	Home	Dashboard home greets the logged-in admin by name	Logged in as manager/CEO
WEB-HOME-02	Web	Dashboard	Home	'User management' card only shown to users who can manage users	Logged in as an admin without vs. with canManageUsers
WEB-HOME-03	Web	Dashboard	Home	All dashboard nav cards route to the correct pages	Logged in as admin
WEB-HOME-04	Web	Dashboard	Home	'Warehouses' card link (relative href) still resolves correctly	Logged in as admin, currently on /dashboard
WEB-FLEET-01	Web	Fleet	Live Map	Fleet map shows markers for recently active drivers	At least one driver clocked in and pinging within last 10 minutes
WEB-FLEET-02	Web	Fleet	Live Map	Empty state when no drivers active	No drivers have pinged in the last 10 minutes

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-FLEET-03	Web	Fleet	Live Map	Manager sees only their region, CEO sees all regions	One manager account (region A) and one CEO account
WEB-FLEET-04	Web	Fleet	Live Map	Map auto-refreshes in near real time on new pings	A driver's device sends a new location ping
WEB-FLEET-05	Web	Fleet	Live Map	Map falls back to 60-second polling if realtime is unavailable	Simulate realtime channel failure
WEB-FLEET-06	Web	Fleet	Live Map	Empty fleet state shows the message only, without a map	No active fleet locations at all
WEB-FLEET-07	Web	Fleet	Live Map	Fleet page redirects non-admins	Logged in as driver/tech or logged out
WEB-FLEET-08	Web	Fleet	Live Map	Map loads client-side only with a loading fallback	Navigating to fleet page fresh
WEB-RT-01	Web	Routes	Today's Routes - Overview	Metric cards reflect today's route counts accurately	Known set of routes exist for today with mixed statuses
WEB-RT-02	Web	Routes	Today's Routes - Overview	Create one-off route with all required fields	At least one active driver and warehouse exist

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RT-03	Web	Routes	Today's Routes - Overview	Create route blocked with missing driver or warehouse	Form open
WEB-RT-04	Web	Routes	Today's Routes - Overview	'Create one-off route' toggle button becomes Close	Form is open
WEB-RT-05	Web	Routes	Filtering & Pagination	Search filters routes by driver/email/warehouse/notes	Multiple routes exist with distinct driver names
WEB-RT-06	Web	Routes	Filtering & Pagination	Status filter options are populated dynamically	Routes exist with varied statuses
WEB-RT-07	Web	Routes	Filtering & Pagination	'Reset to today' link appears only when filters deviate from default	Change the route date filter away from today
WEB-RT-08	Web	Routes	Filtering & Pagination	Empty filtered result shows correct empty state	Filters set to match nothing
WEB-RT-09	Web	Routes	Filtering & Pagination	Pagination shows 10 routes per page with working Prev/Next	More than 10 routes match current filters
WEB-RT-10	Web	Routes	Route Card - Stops	Recurring vs one-off badge displays correctly	One route generated from a template, one created manually
WEB-RT-11	Web	Routes	Route Card - Stops	Route map preview requires 2+ geocoded stops	A route with only 1 stop or stops missing coordinates

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RT-12	Web	Routes	Route Card - Stops	'Open in Google Maps' link builds a valid directions URL	Route with 2+ geocoded stops
WEB-RT-13	Web	Routes	Route Card - Stops	Add stop requires client; machine list is client-scoped	Scheduled route expanded, Add stop form open
WEB-RT-14	Web	Routes	Route Card - Stops	Removing a stop requires confirmation dialog	A scheduled route with at least one stop
WEB-RT-15	Web	Routes	Route Card - Lifecycle	Cancel a scheduled route	A scheduled route with no started stops
WEB-RT-16	Web	Routes	Route Card - Lifecycle	Dismissing the cancel confirmation changes nothing	A scheduled route
WEB-RT-17	Web	Routes	Route Card - Lifecycle	In-progress or completed route cannot be cancelled	One in_progress and one completed route
WEB-RT-18	Web	Routes	Route Card - Lifecycle	Scheduled route with a started stop is rejected by the server	Route status is still scheduled, but the driver already confirmed arrival on one stop

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RT-19	Web	Routes	Route Card - Lifecycle	Cancelled route is read-only and kept for history	A cancelled route
WEB-RT-20	Web	Routes	Route Card - Lifecycle	Stop management is locked on in-progress and completed routes	An in_progress or completed route with stops
WEB-RT-21	Web	Routes	Route Card - Stops	Stop order can be updated on a scheduled route	Scheduled route with 2+ stops
WEB-TPL-01	Web	Route Templates	Create & List	New templates are always created inactive	Valid driver, warehouse, name, at least one weekday selected
WEB-TPL-02	Web	Route Templates	Create & List	Template metrics (Templates/Active/Inactive) update correctly	Mixed active/inactive templates exist
WEB-TPL-03	Web	Route Templates	Create & List	Weekday chips toggle correctly in create form	Create form open
WEB-TPL-04	Web	Route Templates	Create & List	Empty state shown with no templates	No templates exist yet
WEB-TPL-05	Web	Route Templates	Activation	Activation blocked with zero service days selected	Inactive template with no weekdays checked

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TPL-06	Web	Route Templates	Activation	Activation blocked with zero stops	Inactive template with at least one weekday but no stops
WEB-TPL-07	Web	Route Templates	Activation	Template activates successfully when valid	At least one weekday and one stop configured; no conflict with another active template of the same driver
WEB-TPL-08	Web	Route Templates	Activation	Active template can be deactivated freely	Active template
WEB-TPL-09	Web	Route Templates	Stops	Removing the last stop of an active template is blocked	Active template with exactly 1 stop
WEB-TPL-10	Web	Route Templates	Stops	Removing a non-last stop, or any stop on an inactive template, succeeds	Template with 2+ stops (active) or any stop count (inactive)
WEB-TPL-11	Web	Route Templates	Delete Template	Delete an inactive template	Inactive template; some routes were already generated from it
WEB-TPL-12	Web	Route Templates	Delete Template	Active template cannot be deleted	Active template

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TPL-13	Web	Route Templates	Schedule Conflicts	Activation blocked when the same machine is already scheduled for that driver and day	Template A (active) and template B (inactive): same driver, at least one shared weekday, both contain a stop for the same machine
WEB-TPL-14	Web	Route Templates	Schedule Conflicts	Conflict check falls back to the client when stops have no machine	Same as WEB-TPL-13 but both stops have no machine and the same client
WEB-TPL-15	Web	Route Templates	Schedule Conflicts	No conflict for different drivers or non-overlapping weekdays	Two templates with the same machine stop, but different drivers (or no shared weekday)
WEB-TPL-16	Web	Route Templates	Schedule Conflicts	Adding a conflicting stop to an active template is blocked	Active templates A and B: same driver, shared weekday
WEB-TPL-17	Web	Route Templates	Schedule Conflicts	Editing an active template into a conflict is blocked	Active templates A and B with the same machine stop, different weekdays
WEB-TPL-18	Web	Route Templates	Stops	Template stop validation: machine must belong to client, end after start	Add stop form on a template
WEB-TPL-19	Web	Route Templates	Activation	Active template must keep at least one service day	Active template

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TPL-20	Web	Route Templates	Route Generation	Daily generation skips an occurrence that conflicts with an existing route	Supabase SQL access; active template for driver D today; a non-cancelled one-off route for D today already contains the same machine
WEB-TPLEX-01	Web	Route Templates	Schedule Exceptions	'Skip route' exception prevents generation for that date	Active template, future date selected
WEB-TPLEX-02	Web	Route Templates	Schedule Exceptions	'Replace driver' exception requires a replacement driver	Add Exception form, 'Replace driver' selected
WEB-TPLEX-03	Web	Route Templates	Schedule Exceptions	'Replace driver' exception applies correctly for that date	Valid replacement driver selected
WEB-TPLEX-04	Web	Route Templates	Schedule Exceptions	Exception can be removed	An existing exception row
WEB-STOPEX-01	Web	Route Templates	Stop Exceptions	Add one-off stop exception for a specific date	Active template, valid client/machine data
WEB-STOPEX-02	Web	Route Templates	Stop Exceptions	Remove recurring stop for a specific date	Template has at least one recurring stop

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-STOPEX-03	Web	Route Templates	Stop Exceptions	Remove-recurring-stop mode disabled when template has zero stops	Template with 0 stops
WEB-STOPEX-04	Web	Route Templates	Stop Exceptions	Stop exception rows have no Remove control (documented gap)	An existing stop exception row
WEB-INV-01	Web	Inventory	Movement History Tab	Movement history lists paginated results by default	More than 10 movements exist
WEB-INV-02	Web	Inventory	Movement History Tab	Filtering by movement type narrows results correctly	Movements of multiple types exist
WEB-INV-03	Web	Inventory	Movement History Tab	Search by visit ID or unit substring works	Movements tied to known visit IDs
WEB-INV-04	Web	Inventory	Movement History Tab	'Clear filters' resets all movement filters	Filters applied
WEB-INV-05	Web	Inventory	Movement History Tab	Load failure shows an error banner	Simulate a backend/network failure
WEB-INV-06	Web	Inventory	Products Tab	Products tab filters by search/category/status client-side	Multiple products across categories, active and inactive
WEB-INV-07	Web	Inventory	Products Tab	Product card shows unit conversion and package details correctly	A product with issue_unit/base_unit conversion configured

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-INV-08	Web	Inventory	Locations Tab	Locations tab filters by type (Warehouse/Van/Client Reserve/Machine)	Locations of each type exist
WEB-INV-09	Web	Inventory	Locations Tab	Header action buttons navigate to the correct inventory sub-pages	On /dashboard/inventory
WEB-INV-10	Web	Inventory	Locations Tab	Non-admin cannot reach any /dashboard/inventory/* page	Logged in as non-admin or logged out
WEB-INVM-01	Web	Inventory	Machines (Not Yet Built)	Machines page shows 'coming soon' stub, no functional UI	Admin logged in
WEB-INVM-02	Web	Inventory	Machines (Not Yet Built)	Machines stub page still enforces admin auth	Logged out or non-admin
WEB-WH-01	Web	Inventory	Warehouses	Warehouse geofence can be updated and saved	At least one warehouse exists
WEB-WH-02	Web	Inventory	Warehouses	Empty state shown with zero warehouses	No warehouses exist
WEB-WH-03	Web	Inventory	Warehouses	Invalid geofence values (non-numeric / negative radius) are rejected	Warehouse edit form open

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-WH-04	Web	Inventory	Warehouses	Updated geofence reflects in mobile clock-in radius immediately	Warehouse geofence changed on web
WEB-XFER-01	Web	Inventory	Warehouse-Driver Transfers	Toggle between Issue to driver and Return to warehouse	On /dashboard/inventory/transfers
WEB-XFER-02	Web	Inventory	Warehouse-Driver Transfers	Submit blocked without warehouse selected	Form open, no warehouse chosen
WEB-XFER-03	Web	Inventory	Warehouse-Driver Transfers	Submit blocked without driver selected	Form open, no driver chosen
WEB-XFER-04	Web	Inventory	Warehouse-Driver Transfers	Submit blocked with a line item missing a product	A product line left unselected
WEB-XFER-05	Web	Inventory	Warehouse-Driver Transfers	Zero or blank quantity is rejected per product	A line item with 0 or blank quantity
WEB-XFER-06	Web	Inventory	Warehouse-Driver Transfers	Loose-unit quantity rejected for products not allowing loose units	Product with allows_loose_units=false
WEB-XFER-07	Web	Inventory	Warehouse-Driver Transfers	Non-integer package quantity is rejected	Any product line
WEB-XFER-08	Web	Inventory	Warehouse-Driver Transfers	Non-integer loose quantity rejected unless product allows partial base units	Product without allows_partial_base_unit

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-XFER-09	Web	Inventory	Warehouse-Driver Transfers	Duplicate product across multiple lines is rejected	Two line items reference the same product
WEB-XFER-10	Web	Inventory	Warehouse-Driver Transfers	'+ Add Product' disabled once every product is already used	All available products already added as lines
WEB-XFER-11	Web	Inventory	Warehouse-Driver Transfers	Live 'Total transfer' readout normalizes package+loose to base units	Valid package and loose quantities entered for a product
WEB-XFER-12	Web	Inventory	Warehouse-Driver Transfers	Valid multi-product transfer submits atomically and shows success message	Warehouse, driver, and 2+ valid product lines set
WEB-RECON-01	Web	Inventory	Reconciliation	Reconciliation page loads with driver selector	Admin logged in; active drivers and products exist
WEB-RECON-02	Web	Inventory	Reconciliation	Selecting a driver loads the expected van inventory	Driver with known transfers/deliveries
WEB-RECON-03	Web	Inventory	Reconciliation	Product without a baseline shows "No baseline"	Driver who has never been reconciled for a product

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RECON-04	Web	Inventory	Reconciliation	Variance is calculated live as physical minus expected	Driver with a baseline; expected quantity known
WEB-RECON-05	Web	Inventory	Reconciliation	Review blocked with no counts entered	Driver selected, all Physical fields empty
WEB-RECON-06	Web	Inventory	Reconciliation	Only counted products are included in the review	Driver selected
WEB-RECON-07	Web	Inventory	Reconciliation	Invalid physical quantity is rejected	Driver selected
WEB-RECON-08	Web	Inventory	Reconciliation	'Back to edit' returns to the form with values preserved	On the review screen
WEB-RECON-09	Web	Inventory	Reconciliation	Confirming a reconciliation stores it as the new baseline	On the review screen with valid items
WEB-RECON-10	Web	Inventory	Reconciliation	Expected quantity equals the confirmed count afterwards	Just confirmed a count of N for a product

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RECON-11	Web	Inventory	Reconciliation	Later movements change the expected quantity	Driver with a confirmed baseline N for a product
WEB-RECON-12	Web	Inventory	Reconciliation	Reason and notes are saved with the reconciliation	Driver selected
WEB-RECON-13	Web	Inventory	Reconciliation	Changing the driver resets the entered counts	Counts entered for driver A
WEB-RECON-14	Web	Inventory	Reconciliation	Reconciliation pages enforce admin auth	Logged out or non-admin
WEB-RECH-01	Web	Inventory	Reconciliation History	History lists confirmed reconciliations, newest first	Several confirmed reconciliations exist
WEB-RECH-02	Web	Inventory	Reconciliation History	Filter by driver and date range	Reconciliations for multiple drivers and dates
WEB-RECH-03	Web	Inventory	Reconciliation History	Empty state when nothing matches	Filters matching no reconciliation
WEB-RECH-04	Web	Inventory	Reconciliation History	Expanding a card shows the full count detail	A confirmed reconciliation with notes and reasons

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-RECH-05	Web	Inventory	Reconciliation History	Discrepancy badge and totals reflect non-zero variances	One reconciliation with variances, one without
WEB-RECH-06	Web	Inventory	Reconciliation History	History page enforces admin auth and navigation links work	Logged out / non-admin, then admin
WEB-MVMT-01	Web	Inventory	Movements Dashboard	Filters (warehouse/driver/date range) update the URL and results	Movements exist across multiple warehouses/drivers/dates
WEB-MVMT-02	Web	Inventory	Movements Dashboard	Per-product aggregate columns compute correctly	Known movement data for a product (taken, delivered, refilled, returned)
WEB-MVMT-03	Web	Inventory	Movements Dashboard	Page is explicitly labeled as reporting-only, not authoritative on-hand balance	Any data present
WEB-TT-01	Web	Service	Technical Issues	Status cards reflect Open/In Progress/Resolved counts	Tickets exist in each status
WEB-TT-02	Web	Service	Technical Issues	Ticket card shows signed photo when attached	A ticket has a photo_storage_path; logged in as manager or CEO
WEB-TT-03	Web	Service	Technical Issues	Assigning a technician moves ticket from Open to In Progress	Open ticket, at least one active tech user exists

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TT-04	Web	Service	Technical Issues	Only active users with role=tech appear as assignable	Mix of active techs, inactive techs, and non-tech roles
WEB-TT-05	Web	Service	Technical Issues	Reassigning an in-progress ticket to a different technician works	In-progress ticket already assigned
WEB-TT-06	Web	Service	Technical Issues	Assigning a closed ticket is blocked	Resolved or cancelled ticket
WEB-TT-07	Web	Service	Technical Issues	'Mark as Resolved' disabled until status is in_progress	Open ticket (not yet assigned/in_progress)
WEB-TT-08	Web	Service	Technical Issues	'Mark as Resolved' blocked without an assignee	In-progress ticket somehow without an assignee (edge case)
WEB-TT-09	Web	Service	Technical Issues	Resolving a ticket hides all action controls	In-progress ticket with assignee
WEB-TT-10	Web	Service	Technical Issues	Empty state when no technical issues exist	No tickets in the system
WEB-SV-01	Web	Service	Service Visits	Visit list shows only stops with a recorded arrival	Stops exist both with and without arrived_at
WEB-SV-02	Web	Service	Service Visits	'Time on location' computes correctly for completed visits	A visit with both arrived_at and completed timestamp

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-SV-03	Web	Service	Service Visits	In-progress visit shows 'In progress' instead of a fixed duration	A visit currently in progress (arrived, not completed)
WEB-SV-04	Web	Service	Service Visits	Recent/In Progress/Completed metric cards match the list	Known mix of visit statuses
WEB-SV-05	Web	Service	Service Visits	Empty state shown when there are no service visits	No stops have arrived_at set
WEB-SV-06	Web	Service	Service Visits	No photo/signature/drink-count detail is exposed on this list page (documented gap)	Any completed visit with photos/signature/drink count
WEB-AIQ-01	Web	Service	AI Quality (Not Yet Built)	/ai-quality renders static mockup content only	Any visitor, no auth required
WEB-AIQ-02	Web	Service	AI Quality (Not Yet Built)	/ai-quality is reachable without authentication (confirm intended)	Logged out
WEB-TCREV-01	Web	Time Clock	Review Queue	Queue lists only entries with review_status=pending	Entries exist in pending/approved/rejected/flagged states
WEB-TCREV-02	Web	Time Clock	Review Queue	Empty state when no pending clock-ins	No pending entries

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TCREV-03	Web	Time Clock	Review Queue	Card shows correct geofence distance and status	Entries clocked in inside and outside the warehouse radius
WEB-TCREV-04	Web	Time Clock	Review Queue	Selfie displays correctly when present and signable	Entry has a valid clock_in_selfie_signed_url
WEB-TCREV-05	Web	Time Clock	Review Queue	Selfie shows load-failure message if signing fails	URL present but signing fails (simulate)
WEB-TCREV-06	Web	Time Clock	Review Queue	No-selfie entries show correct message	Entry with selfie waived and none submitted
WEB-TCREV-07	Web	Time Clock	Review Queue	Approve action sets status and reviewer metadata	Pending entry
WEB-TCREV-08	Web	Time Clock	Review Queue	Flag action requires/accepts a reason and updates status	Pending entry
WEB-TCREV-09	Web	Time Clock	Review Queue	Reject action requires/accepts a reason and updates status	Pending entry
WEB-TCREV-10	Web	Time Clock	Review Queue	Reviewed entry disappears from the pending queue	Just approved/flagged/rejected an entry
WEB-TCREV-11	Web	Time Clock	Review Queue	Non-reviewer role is blocked from the review queue	Logged in as an admin without canReviewClockIns, or logged out

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TCREV-12	Web	Time Clock	Review Queue	Clock-in made outside the warehouse geofence is visible to the reviewer	Driver clocked in on mobile from outside the warehouse radius (see MOB-CLK-02)
WEB-TCENT-01	Web	Time Clock	Entries	Entries list shows all time entries with correct fields	Multiple entries with mixed statuses exist
WEB-TCENT-02	Web	Time Clock	Entries	Still-open entries show 'Still open' for clock-out time	An entry with no clock_out_at
WEB-TCENT-03	Web	Time Clock	Entries	Empty state when there are no time entries	No entries exist yet
WEB-TCENT-04	Web	Time Clock	Entries	Reason column falls back through the correct field chain	Entries with only one of review_note/review_reason/override_reason/auto_close_reason set
WEB-TCENT-05	Web	Time Clock	Entries	Entries page enforces admin auth	Logged out or non-admin
WEB-TCENT-06	Web	Time Clock	Entries	Entry card shows the clock-in selfie	An entry with an uploaded selfie
WEB-TCENT-07	Web	Time Clock	Entries	Entry card selfie fallbacks	One entry without a selfie, one whose selfie file cannot be signed

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-TCSET-01	Web	Time Clock	Settings	'Run auto-close check' closes open entries past shift end	An open entry with shift_end_at set in the past (set in Supabase — the mobile clock-in does not fill shift_end_at)
WEB-TCSET-02	Web	Time Clock	Settings	Auto-close does not affect entries still within their shift window	An open entry whose shift has not yet ended
WEB-TCSET-03	Web	Time Clock	Settings	Auto-closed entries surface in the Review Queue	Just ran auto-close on an entry
WEB-TCSET-04	Web	Time Clock	Settings	Settings page has no selfie-waiver toggle (documented gap)	On settings page
WEB-TCSET-05	Web	Time Clock	Settings	Open entries without a shift end time are never auto-closed (documented gap)	Open entry created by a normal mobile clock-in (shift_end_at empty)
WEB-USR-01	Web	Users	Create User	Create user with all fields succeeds and sends setup email	Logged in as user manager
WEB-USR-02	Web	Users	Create User	Role defaults to Driver in the create form	Add user form open

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-USR-03	Web	Users	Create User	Create user blocked with missing full name or email	Add user form open
WEB-USR-04	Web	Users	Filter & List	Search filters by name/email/phone/address/region	Multiple users exist
WEB-USR-05	Web	Users	Filter & List	Role/Status/Region filters combine correctly	Users spanning multiple roles/statuses/regions
WEB-USR-06	Web	Users	Filter & List	Empty state when filters match no users	Filter combination matching nobody
WEB-USR-07	Web	Users	Filter & List	Pagination shows 10 users per page	More than 10 users match current filters
WEB-USR-08	Web	Users	Edit / Manage	Editing and saving a user's details persists changes	An existing user
WEB-USR-09	Web	Users	Edit / Manage	Full name is required when saving an edit	Edit form open
WEB-USR-10	Web	Users	Edit / Manage	'Send password reset' requires confirmation and requires an email on file	A user with an email set
WEB-USR-11	Web	Users	Edit / Manage	'Send password reset' disabled for users without an email	A user record with no email (edge case)

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-USR-12	Web	Users	Edit / Manage	Activate/Deactivate toggles is_active with confirmation	An active user and an inactive user
WEB-USR-13	Web	Users	Edit / Manage	Deactivating a driver blocks their mobile app access immediately	An active driver account, logged in on mobile
WEB-USR-14	Web	Users	Edit / Manage	/dashboard/users and /api/users/* are inaccessible to non-user-managers	Logged in without canManageUsers, or logged out
WEB-RPT-01	Web	Reports	Reports (Not Yet Built)	Reports page shows placeholder text only	Admin logged in
WEB-RPT-02	Web	Reports	Reports (Not Yet Built)	Reports page still enforces admin auth	Logged out or non-admin
WEB-SURV-01	Web	Survey	Customer Feedback	Valid survey token renders the rating form	A completed service visit has a valid survey_token
WEB-SURV-02	Web	Survey	Customer Feedback	Invalid or unknown token is rejected on submit	A malformed or nonexistent token
WEB-SURV-03	Web	Survey	Customer Feedback	Submit blocked with no rating selected	On a valid survey page

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-SURV-04	Web	Survey	Customer Feedback	Selecting each star count highlights correctly	Valid survey page
WEB-SURV-05	Web	Survey	Customer Feedback	Submitting rating 1-4 shows thank-you without Google review prompt	Valid survey, rating 1-4 chosen
WEB-SURV-06	Web	Survey	Customer Feedback	Submitting 5 stars with Google review URL configured shows the review prompt	app_settings.google_review_url is set
WEB-SURV-07	Web	Survey	Customer Feedback	5-star rating with no Google review URL configured skips the prompt	app_settings.google_review_url is empty/unset
WEB-SURV-08	Web	Survey	Customer Feedback	Re-submitting on an already-answered survey link shows 'already received' state	A token that already has a stored rating
WEB-SURV-09	Web	Survey	Customer Feedback	Concurrent duplicate submission race is handled gracefully	Two simultaneous submissions for the same token (e.g. double-tap or two tabs)
WEB-SURV-10	Web	Survey	Customer Feedback	Rating outside 1-5 or malformed request is rejected server-side	Direct/forced request bypassing the UI (e.g. dev tools)
WEB-NA-01	Web	Cross-Cutting	Known Gaps / Not Implemented	/api/warehouses endpoint does not exist	Any state

ID	Platform	Feature	Sub-Feature	Test Case	Preconditions
WEB-NA-02	Web	Cross-Cutting	Known Gaps / Not Implemented	No admin UI exists yet to edit the Google review URL setting	Any state
MOB-NA-01	Mobile	Cross-Cutting	Known Gaps / Not Implemented	No in-app UI for a manager to waive a driver's selfie requirement	Any state
MOB-NA-02	Mobile	Cross-Cutting	Known Gaps / Not Implemented	No manual geofence override on the Clock In screen	On Clock In screen

ID	Steps	Expected Result	Priority	Status
MOB-AUTH-01	1. Open app 2. Enter valid email (lowercase/trimmed automatically) 3. Enter valid password 4. Tap Sign In	User is authenticated and lands on Home screen with route/shift data loading	Critical	Pass
MOB-AUTH-02	1. Enter valid email 2. Enter wrong password 3. Tap Sign In	Error shown: The email or password is incorrect.	High	Pass
MOB-AUTH-03	1. Enter that account's email/password 2. Tap Sign In	Error shown: Your email address has not been confirmed.	Medium	Pass
MOB-AUTH-04	1. Disable Wi-Fi/mobile data 2. Enter valid credentials 3. Tap Sign In	Error shown: Unable to connect. Check your internet connection.	Medium	Pass
MOB-AUTH-05	1. Leave email and/or password blank 2. Observe Sign In button	Sign In button is disabled until both fields are non-empty	Low	Pass
MOB-AUTH-06	1. Enter email with leading/trailing spaces and mixed case 2. Enter valid password 3. Tap Sign In	Email is trimmed and lowercased before submit; login succeeds	Low	Pass
MOB-AUTH-07	1. Log in with a manager/CEO account	AccessDeniedScreen shown: title 'Mobile Access Unavailable', shows 'Current account role: {role}', button 'Sign in with another account'	Critical	Pass
MOB-AUTH-08	1. Log in with that account	AccessDeniedScreen is shown instead of Home	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-AUTH-09	1. Log in with that account's credentials	Error shown: Your employee profile could not be loaded. Contact your manager.	Medium	Fail
MOB-AUTH-10	1. Tap 'Sign in with another account'	Session is cleared and Login screen is shown	Medium	Pass
MOB-AUTH-11	1. On Home, tap 'Log out'	Location tracking stops, session cleared, Login screen shown	High	Pass
MOB-AUTH-12	1. Force-quit the app 2. Reopen it	User remains authenticated, no re-login required, auto-refresh resumes	Medium	Pass
MOB-CLK-01	1. Open Home 2. Tap the Clock In card 3. Wait for the GPS fix	Target line shows 'Warehouse: {name}'; message: Your current location will be recorded with this clock-in.; button reads 'Clock In' and is enabled	Critical	Pass
MOB-CLK-02	1. Open Clock In screen from outside the geofence 2. Tap Clock In	Button is enabled and clock-in succeeds; no distance / 'Move inside' message is shown; time entry stores clock_in_latitude/longitude with is_geofence_override=false	Critical	Pass
MOB-CLK-03	1. Deny location permission 2. Open Clock In screen	Message shown: Location permission is denied. Enable it in Settings to record your clock-in location.; button reads 'Clock In Unavailable' and is disabled	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-CLK-04	1. Open Clock In screen	Message shown: No warehouse or scheduled stop is available for today. Contact your manager.; button reads 'Clock In Unavailable' and is disabled	High	Pass
MOB-CLK-05	1. Open Clock In with route A and clock in 2. Repeat with a driver on route B	A: label 'Warehouse: {name}', time entry has warehouse_id and stop_id empty. B: label 'First scheduled stop: {client}', time entry has stop_id of that stop	Medium	Pass
MOB-CLK-06	1. Tap Clock In 2. Confirm	New time entry created with status open, review_status pending, selfie_status required; ClockedInScreen shows 'You're clocked in'	Critical	Pass
MOB-CLK-07	1. Open the Clock In screen on device A and leave it open 2. Clock in on device B 3. Tap Clock In on device A	Error shown on device A: You already have an open shift.; on Home the Clock In card is replaced by the active shift card while a shift is open	Medium	Pass
MOB-CLK-08	1. Clock in without granting background location	Clock-in still succeeds; tracking start failure is only logged, does not block the flow	Medium	Pass
MOB-CLK-09	1. Tap 'Go to Home' on ClockedInScreen	Navigates to Home screen reflecting active shift state	Low	Pass

ID	Steps	Expected Result	Priority	Status
MOB-CLK-10	1. Open Clock In screen 2. Observe button before and after the first GPS fix	While locating: message 'Getting your current location…' and disabled 'Clock In Unavailable' button; after the fix the button becomes 'Clock In' and is enabled	Medium	Pass
MOB-CLK-11	1. Tap '← Back'	Home is shown with the Clock In card still available; no time entry was created	Low	Pass
MOB-SELFIE-01	1. Reach Selfie Capture screen after clock-in	Prompt/button 'Allow Camera Access' shown if askable, else 'Open Settings'	High	Pass
MOB-SELFIE-02	1. Open Selfie Capture screen	Front camera preview is shown, mirrored	Medium	Pass
MOB-SELFIE-03	1. Capture a selfie 2. Tap Retake	Returns to live camera view; previous photo discarded	Medium	Pass
MOB-SELFIE-04	1. Tap Confirm Selfie	UI shows 'Preparing selfie…' then 'Uploading selfie…' then 'Finalizing clock-in…'; selfie_status becomes uploaded	Critical	Pass
MOB-SELFIE-05	1. Tap Confirm Selfie 2. Immediately try tapping Retake or Confirm again	Both buttons are disabled while uploading	Medium	Pass
MOB-SELFIE-06	1. Capture a photo that stays over ~2MB after resize/compress 2. Confirm	Error shown: The selfie is still too large to upload. Please retake it.	Low	N/A

ID	Steps	Expected Result	Priority	Status
MOB-SELFIE-07	1. Start upload 2. Disable network mid-flight	Error shown: The selfie could not be uploaded because of a network problem... (retry available)	High	Pass
MOB-SELFIE-08	1. Leave Selfie Capture open on device A 2. Complete the selfie on device B 3. Capture and Confirm on device A	Error: A clock-in selfie has already been uploaded for this shift.	Medium	Pass
MOB-SELFIE-09	1. Leave Selfie Capture open 2. Set selfie_status=waived in Supabase 3. Capture and Confirm	Error: The selfie requirement has already been waived by a manager.	Low	Pass
MOB-SELFIE-10	1. Navigate to Home	Card shows 'Selfie required' / 'Finish your clock-in' with 'Resume Selfie' button; route stops are locked until selfie completes	Critical	Pass
MOB-SELFIE-11	1. Navigate to Home while clocked in	Active shift card shows 'Selfie requirement waived by a manager' and Clock Out is available	Low	Pass
MOB-SELFIE-12	1. Capture selfie under this condition 2. Confirm	Error: The captured photo could not be processed. Retake the selfie and try again.	Low	N/A
MOB-CLKOUT-01	1. On Home, tap Clock Out	Time entry closed (clock_out_at set); tracking stops; Home returns to Clock In state	Critical	Pass

ID	Steps	Expected Result	Priority	Status
MOB-CLKOUT-02	1. Open Home with the selfie still required 2. (Optional) trigger Clock Out from a stale screen	Home shows the 'Selfie required' card with 'Resume Selfie' instead of Clock Out; a forced clock-out returns: Complete the required clock-in selfie before clocking out.	High	Pass
MOB-CLKOUT-03	1. Revoke location permission 2. Attempt Clock Out	Clock-out is blocked/errors until permission is re-granted	Medium	Pass
MOB-CLKOUT-04	1. Tap Clock Out on stale local state	Error: The shift is no longer active. Refresh the app and try again.	Medium	Pass
MOB-CLKOUT-05	1. Tap Clock Out 2. Observe button during request	Button shows ActivityIndicator and is disabled until the request completes	Low	Pass
MOB-CLKOUT-06	1. Tap Log out instead of Clock Out	stopLocationTracking is called before sign-out completes	Medium	Pass
MOB-FLEET-01	1. Complete clock-in flow	Background task 'brewtracker-background-location-tracking' registers and begins sending pings	Critical	Pass
MOB-FLEET-02	1. Attempt clock-in flow requiring tracking	Error: Background location permission is required while you are clocked in. (clock-in itself is not blocked)	Medium	Pass
MOB-FLEET-03	1. Clock in on Android 2. Check notification tray	Notification titled 'BrewTracker route tracking' with body 'Your live location is being shared while you are clocked in.'	Medium	N/A

ID	Steps	Expected Result	Priority	Status
MOB-FLEET-04	1. Force-quit app while clocked in 2. Reopen app	restoreLocationTracking detects open entry (no clock_out_at) and resumes tracking	High	Not Started
MOB-FLEET-05	1. Clock out via another device 2. Relaunch app on this device	stopLocationTracking is invoked; no background task remains active	Medium	Pass
MOB-FLEET-06	1. Disable network while tracking active 2. Move device to trigger a fix	Ping is queued to AsyncStorage instead of failing hard; no crash or user-facing error	High	Not Started
MOB-FLEET-07	1. Re-enable network 2. Wait for next location fix or app foreground	Queued pings are uploaded before/along with the newest ping	High	Not Started
MOB-FLEET-08	1. Simulate extended offline tracking	Oldest entries are dropped, queue never exceeds 500	Low	N/A
MOB-FLEET-09	1. Tap Clock Out with pings pending in queue	One last flush attempt is made (failure only warns, does not block clock-out)	Medium	Not Started
MOB-ROUTE-01	1. Open Home screen	TodayRouteCard shows 'Today's Route' with stops ordered by sequenceNumber ascending	Critical	Pass
MOB-ROUTE-02	1. Open Home screen	Message: No route assigned today	Medium	Pass
MOB-ROUTE-03	1. Open Home screen	Message: No stops added yet	Low	Pass

ID	Steps	Expected Result	Priority	Status
MOB-ROUTE-04	1. Tap Refresh button	Button shows spinner and is disabled while refreshing; footer shows 'Synced {time}'	Medium	Pass
MOB-ROUTE-05	1. Load Home online 2. Enable airplane mode 3. Tap Refresh (or reopen Home)	Warning shown: You're offline. Showing the last saved version of today's route.; footer shows 'Saved route {time}'; no 'Unable to verify your session' or shift error is shown	Critical	Pass
MOB-ROUTE-06	1. Go offline 2. Open the app / Home	Route card shows an error with a 'Try again' link; tapping it after reconnecting loads the route	High	Fail
MOB-ROUTE-07	1. View route list with pending / in_progress / completed / skipped stops	Badges read exactly: Pending / In progress / Completed / Skipped	Medium	Pass
MOB-ROUTE-08	1. Open Home before clocking in	Notice shown: You can review today's stops now. Clock in to open stop details and navigation.; tapping a stop does nothing	High	Pass
MOB-ROUTE-09	1. Tap a stop row on Home	Navigates to Stop Details screen for that stop	Critical	Pass
MOB-ROUTE-10	1. Load Home	The route still having incomplete stops is shown, not the fully completed one	Low	Pass
MOB-ROUTE-11	1. Load route containing that stop	That stop does not appear in the list; no user-facing error is shown for it	Low	Pass

ID	Steps	Expected Result	Priority	Status
MOB-ROUTE-12	1. Open Home	Subtitle reads: Starts at {warehouse.name}	Low	Pass
MOB-ROUTE-13	1. Cancel the route on web 2. Tap Refresh on Home	Cancelled route is no longer shown (only draft/scheduled/in-progress routes load); 'No route assigned today' appears if it was the only route	High	Pass
MOB-STOP-01	1. Open a stop's details	Address, Schedule, Machine name/model, Serial number all render correctly	Medium	Pass
MOB-STOP-02	1. Open that stop's details	Machine row shows: No machine assigned	Medium	Pass
MOB-STOP-03	1. Open stop details 2. Observe Distance row while moving	Distance shown in m or km, formatted (e.g. '1.2 km' or '450 m'); shows 'Calculating…' while loading	Medium	Pass
MOB-STOP-04	1. Open that stop's details	Map replaced with card: 'Map unavailable' / 'This client does not have valid latitude and longitude coordinates...'	Medium	Pass
MOB-STOP-05	1. Open stop details map	Once the map is ready and the first GPS fix arrives, the map auto-zooms/pans once to fit both markers with padding	Low	Pass
MOB-STOP-06	1. Pan/zoom the map manually 2. Tap 'Center map'	Map re-fits to destination + current location	Low	Pass

ID	Steps	Expected Result	Priority	Status
MOB-STOP-07	1. Open stop details with location denied	Message: Location permission is disabled. You can still view the destination and open navigation. with 'Try again' button	Medium	Pass
MOB-STOP-08	1. Tap Open Navigation	Apple Maps opens with driving directions to the client address/label	High	Pass
MOB-STOP-09	1. Tap Open Navigation	Device's geo: intent resolves (Google Maps or chooser) to the destination	High	N/A
MOB-STOP-10	1. Tap Open Navigation on such a device	Browser opens Google Maps directions URL as fallback	Low	N/A
MOB-STOP-11	1. Open stop details	Open Navigation button is disabled	Medium	Pass
MOB-STOP-12	1. Open that stop's details	Button reads 'Resume Service' and tapping it goes straight to the visit without re-validating machine/QR	High	Pass
MOB-STOP-13	1. Open a different stop's details 2. Attempt Start Service	Warning shown: Another service visit is currently in progress. Complete or cancel it before starting this stop.; button disabled	Critical	Pass
MOB-STOP-14	1. Tap Start Service	Inline error in the Service workflow card: No machine is assigned to this service stop.; no endless spinner, button stays tappable	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-STOP-15	1. Tap Start Service	Inline error: The assigned machine does not have a QR code. Ask a manager to update the machine record.; no endless spinner	High	Pass
MOB-STOP-16	1. Open that stop's details	Service button reads 'Service Completed' and is disabled	High	Pass
MOB-STOP-17	1. Open that stop's details	Service button reads 'Stop Skipped' and is disabled	Medium	Pass
MOB-STOP-18	1. Tap Start Service	Visit is not created; error: This service stop has already been completed. (or: This service stop has been skipped and cannot be started.)	High	Pass
MOB-SV-START-0	1. Tap Start Service	New visit created (status in_progress, currentStep=arrival); ServiceVisitScreen opens on Arrival step	Critical	Pass
MOB-SV-START-0	1. Tap Start Service on such a stop	Error: This client has no valid geofence coordinates...	High	Pass
MOB-SV-START-0	1. Start a visit on each 2. Observe 'Step X of N' label	Header shows 'Step 1 of 9' when Drink Count is required and 'Step 1 of 8' when it is not; the step card itself shows no second, conflicting step label	Medium	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-START-0	1. Tap onBack / device back	Returns to Stop Details/Route; visit remains in_progress and resumable	Medium	Pass
MOB-SV-START-0	1. Complete each step in turn 2. Observe the header after every step	Header counter increases by one per step up to 'Step N of N' on Summary; no step shows a number that disagrees with the header	Medium	Pass
MOB-SV-01-01	1. Reach Arrival step within radius 2. Observe Confirm Arrival button	Button enabled and tapping it sets stop to in_progress with arrived_at timestamp	Critical	Pass
MOB-SV-01-02	1. Reach Arrival step from outside geofence	Confirm Arrival disabled; message: You are outside the client geofence.	Critical	Pass
MOB-SV-01-03	1. Tap 'GPS issue? Request manual override'	Textarea (10-300 chars) and 'Submit Override' button appear	Medium	Pass
MOB-SV-01-04	1. Enter fewer than 10 characters 2. Observe Submit Override	Submit Override stays disabled; helper text shows 'At least 10 characters · N/300'	Medium	Pass
MOB-SV-01-05	1. Enter a reason of 10-300 characters 2. Tap Submit Override	Arrival recorded with method manual_override and the reason persisted	High	Pass
MOB-SV-01-06	1. Enter more than 300 characters	Input is blocked/limited at 300 characters	Low	Pass
MOB-SV-01-07	1. Confirm arrival (in-range or override)	Screen transitions automatically to Machine Scan step	Critical	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-02-01	1. Reach Machine Scan step	Prompt shown: 'Allow Camera Access' (or Settings link if denied permanently)	High	Pass
MOB-SV-02-02	1. Scan the correct QR code	Step advances to Before Photos	Critical	Pass
MOB-SV-02-03	1. Point scanner at wrong machine's QR	Error: This QR code belongs to a different machine. Scan the machine assigned to this stop.; 'Scan Again' button shown	Critical	Pass
MOB-SV-02-04	1. Wait ~1.2s, or tap 'Scan Again'	Scanner becomes active again for another attempt	Medium	Pass
MOB-SV-02-05	1. Scan that code	Match succeeds (comparison trims both sides)	Low	Pass
MOB-SV-03-01	1. Attempt to continue with 0 or 1 photo captured	'Continue to Meter Reading' disabled until both photos show uploadStatus uploaded	Critical	Pass
MOB-SV-03-02	1. Capture 'Machine exterior' photo	Photo saved locally then uploads in background; status progresses pending_upload → uploading → uploaded	High	Pass
MOB-SV-03-03	1. Capture a photo while offline/unstable network	Photo shows failed state with a 'Retry Upload' button	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-03-04	1. Tap retake/remove on that photo 2. Recapture	Old photo replaced; upload cycle restarts for the new one	Medium	Pass
MOB-SV-03-05	1. Observe Continue button state	Button remains disabled until BOTH photos reach uploaded status	Critical	Pass
MOB-SV-03-06	1. Inspect local file storage path (dev/debug build)	Files stored under documentDirectory/service-visits/{visitId}/before/	Low	N/A
MOB-SV-04-01	1. Progress through the visit	Step is skipped entirely; step counter excludes it	Medium	Pass
MOB-SV-04-02	1. Enter a valid running total 2. Tap Save & Continue	Value saved via meter reading; archiveTotal auto-derived from prior reading; advances to next step	High	Pass
MOB-SV-04-03	1. Enter a running total less than X 2. Save & Continue	Error: Running Total cannot be lower than the previous value (X).	High	Pass
MOB-SV-04-04	1. Enter a negative number or non-numeric text	Input rejected/validation error shown, Save & Continue disabled	Medium	Pass
MOB-SV-05-01	1. View the product list	Products grouped under Coffee, Powders, Sweeteners & Stirrers, Cups & Lids, Creamers, Cleaning	Medium	Pass
MOB-SV-05-02	1. Leave a required product's quantity blank 2. Attempt to submit	Error: Enter a quantity for all N remaining required product(s).	Critical	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-05-03	1. Enter 0 explicitly for a required product 2. Submit remaining fields	0 counts as answered; not flagged as missing	High	Pass
MOB-SV-05-04	1. Submit the audit while offline	Data is saved locally with status pending_sync even without network	High	Fail
MOB-SV-05-05	1. Submit the audit	save_client_reserve_before_service RPC succeeds; status becomes synced; Restock/Client Delivery step becomes accessible	Critical	Pass
MOB-SV-05-06	1. Submit audit during simulated RPC failure	Error shown: Unable to sync inventory audit. Check your connection and try again.; step does not advance; saving can be retried once online	High	Fail
MOB-SV-05-07	1. Enter both issue-unit quantity and loose-unit quantity	Both values captured and included in the saved audit record	Medium	Pass
MOB-SV-05-08	1. Go offline 2. Reach / reopen the Inventory Audit step	Error shown: Unable to sync inventory audit. Check your connection and try again. (no raw "Network request failed" text)	Medium	Pass
MOB-SV-06-01	1. Attempt to reach Client Delivery step	Step remains locked/blocked until Step 5 status is synced	Critical	Pass
MOB-SV-06-02	1. Open Client Delivery step	Suggested quantity = max(parLevel - reserveBefore, 0) is pre-filled/shown	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-06-03	1. Attempt to submit delivery	Error: Configure a par level for {name}.	High	Pass
MOB-SV-06-04	1. Attempt to submit	Submission blocked until every product has a delivery quantity	High	Fail
MOB-SV-06-05	1. Submit with all zeros	Submission succeeds (zero delivery is valid, not treated as missing)	Medium	Pass
MOB-SV-06-06	1. Submit delivery	save_client_delivery RPC runs; Machine Refill step unlocks only after sync success	Critical	Pass
MOB-SV-07-01	1. Enter Van→Machine quantities per product	Values are captured separately from the client-delivery figures	Medium	Pass
MOB-SV-07-02	1. Leave quantity at 0 2. Select a zeroReason (e.g. refill_not_required)	Reason is optional but selectable; submission proceeds	Medium	Pass
MOB-SV-07-03	1. Select Other 2. Leave note blank 3. Attempt submit	Submission blocked until a non-empty note is provided	High	Pass
MOB-SV-07-04	1. Submit Machine Refill	save_machine_refill RPC runs, then save_client_reserve_after_service RPC computes Reserve After = Reserve Before + Actual Client Delivery (excludes refill)	Critical	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-07-05	1. Attempt to submit Machine Refill in this state	Reserve-After save is blocked/skipped until Restock is synced	High	N/A
MOB-SV-07-06	1. Submit while offline	Data persists locally as pending_sync; step does not advance until RPC succeeds once online	High	Pass
MOB-SV-08-01	1. Attempt to continue with no photo captured	Continue disabled until a photo is captured	Critical	Pass
MOB-SV-08-02	1. Capture the photo 2. Immediately tap Continue before upload finishes	Navigation to Summary is allowed since only local file presence (localUri) is required, not upload success	High	Pass
MOB-SV-08-03	1. Observe photo state after failure	A retry control is available inline	Medium	Pass
MOB-SV-09-01	1. Reach Summary step	Table shows reserve-before, delivered, reserve-after, machine-added per product matching entered data	High	Pass
MOB-SV-09-02	1. View Summary	'Machine refilled: Yes' shown	Medium	Pass
MOB-SV-09-03	1. View Summary	'Machine refilled: No' shown	Medium	Pass
MOB-SV-09-04	1. Tap Save signature without drawing	Error: Ask the client to sign before saving.; button stays disabled/blocked	Critical	Pass

ID	Steps	Expected Result	Priority	Status
MOB-SV-09-05	1. Draw a signature 2. Tap Save signature	PNG persisted locally, then uploaded to service-visit-signatures bucket and upserted to service_visit_signatures	Critical	Pass
MOB-SV-09-06	1. Observe Confirm & Complete Service button	Disabled with hint: Client signature must be saved before the service can be completed.	Critical	Pass
MOB-SV-09-07	1. Attempt to complete with a missing prerequisite	assertVisitReadyForCompletion blocks completion until every requirement is satisfied	Critical	Pass
MOB-SV-09-08	1. Tap Confirm & Complete Service	Visit set to completed locally (pending_sync) then complete-service-visit Edge Function called; on success shows 'Finish and Return Home'	Critical	Pass
MOB-SV-09-09	1. Complete the visit during a simulated Edge Function failure	Error banner: Service was saved on this device, but could not be synced. Retry before leaving this visit.; 'Retry Sync' button shown	Critical	Pass
MOB-SV-09-10	1. Observe screen after successful sync	'Finish and Return Home' button appears and clears the completed visit from local storage on tap	High	Pass
MOB-SV-SYNC-01	1. Force-quit app mid-visit 2. Reopen and navigate back to the stop	Visit restores from local storage at the exact step it was left on	Critical	Pass
MOB-SV-SYNC-02	1. Attempt to resume such a visit	Message: The saved service visit is invalid or uses an unsupported local format.; visit is cleared, user can start fresh	Medium	N/A

ID	Steps	Expected Result	Priority	Status
MOB-SV-SYNC-03	1. Open app with such legacy local data present	Machine Refill step is added; After-Service/Summary reset to locked so the user must redo/confirm them	Low	N/A
MOB-SV-SYNC-04	1. Attempt to navigate away and discard the visit	clearCompletedVisit refuses to remove it; user is kept on the retry screen	High	Fail
MOB-SV-SYNC-05	1. Attempt to force-clear the visit	Operation is refused; visit persists	Medium	Pass
MOB-SV-SYNC-06	1. Tap Start Service while offline 2. Reconnect, start the visit, go offline again and try to confirm arrival / save a step	Offline start shows an error (stop status cannot be verified) and creates no visit; steps that sync do not advance while offline; entered data is kept and can be retried online	High	Pass
MOB-SV-SYNC-07	1. Simulate this condition and attempt completion	Validation rejects the visit as invalid	Low	Pass
MOB-TT-01	1. Look for a way to report a technical issue outside of a visit	No 'Technical issue?' entry point is available from Home or Route screens	Medium	Pass
MOB-TT-02	1. Tap 'Technical issue?'	Bottom sheet titled 'Report Technical Issue' opens showing the current client's name	High	Pass
MOB-TT-03	1. Tap Submit Issue with empty description	Error: Describe the technical issue before submitting.; Submit Issue stays disabled	High	Pass

ID	Steps	Expected Result	Priority	Status
MOB-TT-04	1. Enter more than 1000 characters	Input blocked/limited at 1000 characters	Low	Pass
MOB-TT-05	1. Tap Submit Issue	Ticket created successfully with status open, no photo_storage_path	High	Pass
MOB-TT-06	1. Tap 'Add issue photo' 2. Capture photo 3. Submit	Photo uploads to technical-ticket-photos bucket at {userId}/{visitId}/{ticketId}.jpg and ticket is patched with the path	Medium	Pass
MOB-TT-07	1. Tap Retake or Remove	Photo is replaced or cleared before submission	Low	Pass
MOB-TT-08	1. Trigger this failure condition	The uploaded photo file is deleted to avoid an orphaned file	Low	Pass
WEB-MKT-01	1. Navigate to / 2. Click the hero 'Get started', then the header 'Get started'	H1 'Every machine. Every stop. Counted.' with 'Get started' and 'See how it works ›'; hero 'Get started' opens /get-started, the header 'Get started' button opens /login	Low	Pass
WEB-MKT-02	1. Click any of the 4 feature grid cards (Routes/Service/AI Quality/Inventory)	Routes, Service and Inventory cards go to /dashboard/routes, /dashboard/service, /dashboard/inventory (anonymous users land on /login); AI Quality goes to the public /ai-quality page	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-MKT-03	1. Navigate to /get-started directly or via the hero 'Get started' CTA	Static content with '← Back home' link; no functional signup form present	Low	Pass
WEB-MKT-04	1. Navigate to /how-it-works	Static content with '← Back home' link	Low	Pass
WEB-MKT-05	1. View header while logged out 2. Log in and view header again	Logged out: 'Sign in' + 'Get started'. Logged in: full_name + 'Sign out' + 'Dashboard' pill	Medium	Pass
WEB-MKT-06	1. Click Privacy/Terms/Support in footer	Links point to # (no functional destination) — known placeholder, not a defect	Low	Pass
WEB-AUTH-01	1. Go to /login 2. Enter valid email/password 3. Click Sign in	Redirects to /dashboard (or redirectTo query param if present)	Critical	Pass
WEB-AUTH-02	1. Click Sign in with blank email/password	Error: Enter your email and password.	Medium	Pass
WEB-AUTH-03	1. Enter wrong password 2. Sign in	Error: That email or password isn't right. Try again.	High	Pass
WEB-AUTH-04	1. Sign in with that account	Error: Your user profile is missing. Contact your manager.; session is signed out	Medium	Pass
WEB-AUTH-05	1. Sign in with driver/tech credentials	Error: This dashboard is only for managers and CEOs.; session is signed out	Critical	Pass

ID	Steps	Expected Result	Priority	Status
WEB-AUTH-06	1. Submit valid credentials 2. Observe button briefly	Button label changes to 'Signing in…' during the request	Low	Pass
WEB-AUTH-07	1. Go to /forgot-password 2. Enter the email 3. Click Send reset link	Success message: Check your email for a password reset link.	High	Pass
WEB-AUTH-08	1. Submit with blank email	Error: Enter your email address.	Medium	Pass
WEB-AUTH-09	1. Click the reset link in the email	Session established via code exchange, redirected to /reset-password/update	High	Pass
WEB-AUTH-10	1. Enter a password shorter than 8 characters in both fields 2. Submit	Error: Password must be at least 8 characters.	Medium	Pass
WEB-AUTH-11	1. Enter two different values for New password / Confirm password	Error: Passwords do not match.	Medium	Pass
WEB-AUTH-12	1. Submit valid new password twice	User is signed out and redirected to /login	High	Pass
WEB-AUTH-13	1. Directly navigate to /dashboard/routes (or any dashboard URL)	Redirected to /login	Critical	Pass
WEB-AUTH-14	1. Navigate to /dashboard/users	Access granted for active manager/CEO today; revisit if role granularity is added later	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-AUTH-15	1. Attempt to log in and reach /dashboard	Access denied / redirected to /login per canAccessAdminApp check	High	Pass
WEB-AUTH-16	1. Call GET /api/users directly (or via UI as such a user)	Request is redirected/blocked via requireUserManager()	High	Pass
WEB-HOME-01	1. Navigate to /dashboard	Heading: Welcome back, {full_name}.	Low	Pass
WEB-HOME-02	1. View /dashboard as each type of admin	Card is conditionally rendered only when canManageUsers(profile) is true	Medium	Pass
WEB-HOME-03	1. Click each card: Routes, Warehouses, Machines, Time Clock, Reports, Live Fleet Map	Each navigates to its respective /dashboard/* page	Medium	Pass
WEB-HOME-04	1. Click the Warehouses card	Confirm it lands on /dashboard/inventory/warehouses rather than an incorrect relative path (known latent bug in href construction — verify actual behavior)	Medium	Pass
WEB-FLEET-01	1. Navigate to /dashboard/fleet	Map shows a marker per active driver with popup: name, email, Region, Route/date, Route status, Last ping time	Critical	Pass
WEB-FLEET-02	1. Navigate to /dashboard/fleet with no active drivers	Message: No clocked-in drivers have sent a location during the last 10 minutes.	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-FLEET-03	1. View fleet map as manager 2. View as CEO	Manager sees only region-A drivers; CEO sees drivers from all regions	High	Pass
WEB-FLEET-04	1. Keep fleet map open 2. Trigger a new ping from a driver device	Map updates within ~1-2 seconds (realtime subscription, debounced)	High	Pass
WEB-FLEET-05	1. Disable/interrupt realtime 2. Wait up to 60s	Map still refreshes via the polling fallback interval	Medium	Pass
WEB-FLEET-06	1. Load fleet map in this state	Only the empty-state message is rendered; the map is mounted once at least one location exists (default centre [44.658, 20.936] applies only if all markers disappear while the map is open)	Low	Pass
WEB-FLEET-07	1. Navigate to /dashboard/fleet	Redirected to /login (no profile) or /dashboard (not admin)	High	Pass
WEB-FLEET-08	1. Load /dashboard/fleet and observe initial render	'Loading fleet map…' shown briefly before the Leaflet map mounts	Low	Pass
WEB-RT-01	1. Navigate to /dashboard/routes	Routes today / Scheduled / Completed / Stops today counts match the underlying data	High	Pass
WEB-RT-02	1. Click 'Create one-off route' 2. Select driver, warehouse, date 3. Submit	Success message 'Route created.'; new route appears in the list with status Scheduled and the 'One-off' badge	Critical	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RT-03	1. Leave Driver or Warehouse unselected 2. Submit	Form-level validation prevents submission (required fields)	Medium	Pass
WEB-RT-04	1. Observe the toggle button label/icon while form is open	Button changes to 'Close' with an X icon; clicking it hides the form	Low	Pass
WEB-RT-05	1. Type a driver name fragment into search	List filters to matching routes only	Medium	Pass
WEB-RT-06	1. Open the status filter dropdown	Options reflect the distinct statuses actually present in the data	Low	Pass
WEB-RT-07	1. Change date filter 2. Observe link	'Reset to today' link appears; clicking it restores default filters	Medium	Pass
WEB-RT-08	1. Apply a filter combination with 0 matches	Message: No routes found / No operational routes match the selected filters.	Medium	Pass
WEB-RT-09	1. Apply filters yielding >10 results 2. Click Next/Previous	10 shown per page; Previous disabled on page 1, Next disabled on last page	Medium	Pass
WEB-RT-10	1. Expand each route card	Template-sourced route shows 'Recurring' badge; manual route shows 'One-off'	Medium	Pass
WEB-RT-11	1. Expand that route card	Message: Add at least two stops with client coordinates to preview directions.	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RT-12	1. Expand route 2. Click Open in Google Maps	Opens Google Maps with a directions URL through the stop sequence	Low	Pass
WEB-RT-13	1. Open Add Stop form without selecting a client 2. Observe Machine dropdown	Machine select is disabled with placeholder 'Select a client first' until a client is chosen; then filtered to that client's machines	High	Pass
WEB-RT-14	1. Click Remove on a stop	Browser confirm dialog: Remove {client} from the route?; removes only on confirmation, then 'Stop removed.'	Medium	Pass
WEB-RT-15	1. Expand the route (View / manage) 2. Click 'Cancel route' 3. Confirm the dialog	Confirm text: Cancel this route? It will remain in route history, but the driver will no longer be able to service it.; message 'Route cancelled.'; status becomes cancelled and the route stays in the list	High	Pass
WEB-RT-16	1. Click 'Cancel route' 2. Click Cancel in the browser dialog	Route stays scheduled; no message shown	Low	Pass
WEB-RT-17	1. Expand each route	No 'Cancel route' button; text: This route can no longer be cancelled because service has started or the route has been completed.	High	Pass
WEB-RT-18	1. Click 'Cancel route' 2. Confirm	Error contains: This route cannot be cancelled because service has already started.; route is not cancelled	High	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RT-19	1. Expand the cancelled route	Text: This route has been cancelled and remains available for historical reference.; 'Add stop', order input, 'Update order' and Remove are disabled	Medium	Pass
WEB-RT-20	1. Expand the route 2. Try Add stop / Update order / Remove	All three controls are disabled; stops cannot be added, reordered or removed	Medium	Pass
WEB-RT-21	1. Change a stop's order number 2. Click 'Update order' 3. Try an empty/zero value	Valid number: 'Stop order updated.' and list re-sorts; invalid value: 'Valid stop sequence is required.'	Medium	Pass
WEB-TPL-01	1. Fill Create Template form 2. Submit	Template created with Inactive badge regardless of form state; message: Route template created. Add at least one stop before activating it.	High	Pass
WEB-TPL-02	1. Navigate to /dashboard/routes/templates	Counts match actual active/inactive template totals	Medium	Pass
WEB-TPL-03	1. Click several weekday chips (Mon-Sun)	Selected chips visually toggle on/off independently	Low	Pass
WEB-TPL-04	1. Navigate to templates page	Message: No route templates / Create your first recurring route schedule above.	Low	Pass
WEB-TPL-05	1. Click Activate	Error contains: Select at least one service day before activating the template.	High	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TPL-06	1. Click Activate	Error contains: Add at least one stop before activating the template.	High	Pass
WEB-TPL-07	1. Click Activate	Message 'Route template activated.'; badge changes to Active; daily route generation now includes this template	Critical	Pass
WEB-TPL-08	1. Click Deactivate	Message 'Route template deactivated.'; badge changes to Inactive; a Delete button appears on the card	Medium	Pass
WEB-TPL-09	1. Attempt to remove that stop	Remove button disabled with tooltip; server also blocks: Deactivate the route template before removing its last stop.	High	Pass
WEB-TPL-10	1. Remove a stop under these conditions	Stop is removed successfully	Medium	Pass
WEB-TPL-11	1. Click Delete on the template card 2. Confirm the dialog	Confirm text: Delete this recurring route template? Previously generated operational routes will remain in route history.; message 'Route template deleted.'; template disappears, generated routes remain	High	Pass
WEB-TPL-12	1. Look for Delete on the active template card	No Delete button while active; server guard returns: Deactivate the route template before deleting it.	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TPL-13	1. Click Activate on template B	Error contains: {machine serial} is already assigned to this driver on {Day} by route template "{A name}".; B stays Inactive	High	Pass
WEB-TPL-14	1. Click Activate on template B	Error contains: {client name} is already assigned to this driver on {Day} by route template "{A name}".	Medium	Pass
WEB-TPL-15	1. Activate both templates	Both activate successfully	Medium	Pass
WEB-TPL-16	1. On template B add a stop for a machine that A already services	Stop is not added; error contains the "... is already assigned to this driver on {Day} by route template ..." message	High	Pass
WEB-TPL-17	1. Edit template B and add a weekday that A also uses 2. Save	Save rejected with the conflict message; B keeps its previous weekdays	Medium	Pass
WEB-TPL-18	1. Submit a stop whose scheduled end time is before the start time	Error contains: Scheduled end time must be after scheduled start time.; machine list only offers machines of the selected client	Medium	Pass
WEB-TPL-19	1. Edit the template 2. Untick every weekday 3. Save	Error contains: An active route template must have at least one service day.	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TPL-20	1. Run select * from generate_routes_from_templates (current_date)	No second route is generated for that template; if the existing route is cancelled first, the template route is generated	Medium	Pass
WEB-TPLEX-01	1. Add Exception 2. Choose date 3. Select 'Skip route' 4. Submit	Exception row shows 'Route skipped' badge; note: No operational route will be generated from this template for this date.	High	Pass
WEB-TPLEX-02	1. Select Replace driver 2. Leave replacement driver blank 3. Submit	Submission blocked until a replacement driver is chosen	High	Pass
WEB-TPLEX-03	1. Submit a Replace driver exception for a future date	Exception row shows 'Driver override' badge with the replacement driver's name; RPC apply_route_template_exception succeeds	High	Pass
WEB-TPLEX-04	1. Click Remove on the exception	Exception deleted via deleteRouteTemplateExceptionAction; row disappears	Medium	Pass
WEB-STOPEX-01	1. Open Stop Exception 2. Mode: Add one-off stop 3. Fill date/client/machine/time 4. Submit	Row shows 'One-off stop' badge with details; RPC add_route_stop_exception succeeds	High	Pass
WEB-STOPEX-02	1. Mode: Remove recurring stop 2. Select date and the recurring stop 3. Submit	Row shows 'Recurring stop removed' badge: Template stop #N will not be included for this date.; RPC remove_route_stop_exception succeeds	High	Pass

ID	Steps	Expected Result	Priority	Status
WEB-STOPEX-03	1. Switch to Remove recurring stop mode	Dropdown disabled with message: This template has no recurring stops to remove.	Medium	Pass
WEB-STOPEX-04	1. Look for Remove on a One-off stop / Recurring stop removed row	No Remove button exists for stop exceptions (only schedule exceptions can be removed, see WEB-TPLEX-04) — known gap, not a defect	Low	Pass
WEB-INV-01	1. Navigate to /dashboard/inventory (default tab)	10 movements shown per page with correct type/quantity/product/from-to/timestamp fields	High	Pass
WEB-INV-02	1. Select 'Machine Refill' in Movement type filter 2. Search	Only Machine Refill movements are shown	Medium	Pass
WEB-INV-03	1. Enter a partial visit ID in search 2. Search	Matching movements returned	Medium	Pass
WEB-INV-04	1. Click Clear filters	All filters reset and full unfiltered list reloads	Low	Pass
WEB-INV-05	1. Trigger a failed load of movement history	Error banner shown: Unable to load inventory movements. (or similar fallback)	Medium	Pass
WEB-INV-06	1. Switch to Products tab 2. Apply search, category, and status filters	List updates immediately (client-side) to match all active filters	Medium	Pass
WEB-INV-07	1. Open Products tab 2. Inspect a product card	Shows '1 {issue_unit} = N {base_unit}', package description, and Loose/Partial-unit badges matching config	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-INV-08	1. Switch to Locations tab 2. Filter by each location type in turn	Only matching-type locations shown, each with correct display name/secondary line	Medium	Pass
WEB-INV-09	1. Click Reconcile inventory / Record transfer / Warehouse movements / Warehouses / Machines buttons	Each navigates to its respective page	Low	Pass
WEB-INV-10	1. Navigate directly to /dashboard/inventory	Redirected per requireAdmin()	High	Pass
WEB-INVM-01	1. Navigate to /dashboard/inventory/machines	Message: Machine management module coming soon. — confirm no digital passport CRUD exists yet (expected, not a defect)	Low	Pass
WEB-INVM-02	1. Navigate to /dashboard/inventory/machines	Redirected per requireAdmin()	Medium	Pass
WEB-WH-01	1. Navigate to /dashboard/inventory/warehouses 2. Edit Latitude/Longitude/Radius 3. Save geofence	Geofence updates persist (verify by reloading page)	High	Pass
WEB-WH-02	1. Navigate to warehouses page	Message: No warehouses yet. Add one in Supabase or create warehouse management next.	Low	Pass
WEB-WH-03	1. Enter a negative radius or non-numeric latitude 2. Save	Negative radius should be rejected. Known gap in current code: a negative radius is saved, a non-numeric radius falls back to 150 m, non-numeric latitude/longitude are saved as empty	Medium	Fail

ID	Steps	Expected Result	Priority	Status
WEB-WH-04	1. Update radius on web 2. Attempt mobile clock-in at the new boundary	Mobile clock-in geofence check uses the newly saved radius	Medium	Pass
WEB-XFER-01	1. Toggle the movement-type switch	Form direction and 'Custody movement' From/To labels update accordingly	Medium	Pass
WEB-XFER-02	1. Fill rest of form, leave Warehouse blank 2. Submit	Error: Select a warehouse.	High	Pass
WEB-XFER-03	1. Leave Driver/Van blank 2. Submit	Error: Select a driver.	High	Pass
WEB-XFER-04	1. Add a line, leave Product unselected 2. Submit	Error: Select a product for every transfer item.	High	Pass
WEB-XFER-05	1. Submit with such a line	Per-product error requiring quantity > 0	High	Pass
WEB-XFER-06	1. Attempt to enter a loose-unit quantity for it	Loose quantity input is unavailable/rejected for that product	Medium	Pass
WEB-XFER-07	1. Enter a decimal package quantity (e.g. 2.5)	Rejected — package quantities must be whole numbers	Medium	Pass
WEB-XFER-08	1. Enter a decimal loose quantity	Rejected for that product; accepted only if allows_partial_base_unit is true	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-XFER-09	1. Select the same product on two separate lines 2. Submit	Error: The same product cannot be added more than once.	High	Pass
WEB-XFER-10	1. Attempt to add another line	Add Product control is disabled	Low	Pass
WEB-XFER-11	1. Enter quantities 2. Observe Total transfer readout	Readout reflects correct normalized total in base units	Medium	Pass
WEB-XFER-12	1. Submit the transfer	record_warehouse_driver_transfer_batch RPC succeeds; message: {N} product(s) issued to driver successfully. (or returned successfully for return mode)	Critical	Pass
WEB-RECON-01	1. On /dashboard/inventory click 'Reconcile inventory'	Page 'Inventory Reconciliation' opens with a Driver dropdown (active drivers, name — email) and links 'Reconciliation history' and 'Back to Inventory'	High	Pass
WEB-RECON-02	1. Select the driver	'Calculating expected inventory…' shows briefly, then every active product is listed with Expected, Physical input, Variance and Reason	Critical	Pass
WEB-RECON-03	1. Select that driver 2. Enter a physical count for the product	Expected reads 'No baseline', variance stays '—', and the note explains the count will establish the initial baseline	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RECON-04	1. Enter a physical count below, equal to and above the expected value	Variance shows a signed value in base units (e.g. -3, 0, +2); zero is green, any difference is red	High	Pass
WEB-RECON-05	1. Click 'Review reconciliation'	Error: Enter at least one physical inventory count.	High	Pass
WEB-RECON-06	1. Enter counts for 2 products, leave the rest blank 2. Click 'Review reconciliation'	Review lists exactly the 2 counted products with Expected / Physical / Variance and any reason	Medium	Pass
WEB-RECON-07	1. Enter a negative value (or a decimal for a whole-unit product) 2. Try to review	Browser blocks the value (min 0 / step 1), or error: {product}: enter a valid physical quantity.; decimals are accepted only for products allowing partial base units	Medium	Pass
WEB-RECON-08	1. Click 'Back to edit'	Count form is shown again with the previously entered quantities, reasons and notes	Low	Pass
WEB-RECON-09	1. Click 'Confirm reconciliation'	Button shows 'Confirming…'; result screen 'Reconciliation confirmed' with text: This physical count is now the trusted inventory baseline.; status badge confirmed	Critical	Pass
WEB-RECON-10	1. Open Reconciliation again 2. Select the same driver	Expected for that product = N with variance 0 when N is entered again	High	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RECON-11	1. Issue X of that product to the driver via Record transfer 2. Reopen Reconciliation for the driver	Expected = N + X (returns, client deliveries and machine refills reduce it accordingly)	High	Pass
WEB-RECON-12	1. Enter a count with a Reason and fill Reconciliation notes 2. Review and confirm	Reason is shown on the item in review, confirmation and history; notes appear in the history card	Medium	Pass
WEB-RECON-13	1. Select driver B	Counts and reasons are cleared and driver B's expected inventory is loaded	Low	Pass
WEB-RECON-14	1. Navigate to /dashboard/inventory/reconciliation	Redirected per requireAdmin(); drivers/techs cannot create or confirm a reconciliation	High	Pass
WEB-RECH-01	1. Click 'Reconciliation history'	Cards show driver, counted date/time and product count, newest first; summary cards show Reconciliations, Products counted and Discrepancies	High	Pass
WEB-RECH-02	1. Choose Driver, From and To 2. Click 'Apply filters' 3. Click Clear	Only matching reconciliations are listed and the URL contains driverId/from/to; Clear restores the full list	Medium	Pass
WEB-RECH-03	1. Apply such filters	Message: No reconciliations found / No confirmed reconciliations match the selected filters.	Low	Pass
WEB-RECH-04	1. Click the card	Shows Counted by, Confirmed by, Confirmed time, Notes and per product: SKU, Expected, Physical, Variance, Reason	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-RECH-05	1. Compare both cards and the Discrepancies summary card	Badge reads '{N} discrepancy/discrepancies' in red vs 'No discrepancies' in green; summary total is red when above 0; baseline-only items (no expected value) are not counted	Medium	Pass
WEB-RECH-06	1. Open /dashboard/inventory/reconciliation/history 2. As admin click 'Back to Reconciliation'	Non-admins are redirected per requireAdmin(); the link returns to the reconciliation form	Medium	Pass
WEB-MVMT-01	1. Navigate to /dashboard/inventory/movements 2. Apply warehouse, driver, and date range filters	URL querystring updates via router.push and the aggregated table reflects the filtered set	Medium	Pass
WEB-MVMT-02	1. View that product's row	Taken/Delivered/Machine Refill/Returned/driverNetMovement values match expected sums	High	Pass
WEB-MVMT-03	1. Review any disclaimer text on the page	Text clarifies this is reporting only and not an authoritative physical on-hand balance	Low	Pass
WEB-TT-01	1. Navigate to /dashboard/service	Counts match actual ticket data	Medium	Fail
WEB-TT-02	1. Open a ticket with a photo	Signed photo URL loads and the photo is displayed on the ticket card (valid for its 10-minute expiry window)	Medium	Pass
WEB-TT-03	1. Select a technician 2. Click Assign	Hint shown before action: Assigning a technician will move this issue to In Progress.; ticket status becomes in_progress	Critical	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TT-04	1. Open the Technician select	Only active tech-role users are selectable	Medium	Pass
WEB-TT-05	1. Select a different technician 2. Click Reassign	Assignment updates to the new technician	Medium	Pass
WEB-TT-06	1. Attempt to assign a technician	Error: A closed technical ticket cannot be assigned.; action controls hidden	High	Pass
WEB-TT-07	1. Observe Mark as Resolved control on an Open ticket	Button disabled until the ticket is in_progress	High	Pass
WEB-TT-08	1. Attempt to resolve	Error: Assign a technician before resolving the ticket.	Medium	Pass
WEB-TT-09	1. Click Mark as Resolved	Status becomes resolved; Assign/Reassign/Resolve controls disappear	High	Pass
WEB-TT-10	1. Navigate to /dashboard/service with none	Message: No technical issues	Low	Pass
WEB-SV-01	1. Navigate to /dashboard/service/visits	Only stops where arrived_at is not null appear, most recent 20	Medium	Pass
WEB-SV-02	1. View that visit's card	Duration shown in h/m/s matches the actual elapsed time	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-SV-03	1. View that visit's card	Time on location shows 'In progress'	Medium	Pass
WEB-SV-04	1. Navigate to Service Visits page	Counts match the underlying data	Medium	Pass
WEB-SV-05	1. Navigate to Service Visits with none	Message: No service visits / Visits will appear here after a driver confirms arrival.	Low	Pass
WEB-SV-06	1. Open Service Visits list and look for photo/signature/drink-count detail	None is shown here — confirms this is a known scope gap, not a bug to file	Low	Pass
WEB-AIQ-01	1. Navigate to /ai-quality	Static cards: Photo Review Queue, AI Cleanliness Scoring, Object Detection, Quality Analytics — no functioning queue	Low	Pass
WEB-AIQ-02	1. Navigate to /ai-quality while logged out	Page loads with no login redirect — confirm this public exposure is intentional	Medium	Pass
WEB-TCREV-01	1. Navigate to /dashboard/time-clock/review	Only pending entries are listed	High	Fail
WEB-TCREV-02	1. Navigate to review queue with none pending	Message: No pending clock-ins to review.	Low	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TCREV-03	1. Open that entry's card	Distance in meters and 'Inside geofence' / 'Outside by N m' / 'Unavailable' computed correctly; Geofence override shows No for normal clock-ins	High	Pass
WEB-TCREV-04	1. View that card	Selfie image renders	Medium	Pass
WEB-TCREV-05	1. View that card under this condition	Message: The selfie exists, but it could not be loaded.	Low	Pass
WEB-TCREV-06	1. View that card	Message: No clock-in selfie was submitted.	Medium	Pass
WEB-TCREV-07	1. Optionally add a note 2. Click Approve	Entry becomes review_status approved, reviewed_by/reviewed_at set; success text: Clock-in approved.	High	Pass
WEB-TCREV-08	1. Enter a reason 2. Click Flag	Status becomes flagged with the note stored; success text: Clock-in flagged.	High	Pass
WEB-TCREV-09	1. Enter a reason 2. Click Reject	Status becomes rejected with the note stored; success text: Clock-in rejected.	High	Pass
WEB-TCREV-10	1. Refresh the review queue	The entry no longer appears (no longer pending)	Medium	Pass
WEB-TCREV-11	1. Navigate to /dashboard/time-clock/review	Redirected to /dashboard (or /login if logged out)	High	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TCREV-12	1. Open the review queue 2. Find that entry	Entry is pending with status 'Outside by N m', so the manager can approve, flag or reject it	High	Pass
WEB-TCENT-01	1. Navigate to /dashboard/time-clock/entries	Driver, status badge, Clock in/out, Warehouse, Route date, Stop, Review status, Auto closed, Reason all populate correctly	Medium	Pass
WEB-TCENT-02	1. Locate that entry in the list	Clock out column reads: Still open	Medium	Pass
WEB-TCENT-03	1. Navigate to entries page	Message: No time entries yet.	Low	Pass
WEB-TCENT-04	1. Inspect each such entry's Reason column	Correct fallback value shown, or — if none set	Low	Pass
WEB-TCENT-05	1. Navigate to /dashboard/time-clock/entries	Redirected per requireAdmin()	Medium	Pass
WEB-TCENT-06	1. Open /dashboard/time-clock/entries	'Clock-in selfie' image is displayed on that entry	Medium	Pass
WEB-TCENT-07	1. Inspect both entries	No selfie: No clock-in selfie was submitted.; unsignable path: The selfie exists, but it could not be loaded.	Low	Pass

ID	Steps	Expected Result	Priority	Status
WEB-TCSET-01	1. Navigate to /dashboard/time-clock/settings 2. Click Run auto-close check	Message: Auto-close check completed. 1 entry was flagged for review.; entry becomes status flagged, review_status pending, review_reason 'Forgotten clock-out auto-closed after shift end.', auto_close_reason 'Shift ended without driver clock-out.'	High	Pass
WEB-TCSET-02	1. Run auto-close check	That entry remains open; with nothing eligible the message reads: Auto-close check completed. No eligible open entries were found.	Medium	Pass
WEB-TCSET-03	1. Navigate to Review Queue	The auto-closed entry appears there (review_status pending)	Medium	Pass
WEB-TCSET-04	1. Look for a way to waive the clock-in selfie requirement for a driver	No such control exists yet — informational sections only, confirms current scope	Low	Pass
WEB-TCSET-05	1. Click Run auto-close check	Entry stays open and the 'No eligible open entries were found.' message is shown — auto-close only covers entries that have shift_end_at	Medium	Pass
WEB-USR-01	1. Click Add user 2. Fill Full name, Email, Phone, Address, Region, Role 3. Submit	Button reads 'Create user and send setup email'; auth user created (email_confirm true) + users row + password-reset email sent as invite	Critical	Fail
WEB-USR-02	1. Open the form without touching Role	Role select defaults to Driver	Low	Pass

ID	Steps	Expected Result	Priority	Status
WEB-USR-03	1. Leave Full name or Email blank 2. Submit	Blocked client-side, and server returns 400: Full name and email are required. if called directly	High	Pass
WEB-USR-04	1. Type a fragment matching one user's phone number	Only matching user(s) shown	Medium	Pass
WEB-USR-05	1. Apply Role=Manager, Status=Active, and a specific Region together	Only users matching all three filters are shown	Medium	Pass
WEB-USR-06	1. Apply such a combination	Message: No users match the selected filters.	Low	Pass
WEB-USR-07	1. Observe pagination controls	10 per page with working Previous/Next	Low	Pass
WEB-USR-08	1. Expand user card 2. Edit Full name/Phone/Address/Region/Role 3. Save changes	Changes persist and reflect after reload	High	Pass
WEB-USR-09	1. Clear Full name 2. Save changes	Blocked — Full name is required	Medium	Pass
WEB-USR-10	1. Click Send password reset	Browser confirm: Send a password reset email to {email}?; confirming triggers the email	Medium	Pass
WEB-USR-11	1. Attempt to click Send password reset	Button is disabled	Low	Pass

ID	Steps	Expected Result	Priority	Status
WEB-USR-12	1. Click Deactivate on the active one 2. Click Activate on the inactive one	Each requires a confirm dialog (Activate/Deactivate {name}?) then toggles is_active	High	Pass
WEB-USR-13	1. Deactivate them on web 2. Attempt an action requiring fresh auth check on mobile (e.g. relaunch app)	Mobile shows AccessDeniedScreen due to is_active=false	High	Pass
WEB-USR-14	1. Navigate to /dashboard/users directly	Redirected per requireUserManager()	High	Pass
WEB-RPT-01	1. Navigate to /dashboard/reports	Heading 'Reports' with placeholder paragraph about future KPIs — confirms no charts/data exist yet (expected, not a defect)	Low	Pass
WEB-RPT-02	1. Navigate to /dashboard/reports	Redirected per requireAdmin()	Medium	Pass
WEB-SURV-01	1. Navigate to /survey/{token}	Heading: How was your service? with 5 star buttons	Critical	Pass
WEB-SURV-02	1. Navigate to /survey/{bad-token} 2. Select a rating 3. Click Submit rating	The rating form renders for any token; after submitting: This survey link is invalid.; no rating is stored	High	Pass
WEB-SURV-03	1. Click Submit rating without selecting stars	Error: Choose a rating first.	Medium	Pass

ID	Steps	Expected Result	Priority	Status
WEB-SURV-04	1. Click 1 through 5 stars individually	Stars up to and including the clicked one are highlighted copper; aria-pressed reflects state	Low	Pass
WEB-SURV-05	1. Select e.g. 3 stars 2. Submit	Thank you. / Your feedback has been recorded. — no Google review CTA shown	High	Pass
WEB-SURV-06	1. Select 5 stars 2. Submit	Animated 5-star success plus 'Leave a Google Review' button linking to the configured URL (opens in new tab)	High	Pass
WEB-SURV-07	1. Select 5 stars 2. Submit	Thank-you shown without the Google review CTA	Medium	Pass
WEB-SURV-08	1. Revisit the same survey link 2. Select a rating and submit	UI shows 'Feedback already received' state, no stars/animation, regardless of the newly clicked rating	High	Pass
WEB-SURV-09	1. Trigger near-simultaneous submits for the same survey	Second insert hits a duplicate-key error and is treated as already_submitted with message: Feedback for this service visit has already been recorded. (not a hard crash)	Medium	Pass
WEB-SURV-10	1. Submit a rating value like 0, 6, or non-integer directly	Error: Choose a rating from 1 to 5.	Low	Pass
WEB-NA-01	1. Call GET or POST /api/warehouses directly	No route.ts exists for this path — confirm it 404s; UI uses server actions instead, not a REST endpoint here	Low	Pass

ID	Steps	Expected Result	Priority	Status
WEB-NA-02	1. Search the dashboard for a way to configure app_settings.google_review_url	No such control exists — confirms it is Supabase-direct only for now	Low	Pass
MOB-NA-01	1. Search the mobile app for a selfie-waiver control	None exists in the driver app (expected — waiving is a manager/back-office action, not yet built anywhere)	Low	Pass
MOB-NA-02	1. Look for a manual override option	None exists (and none is needed since clock-in is not geofence-gated); override is available only on the Arrival step	Low	Pass

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-AUTH-01	Confirmed — logging in with valid driver credentials authenticates the user and opens the Home			Unchanged	
MOB-AUTH-02	Confirmed — logging in with a valid email and wrong passv			Unchanged	
MOB-AUTH-03	Confirmed — unconfirmed email shows "Your email a			Unchanged	
MOB-AUTH-04	Confirmed — offline login shows "Unable to connect. (			Unchanged	
MOB-AUTH-05	Confirmed — Sign In stays disabled until both email a			Unchanged	
MOB-AUTH-06	Confirmed — email with extra spaces and mixed case			Unchanged	
MOB-AUTH-07	Confirmed — manager/CEO login shows "Mobile Acce			Unchanged	
MOB-AUTH-08	Confirmed — inactive driver/tech account is shown the			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-AUTH-09	Fail — logging in with an auth user that has no users t			Unchanged	
MOB-AUTH-10	Confirmed — "Sign in with another account" clears the			Unchanged	
MOB-AUTH-11	Confirmed — Log out from Home stops location tracki			Unchanged	
MOB-AUTH-12	Confirmed — after force-quit and reopen the user stay			Unchanged	
MOB-CLK-01	Confirmed — Clock In screen shows "Warehouse: {na			**Updated**	PR #85: clock-in is no longer blocked by the geofence; the location is only recorded.
MOB-CLK-02	Confirmed — with Milano Warehouse temporarily mov			**Updated**	PR #85: clock-in is no longer blocked by the geofence; the location is only recorded.
MOB-CLK-03	Confirmed — with location permission denied the scre			**Updated**	PR #85: clock-in is no longer blocked by the geofence; the location is only recorded. Message text changed.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-CLK-04	Confirmed — with no route/warehouse for today the s			**Updated**	Precondition and button label made precise from code.
MOB-CLK-05	Confirmed — route with a warehouse shows "Wareho			**Updated**	PR #85: clock-in is no longer blocked by the geofence; the location is only recorded. Target is the warehouse if present, otherwise the first pending stop.
MOB-CLK-06	Confirmed — clock-in created a time entry with status			Unchanged	
MOB-CLK-07	Confirmed — with an open shift inserted via DB while			**Updated**	Previous run: not reachable on one device because Home hides Clock In while a shift is open. Steps rewritten for two devices.
MOB-CLK-08	Confirmed — clock-in succeeds without background l			Unchanged	
MOB-CLK-09	Confirmed — "Go to Home" opens the Home screen s			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-CLK-10	Confirmed — while locating, the screen shows "Gettin			Updated	Replaced: the old test (manual override on Clock In) does not exist in the app; override exists only on the Arrival step (see MOB-SV-01-03..06).
MOB-CLK-11	Confirmed — "← Back" returns to Home with the Cloc			New	New: basic navigation coverage for the Clock In screen.
MOB-SELFIE-01	Confirmed — without camera permission the Selfie Ca			Unchanged	
MOB-SELFIE-02	Confirmed — Selfie Capture opens the front camera v			Unchanged	
MOB-SELFIE-03	Confirmed — after capture, Retake returns to the live			Unchanged	
MOB-SELFIE-04	Confirmed — Confirm Selfie shows the preparing/uplc			Unchanged	
MOB-SELFIE-05	Confirmed — Retake and Confirm are both disabled w			Unchanged	
MOB-SELFIE-06	N/A — cannot be tested manually. The app automatica			Updated	Previous run: not reproducible with a normal capture. Marked as dev/debug-only.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SELFIE-07	Confirmed — with the device offline (Airplane Mode) a			Unchanged	
MOB-SELFIE-08	Confirmed — with selfie_status set to "uploaded" via D			**Updated**	Previous run: not reachable through the UI on one device. Steps rewritten.
MOB-SELFIE-09	Confirmed — with selfie_status set to "waived" via DB			**Updated**	Previous run: not reachable through the UI. Steps rewritten (requires DB change).
MOB-SELFIE-10	Confirmed — with selfie_status = waived, the active shift c			Unchanged	
MOB-SELFIE-11	Confirmed — after force-quit with the selfie pending, tl			Unchanged	
MOB-SELFIE-12	N/A — cannot be tested manually. An empty/corrupted cap			**Updated**	Marked as dev/debug-only (cannot be triggered by a normal capture).
MOB-CLKOUT-01	Confirmed — Clock Out closes the shift and Home ret			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-CLKOUT-02	Confirmed — with selfie_status reset to "required" via DB,			**Updated**	Clarified: Home hides Clock Out while the selfie is required.
MOB-CLKOUT-03	Confirmed — with location permission revoked after clock-			Unchanged	
MOB-CLKOUT-04	Confirmed with observation — after the open shift was clo			Unchanged	
MOB-CLKOUT-05	Confirmed — Clock Out shows a spinner and is disab			Unchanged	
MOB-CLKOUT-06	Confirmed — with Always location permission, during			Unchanged	
MOB-FLEET-01	Confirmed — after clock-in with foreground and backg			Unchanged	
MOB-FLEET-02	Confirmed with observation — with location permissio			Unchanged	
MOB-FLEET-03	N/A — Android-only behaviour; tester only has access			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-FLEET-04	Not tested — requires moving the device after relaunc			Unchanged	
MOB-FLEET-05	Confirmed — with the shift closed via DB while the ap			Unchanged	
MOB-FLEET-06	Not tested — cannot be tested properly. The app reco			Unchanged	
MOB-FLEET-07	Not tested — depends on MOB-FLEET-06. Flushing t			Unchanged	
MOB-FLEET-08	N/A — not practically testable manually; would require			Unchanged	
MOB-FLEET-09	Not tested — depends on MOB-FLEET-06. Requires			Unchanged	
MOB-ROUTE-01	Confirmed — Today's Route card shows the stops ord			Unchanged	
MOB-ROUTE-02	Confirmed — a driver with no route for today sees "No rou			Unchanged	
MOB-ROUTE-03	Confirmed — a route with zero stops shows "No stops			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-ROUTE-04	Confirmed — Refresh shows a spinner and is disable			**Updated**	Footer wording aligned with code.
MOB-ROUTE-05	Confirmed — after loading the route online, enabling A			**Updated**	PR #80: the session is read locally, so the cached route is shown offline instead of a session error.
MOB-ROUTE-06	Fail — when the signed-in user opens the app while o			**Updated**	PR #80 makes this reachable: Home now opens offline with a stored session.
MOB-ROUTE-07	Confirmed — stops in different statuses on today's rou			Unchanged	
MOB-ROUTE-08	Confirmed — before clock-in, Home shows "You can r			Unchanged	
MOB-ROUTE-09	Confirmed — once clocked in with the selfie complete			Unchanged	
MOB-ROUTE-10	Confirmed — with two routes today (test route "QA co			Unchanged	
MOB-ROUTE-11	Confirmed — a stop whose client is not readable by th			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-ROUTE-12	Confirmed — Today's Route subtitle reads "Starts at {			Unchanged	
MOB-ROUTE-13	Confirmed — with today's only route (QA retest route)			New	New: PR #74 added route cancellation.
MOB-STOP-01	Confirmed — Stop Details for stop 2 (Italija) shows the			Unchanged	
MOB-STOP-02	Confirmed — a stop without a machine shows "No ma			Unchanged	
MOB-STOP-03	Confirmed — the Distance row shows the distance to			Unchanged	
MOB-STOP-04	Confirmed — a client with no coordinates shows the "			Unchanged	
MOB-STOP-05	Confirmed — on load the stop details map auto-zoom			Updated	PR #81: auto-fit now waits for both map-ready and the first GPS fix.
MOB-STOP-06	Confirmed — after manually panning/zooming, "Cente			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-STOP-07	Confirmed — with location permission denied the map			Unchanged	
MOB-STOP-08	Confirmed — Open Navigation launches Apple Maps			Unchanged	
MOB-STOP-09	N/A — Android-only behaviour; tester only has access			Unchanged	
MOB-STOP-10	N/A — cannot be reproduced on iOS; the app opens a			Unchanged	
MOB-STOP-11	Confirmed — for a client without coordinates the Oper			Unchanged	
MOB-STOP-12	Confirmed — for a stop with an existing in-progress vi			Unchanged	
MOB-STOP-13	Confirmed — with a visit in progress on another stop,			Unchanged	
MOB-STOP-14	Confirmed — Start Service on a stop without a machir			**Updated**	PR #82: error is shown inline; previously the button hung in a permanent spinner.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-STOP-15	Confirmed — Start Service on a stop whose machine			**Updated**	PR #82: error is shown inline; previously the button hung in a permanent spinner.
MOB-STOP-16	Confirmed — for a completed stop the service button			**New**	New: PR #79 prevents restarting completed or skipped stops.
MOB-STOP-17	Confirmed — for a skipped stop the service button rea			**New**	New: PR #79 prevents restarting completed or skipped stops.
MOB-STOP-18	Confirmed — with the stop skipped in the DB while St			**New**	New: PR #79 prevents restarting completed or skipped stops.
MOB-SV-START-0	Confirmed — Start Service creates a new visit and op			Unchanged	
MOB-SV-START-0	Confirmed — Start Service on a stop whose client has			Unchanged	
MOB-SV-START-0	Confirmed — header shows "Step 1 of 9" when Drink			**Updated**	PR #78: steps no longer print their own hard-coded "Step X of 8"; only the screen header shows the counter. Counts corrected to 9 / 8.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-START-0	Confirmed — Back during an active visit returns to the			Unchanged	
MOB-SV-START-0	Confirmed — the header step counter increases by or			New	New: PR #78: steps no longer print their own hard-coded "Step X of 8"; only the screen header shows the counter.
MOB-SV-01-01	Confirmed — within the geofence Confirm Arrival is er			Unchanged	
MOB-SV-01-02	Confirmed — outside the geofence Confirm Arrival is			Unchanged	
MOB-SV-01-03	Confirmed — tapping "GPS issue? Request manual o			Unchanged	
MOB-SV-01-04	Confirmed — with fewer than 10 characters Submit O			Updated	Aligned with actual UI: the button is disabled instead of showing an error.
MOB-SV-01-05	Confirmed — with a reason of 10+ characters Submit			Unchanged	
MOB-SV-01-06	Confirmed — the override reason input is limited to 30			Unchanged	
MOB-SV-01-07	Confirmed — after arrival is confirmed the visit automa			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-02-01	Confirmed with observation — with camera permissio			Unchanged	
MOB-SV-02-02	Confirmed — scanning the correct machine QR code			Unchanged	
MOB-SV-02-03	Confirmed — scanning a different machine's QR code			Unchanged	
MOB-SV-02-04	Confirmed — after a mismatch the scanner becomes			Unchanged	
MOB-SV-02-05	Confirmed — a QR code with leading/trailing whitespa			Unchanged	
MOB-SV-03-01	Confirmed — the Continue button stays disabled until			Unchanged	
MOB-SV-03-02	Confirmed — the captured exterior photo is saved and			Unchanged	
MOB-SV-03-03	Confirmed — a photo captured without network shows			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-03-04	Confirmed — retaking a photo replaces the old one ar			Unchanged	
MOB-SV-03-05	Confirmed — with one photo uploaded and the other p			Unchanged	
MOB-SV-03-06	N/A — requires inspecting the app's local file storage			Unchanged	
MOB-SV-04-01	Confirmed — on a stop without drinkCountRequired th			Unchanged	
MOB-SV-04-02	Confirmed — a valid running total is saved and the vis			Unchanged	
MOB-SV-04-03	Confirmed — entering a running total lower than the p			Unchanged	
MOB-SV-04-04	Confirmed — the field only allows numeric input (num			Unchanged	
MOB-SV-05-01	Confirmed — products on the Inventory Audit step are			Unchanged	
MOB-SV-05-02	Confirmed — leaving a required product's quantity bla			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-05-03	Confirmed — entering 0 explicitly for a required produ			Unchanged	
MOB-SV-05-04	Fail — when the audit is submitted offline, nothing is s			Unchanged	
MOB-SV-05-05	Confirmed — submitting the audit online saves it succ			Unchanged	
MOB-SV-05-06	Fail — submitting "Save Reserve and Continue" while			**Updated**	PR #83: friendly message replaces the raw technical error.
MOB-SV-05-07	Confirmed — both the package quantity and the loose			Unchanged	
MOB-SV-05-08	Confirmed — with the device offline while the Inventory A			**New**	New: PR #83 also covers the client-reserve load.
MOB-SV-06-01	Confirmed — while the audit is not synced (offline), th			Unchanged	
MOB-SV-06-02	Confirmed — the recommended delivery quantity is ca			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-06-03	Confirmed — with the par level removed for one produ			Unchanged	
MOB-SV-06-04	Fail — the empty-quantity check is inconsistent betwe			Unchanged	
MOB-SV-06-05	Confirmed — submitting the delivery with all quantities			Unchanged	
MOB-SV-06-06	Confirmed — submitting the delivery syncs successfu			Unchanged	
MOB-SV-07-01	Confirmed — refill quantities (van → machine) are ent			Unchanged	
MOB-SV-07-02	Confirmed — with a refill quantity of 0 a reason can op			Unchanged	
MOB-SV-07-03	Confirmed — selecting "Other" as the zero-refill reaso			Unchanged	
MOB-SV-07-04	Confirmed — submitting Machine Refill succeeds and			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-07-05	N/A — requires a dev/debug build to force the Restocl			**Updated**	Previous run: not reachable in the normal flow (step 7 is locked until step 6 syncs). Marked dev-only.
MOB-SV-07-06	Confirmed with observation — refill data entered and s Observation: the offline error is shown as the raw text			Unchanged	
MOB-SV-08-01	Confirmed — on the After-Service Photo step Continu			Unchanged	
MOB-SV-08-02	Confirmed — Continue is allowed right after capture w			Unchanged	
MOB-SV-08-03	Confirmed — when the after-service photo upload fails			Unchanged	
MOB-SV-09-01	Confirmed — the Summary table shows reserve-befor			Unchanged	
MOB-SV-09-02	Confirmed — with at least one refill quantity greater than z			Unchanged	
MOB-SV-09-03	Confirmed — when all refill quantities are zero, Summary s			Unchanged	
MOB-SV-09-04	Confirmed — Save signature is blocked while the can			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-09-05	Confirmed — after drawing and tapping Save signatur			Unchanged	
MOB-SV-09-06	Confirmed — "Confirm & Complete Service" stays dis			Unchanged	
MOB-SV-09-07	Confirmed — completion is blocked until every prereq			Unchanged	
MOB-SV-09-08	Confirmed — "Confirm & Complete Service" complete			Unchanged	
MOB-SV-09-09	Confirmed — completing the visit offline (signature alr			Unchanged	
MOB-SV-09-10	Confirmed — "Finish and Return Home" appears only once			Unchanged	
MOB-SV-SYNC-01	Confirmed — after force-quitting mid-visit and reopeni			Unchanged	
MOB-SV-SYNC-02	N/A — cannot be triggered through normal app use or			**Updated**	Marked dev-only (needs manual edit of local storage).

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-SV-SYNC-03	N/A — requires legacy local visit data created before t			**Updated**	Migration code still exists; only testable with legacy local data.
MOB-SV-SYNC-04	Fail — a visit completed offline (Retry Sync shown) is			Unchanged	
MOB-SV-SYNC-05	Confirmed — an in-progress visit cannot be discarded			Unchanged	
MOB-SV-SYNC-06	Confirmed with observation — Start Service while offline is Observation: the offline error shows raw technical text ("Ty			**Updated**	Rewritten: the app needs a connection for every step (PR #79 adds a server check on start).
MOB-SV-SYNC-07	Confirmed — with the device clock moved 2 hours back be			Unchanged	
MOB-TT-01	Confirmed — no "Technical issue?" entry point is avai			Unchanged	
MOB-TT-02	Confirmed — tapping "Technical issue?" during a visit			Unchanged	
MOB-TT-03	Confirmed — with an empty description Submit Issue			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
MOB-TT-04	Confirmed — the description input is limited to 1000 c			Unchanged	
MOB-TT-05	Confirmed — a ticket with a description and no photo			Unchanged	
MOB-TT-06	Confirmed — a ticket with a back-camera photo was s			Unchanged	
MOB-TT-07	Confirmed — with a photo attached in the Report Tech			Unchanged	
MOB-TT-08	Confirmed — simulated a ticket DB patch failure (temp			Unchanged	
WEB-MKT-01	Confirmed — the home page shows the H1 "Every ma			**Updated**	Link targets added from code.
WEB-MKT-02	Confirmed — the Routes, Service and Inventory featu			**Updated**	Corrected: AI Quality card links to the public /ai-quality page, not to a dashboard page.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-MKT-03	Confirmed — /get-started renders static content with a			**Updated**	Clarified entry point (the header button goes to /login, not here).
WEB-MKT-04	Confirmed — /how-it-works renders static content with			Unchanged	
WEB-MKT-05	Confirmed — logged out, the header shows "Sign in" a			Unchanged	
WEB-MKT-06	Confirmed — the footer Privacy, Terms and Support li			Unchanged	
WEB-AUTH-01	Confirmed — signing in at /login with a valid manager			Unchanged	
WEB-AUTH-02	Confirmed — clicking Sign in with blank email and pas			Unchanged	
WEB-AUTH-03	Confirmed — signing in with a valid email and wrong p			Unchanged	
WEB-AUTH-04	Confirmed — signing in with an auth user that has no			Unchanged	
WEB-AUTH-05	Confirmed — signing in to the web dashboard with a c			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-AUTH-06	Confirmed — while the sign-in request is pending, the			Unchanged	
WEB-AUTH-07	Confirmed — submitting an existing account email on			Unchanged	
WEB-AUTH-08	Confirmed — submitting /forgot-password with a blank			Unchanged	
WEB-AUTH-09	Confirmed — clicking the reset link in the email establ			Unchanged	
WEB-AUTH-10	Confirmed — submitting a new password shorter than			Unchanged	
WEB-AUTH-11	Confirmed — entering different values for New passw			Unchanged	
WEB-AUTH-12	Confirmed with observation — submitting a valid new			Unchanged	
WEB-AUTH-13	Confirmed — while logged out, navigating directly to /			Unchanged	
WEB-AUTH-14	Confirmed — an active manager can open /dashboard			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-AUTH-15	Confirmed — a manager account with is_active=false			Unchanged	
WEB-AUTH-16	Confirmed — while logged out, GET /api/users is blocked/r			Unchanged	
WEB-HOME-01	Confirmed — /dashboard greets the logged-in manag			Unchanged	
WEB-HOME-02	Confirmed — the "User management" card is visible f			Unchanged	
WEB-HOME-03	Confirmed — the dashboard cards Routes, Warehous			Unchanged	
WEB-HOME-04	Confirmed — clicking the Warehouses card from /das			Unchanged	
WEB-FLEET-01	Confirmed — the fleet map shows a marker per active driv			Unchanged	
WEB-FLEET-02	Confirmed — with no drivers active in the last 10 minutes t			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-FLEET-03	Confirmed — a manager sees only drivers from their c			Unchanged	
WEB-FLEET-04	Confirmed with observation — new location pings wer			Unchanged	
WEB-FLEET-05	Confirmed — after inserting a new location ping via Su			Unchanged	
WEB-FLEET-06	Confirmed — with no visible active fleet locations, /das			**Updated**	Corrected to match code: the map is not rendered at all when there are no locations.
WEB-FLEET-07	Confirmed — opening /dashboard/fleet while logged c			Unchanged	
WEB-FLEET-08	Confirmed — when /dashboard/fleet is loaded fresh, "			Unchanged	
WEB-RT-01	Confirmed — the Routes today / Scheduled / Complet			Unchanged	
WEB-RT-02	Confirmed — the one-off route is created, "Route crea			**Updated**	Result details added.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RT-03	Confirmed — form validation prevents submission wh			Unchanged	
WEB-RT-04	Confirmed — while the form is open the button changes to			Unchanged	
WEB-RT-05	Confirmed — typing a driver name fragment into the s			Unchanged	
WEB-RT-06	Confirmed — the routes status filter options reflect the			Unchanged	
WEB-RT-07	Confirmed — "Reset to today" appears when the date			Unchanged	
WEB-RT-08	Confirmed — when the applied filters match no routes			Unchanged	
WEB-RT-09	Confirmed — pagination shows 10 routes per page, w			Unchanged	
WEB-RT-10	Confirmed — a template-generated route shows the "			Unchanged	
WEB-RT-11	Confirmed — a route with fewer than two geocoded st			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RT-12	Confirmed — "Open in Google Maps" opens a directio			Unchanged	
WEB-RT-13	Confirmed — the Machine select stays disabled with "			**Updated**	Stops can be managed only on scheduled routes (PR #74).
WEB-RT-14	Confirmed — removing a stop shows the browser con			**Updated**	Stops can be managed only on scheduled routes (PR #74).
WEB-RT-15	Confirmed — "Cancel route" shows the confirm "Canc			**New**	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-RT-16	Confirmed — dismissing the "Cancel route" confirm cl			**New**	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-RT-17	Confirmed — in_progress/completed routes have no "			**New**	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-RT-18	Confirmed — a scheduled route with an already starte			**New**	New: PR #74 route lifecycle (cancel route, lock stop management).

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RT-19	Confirmed — a cancelled route shows "This route has			New	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-RT-20	Confirmed — on an in_progress route, Add stop, Update o			New	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-RT-21	Confirmed — a valid sequence change shows "Stop c			New	New: existing behaviour that had no test.
WEB-TPL-01	Confirmed — a newly created route template shows "I			Updated	Success message added.
WEB-TPL-02	Confirmed — the templates page shows the Templates, Ac			Unchanged	
WEB-TPL-03	Confirmed — weekday chips toggle on and off on clicl			Unchanged	
WEB-TPL-04	Confirmed — with no templates the empty state "No r			Unchanged	
WEB-TPL-05	Confirmed — activating a template with no service da			Updated	PR #75: validation moved into the database RPC; wording unchanged.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TPL-06	Confirmed — activating a template that has service da			Updated	PR #75: validation moved into the database RPC; wording unchanged.
WEB-TPL-07	Confirmed — a template with service days and at leas			Updated	Success message added; conflict precondition added (PR #75).
WEB-TPL-08	Confirmed — deactivating an active template shows "			Updated	Success message and Delete button added (PR #74).
WEB-TPL-09	Confirmed — removing the last stop of an active temp			Unchanged	
WEB-TPL-10	Confirmed — removing a non-last stop from an active			Unchanged	
WEB-TPL-11	Confirmed — deleting an inactive template shows the			New	New: PR #74 route lifecycle (cancel route, lock stop management).
WEB-TPL-12	Confirmed — an active template has no Delete button			New	New: PR #74 route lifecycle (cancel route, lock stop management).

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TPL-13	Confirmed — activating a template that has the same			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-14	Confirmed — when the stops have no machine, the co			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-15	Confirmed — templates with the same machine/client stop			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-16	Confirmed — adding a stop to an active template that conf			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-17	Confirmed — editing an active template (weekday or drive			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-18	Confirmed — a template stop with an end time not after th			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPL-19	Confirmed — saving an active template with all weekc			New	New: PR #75 prevents conflicting recurring schedules.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TPL-20	Confirmed — generate_routes_from_templates(curren			New	New: PR #75 prevents conflicting recurring schedules.
WEB-TPLEX-01	Confirmed — a "Skip route" exception for a future date			Unchanged	
WEB-TPLEX-02	Confirmed — a "Replace driver" exception cannot be s			Unchanged	
WEB-TPLEX-03	Confirmed — a "Replace driver" exception with a repla			Unchanged	
WEB-TPLEX-04	Confirmed — clicking Remove on a schedule exceptio			Unchanged	
WEB-STOPEX-01	Confirmed — an "Add one-off stop" exception with dat			Unchanged	
WEB-STOPEX-02	Confirmed — a "Remove recurring stop" exception for			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-STOPEX-03	Confirmed — on a template with no stops, the "Remov			Unchanged	
WEB-STOPEX-04	Confirmed — stop exception rows ("Recurring stop re			**Updated**	Corrected to match code and previous run: stop exception rows have no Remove control.
WEB-INV-01	Confirmed — /dashboard/inventory opens on the mov			Unchanged	
WEB-INV-02	Confirmed — /dashboard/inventory opens on Moveme			Unchanged	
WEB-INV-03	Confirmed — selecting "Machine Refill" in the Movem			Unchanged	
WEB-INV-04	Confirmed — "Clear filters" resets all movement filters			Unchanged	
WEB-INV-05	Confirmed with observation — when the movement hi			Unchanged	
WEB-INV-06	Confirmed — on the Products tab the search, categor			Unchanged	
WEB-INV-07	Confirmed — the product card shows the unit convers			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-INV-08	Confirmed — on the Locations tab, filtering by type (W			Unchanged	
WEB-INV-09	Confirmed — the header buttons Record transfer, Warehou			**Updated**	PR #76 added the Reconcile inventory button.
WEB-INV-10	Confirmed — a non-admin or logged-out user navigati			Unchanged	
WEB-INVM-01	Confirmed — /dashboard/inventory/machines shows t			Unchanged	
WEB-INVM-02	Confirmed — a logged-out or non-admin user navigati			Unchanged	
WEB-WH-01	Confirmed — warehouse Latitude, Longitude and Rac			Unchanged	
WEB-WH-02	Confirmed — with no warehouses the page shows "N			Unchanged	
WEB-WH-03	Fail — negative radius (-50) is correctly rejected with a			**Updated**	Previous run failed; code still has no validation. Known gap described.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-WH-04	Confirmed — after updating the warehouse geofence on w			Unchanged	
WEB-XFER-01	Confirmed — toggling between "Issue to driver" and "I			Unchanged	
WEB-XFER-02	Confirmed — submitting the transfer form without a wa			Unchanged	
WEB-XFER-03	Confirmed — submitting the transfer form without a drive			Unchanged	
WEB-XFER-04	Confirmed — submitting with a line item that has no p			Unchanged	
WEB-XFER-05	Confirmed — a line item with zero or blank quantity is			Unchanged	
WEB-XFER-06	Confirmed — the loose-unit quantity input is not availa			Unchanged	
WEB-XFER-07	Confirmed — a decimal package quantity (e.g. 2.5) is			Unchanged	
WEB-XFER-08	Confirmed — a decimal loose quantity (e.g. 1.5) is reje			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-XFER-09	Confirmed — selecting the same product on two lines			Unchanged	
WEB-XFER-10	Confirmed — once every available product has been added			Unchanged	
WEB-XFER-11	Confirmed — the live "Total transfer" readout normaliz			Unchanged	
WEB-XFER-12	Confirmed — a valid multi-product transfer is submitte			Unchanged	
WEB-RECON-01	Confirmed — "Reconcile inventory" opens the "Invent			**New**	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-02	Confirmed — selecting a driver briefly shows "Calcula			**New**	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-03	Confirmed — for a product never reconciled for the dr			**New**	New: PR #76 inventory reconciliation and shrinkage detection.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RECON-04	Confirmed — Variance is calculated live as physical m			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-05	Confirmed — clicking "Review reconciliation" with all Physi			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-06	Confirmed — the review lists exactly the counted products			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-07	Confirmed — a negative or decimal physical quantity t			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-08	Confirmed — "Back to edit" returns from the review sc			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-09	Confirmed — "Confirm reconciliation" shows "Confirm			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-10	Confirmed — after confirming a count of N, reopening			New	New: PR #76 inventory reconciliation and shrinkage detection.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RECON-11	Confirmed — after issuing X of the product to the drive			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-12	Confirmed — the Reason is shown on the item in revi			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-13	Confirmed — selecting a different driver clears the ent			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECON-14	Confirmed — a logged-out or non-admin user navigati			New	New: PR #76 inventory reconciliation and shrinkage detection.
WEB-RECH-01	Confirmed — "Reconciliation history" lists confirmed r			New	New: PR #77 reconciliation history and variance reporting.
WEB-RECH-02	Confirmed — filtering by Driver, From and To with "Ap			New	New: PR #77 reconciliation history and variance reporting.
WEB-RECH-03	Confirmed — filters matching no reconciliation show t			New	New: PR #77 reconciliation history and variance reporting.
WEB-RECH-04	Confirmed — expanding a history card shows Counte			New	New: PR #77 reconciliation history and variance reporting.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-RECH-05	Confirmed — a reconciliation with variances shows a			New	New: PR #77 reconciliation history and variance reporting.
WEB-RECH-06	Confirmed — non-admin/logged-out users opening /dashb			New	New: PR #77 reconciliation history and variance reporting.
WEB-MVMT-01	Confirmed — applying the warehouse, driver and date			Unchanged	
WEB-MVMT-02	Confirmed — the per-product aggregate columns (Tak			Unchanged	
WEB-MVMT-03	Confirmed — the "About net movement" card states th			Unchanged	
WEB-TT-01	Fail — Status cards are consistent with the rendered l			Unchanged	
WEB-TT-02	Confirmed — a ticket with a photo_storage_path show			Updated	PR #84: managers/CEOs can now read ticket photos (previous run failed).
WEB-TT-03	Confirmed — the hint "Assigning a technician will mov			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TT-04	Confirmed — the Technician select lists only active us			Unchanged	
WEB-TT-05	Confirmed — a resolved/cancelled ticket has no assig			Unchanged	
WEB-TT-06	Confirmed — a resolved/cancelled ticket has no assig			Unchanged	
WEB-TT-07	Confirmed — "Mark as Resolved" is disabled on an O			Unchanged	
WEB-TT-08	Confirmed — resolving an in_progress ticket with no a			Unchanged	
WEB-TT-09	Confirmed — "Mark as Resolved" on an in-progress ti			Unchanged	
WEB-TT-10	Confirmed — /dashboard/service/visits lists only stops			Unchanged	
WEB-SV-01	Confirmed — /dashboard/service/visits lists only stops			Unchanged	
WEB-SV-02	Confirmed — "Time on location" for completed visits is			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-SV-03	Confirmed — a visit that has an arrival but is not comp			Unchanged	
WEB-SV-04	Confirmed — the Recent, In Progress and Completed			Unchanged	
WEB-SV-05	Confirmed — with no arrived stops the page shows th			Unchanged	
WEB-SV-06	Confirmed — the Service Visits list shows only client,			Unchanged	
WEB-AIQ-01	Confirmed — /ai-quality renders static mockup cards c			Unchanged	
WEB-AIQ-02	Confirmed — /ai-quality loads while logged out with nc			Unchanged	
WEB-TCREV-01	Fail — the queue correctly lists only review_status = p			Unchanged	
WEB-TCREV-02	Confirmed — with no pending entries the review queu			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TCREV-03	Confirmed — the review card shows the distance in m			**Updated**	PR #85: clock-in is no longer blocked by the geofence; the location is only recorded. Outside-geofence clock-ins are now expected to occur.
WEB-TCREV-04	Confirmed — a pending entry with an uploaded clock-			Unchanged	
WEB-TCREV-05	Confirmed — when the entry has a selfie path that ca			Unchanged	
WEB-TCREV-06	Confirmed — an entry with the selfie waived and no s			Unchanged	
WEB-TCREV-07	Confirmed with observation — Approve sets review_s			Unchanged	
WEB-TCREV-08	Confirmed with observation — Flag sets review_statu			Unchanged	
WEB-TCREV-09	Confirmed with observation — Reject sets review_sta			Unchanged	
WEB-TCREV-10	Confirmed — after an entry is approved, flagged or re			Unchanged	
WEB-TCREV-11	Confirmed — a user without canReviewClockIns is re			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TCREV-12	Confirmed — a clock-in made outside the warehouse			New	New: PR #85: clock-in is no longer blocked by the geofence; the location is only recorded.
WEB-TCENT-01	Confirmed — /dashboard/time-clock/entries lists the ti			Unchanged	
WEB-TCENT-02	Confirmed — an entry with no clock_out_at shows "St			Unchanged	
WEB-TCENT-03	Confirmed — with no time entries the Entries page sh			Unchanged	
WEB-TCENT-04	Confirmed — the Reason field shows the first availabl			Unchanged	
WEB-TCENT-05	Confirmed — a logged-out or non-admin user navigati			Unchanged	
WEB-TCENT-06	Confirmed — an entry with an uploaded selfie shows t			New	New: PR #84 shows the clock-in selfie on the Entries page.
WEB-TCENT-07	Confirmed — on the Entries page an entry without a s			New	New: PR #84 shows the clock-in selfie on the Entries page.

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-TCSET-01	Confirmed — with an open entry whose shift_end_at i			**Updated**	PR #85: a result message is now shown (previous run: no visible change). Precondition clarified.
WEB-TCSET-02	Confirmed — an open entry whose shift has not ende			**Updated**	PR #85: result message added.
WEB-TCSET-03	Confirmed — the auto-closed entry (status flagged, re			Unchanged	
WEB-TCSET-04	Confirmed — the Time Clock Settings page has no se			Unchanged	
WEB-TCSET-05	Confirmed — /dashboard/time-clock/settings has no c			**New**	New: explains the WEB-TCSET-01 failure in the previous run.
WEB-USR-01	Fail — creating a user with all fields (Full name "QA U			Unchanged	
WEB-USR-02	Confirmed — the Role select in the Add user form def			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-USR-03	Confirmed — the Add user form cannot be submitted			Unchanged	
WEB-USR-04	Confirmed — the Users search filters by name, email,			Unchanged	
WEB-USR-05	Confirmed — the Role, Status and Region filters comb			Unchanged	
WEB-USR-06	Confirmed — a filter combination matching no users s			Unchanged	
WEB-USR-07	Confirmed — with no filters (more than 10 users), the			Unchanged	
WEB-USR-08	Confirmed — editing a user's Full name, Phone, Addr			Unchanged	
WEB-USR-09	Confirmed — saving a user edit with Full name cleare			Unchanged	
WEB-USR-10	Confirmed — "Send password reset" shows the brows			Unchanged	
WEB-USR-11	Confirmed — for a user record without an email the "S			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-USR-12	Confirmed — Deactivate and Activate each show a co			Unchanged	
WEB-USR-13	Confirmed — after deactivating the driver on web, rela			Unchanged	
WEB-USR-14	Confirmed — a user without canManageUsers (or log			Unchanged	
WEB-RPT-01	Confirmed — /dashboard/reports shows the heading "Rep			Unchanged	
WEB-RPT-02	Confirmed — a logged-out or non-admin user navigati			Unchanged	
WEB-SURV-01	Confirmed — a valid survey token (/survey/{token}) re			Unchanged	
WEB-SURV-02	Confirmed — the rating form renders for an unknown			**Updated**	Corrected to match code and previous run: the token is validated on submit, not on page load.
WEB-SURV-03	Confirmed — invalid tokens (/survey/abc-pogresan-tol			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-SURV-04	Confirmed — clicking 1 through 5 stars highlights the			Unchanged	
WEB-SURV-05	Confirmed — submitting a 3-star rating shows "Thank			Unchanged	
WEB-SURV-06	Confirmed — with google_review_url configured, subr			Unchanged	
WEB-SURV-07	Confirmed — with google_review_url empty, submittin			Unchanged	
WEB-SURV-08	Confirmed — re-submitting on an already answered s			Unchanged	
WEB-SURV-09	Confirmed — submitting the same survey from two tal			Unchanged	
WEB-SURV-10	Confirmed — the survey UI only allows ratings from 1			Unchanged	
WEB-NA-01	Confirmed — /api/warehouses returns 404; no route e			Unchanged	

ID	Actual Result / Notes	Tested By	Date Tested	Change vs 22.09.2026	Change Note
WEB-NA-02	Confirmed — there is no admin UI in the dashboard to			Unchanged	
MOB-NA-01	Confirmed — there is no selfie-waiver control anywhe			Unchanged	
MOB-NA-02	Confirmed — the Clock In screen has no manual geof			**New**	New: documents the removal of the old MOB-CLK-10 scenario.