Author	Experimental	Numerical	Pressure Drop	Heat Transfer	Porosity (φ)	PPI	2-Phase	Fluid Material	Solid Material
Youchison [1]	•		•	•				He	W
Raffay [2]		•	•	•	0.5-0.95			He	
Kisitu [3]	•		•	•	0.62/0.91	40	•	R134a	Cu
Diani [4]	•		•	•	0.93	5	•	R134a	Cu
Li [5]	•			•	0.98	110	•	R141b	Cu
Athreya [6]	•			•	0.89-0.98	5-18	•	FC-72	Al
El-Genk [7]	•			•	0.61		•	FC-72/HFE-7100	C
Thiagarajan [8]	•			•	0.55-0.6		•	HFE-7100	Cu
Cen [9]	•			•	0.825	31.75	•	HFE-7100	Cu
Mancin [10]	•				0.896-0.956	5-40		Air	Cu
Mancin [11]	•		•	•	0.905-0.934	5-40		Air	Cu
Zafari [12]		•	•	•	0.85-0.95			Air	Al/Cu
Liu [13]			•	•	0.9-0.91	10		Air	Al
Iasello [14]		•		•	0.87-0.94	5-40		Air	Al
Younis [15]	•			•	0.834-0.87	4-26		Air	Al
Dukhan [16]	•		•		0.679-0.924	10-40		Air	Al
Vijay [17]	•	•	•	•	0.79-0.87	10-30		Air	Al
Ranut [18]		•	•	•	0.94	10-30		Air	Al
Bilen [19]	•			•	0.92	40		Air	Al
Bhaskar [20]	•		•	•	0.9	20		Air	Al
Calmidi [21]	•	•	•	•	0.9-0.97	5-40		Air	Al
Mustapha [22]	•		•		0.88-0.94	10/20		Air	
Nowak [23]		•	•					Air	
Zhang [24]	•	•	•		0.8-0.92	15-45		Air	Ni
Kang [25]	•	•		•	0.9			Air	Si
Gorgun [26]		•	•		0.364			Air	Co/Ni/Fe
Jiang, Li [27]	•		•	•	0.402-0.486			Water/Air	Cu/Bronze
Bhattarchya [28]	•			•	0.9-0.97	5-40		Water/Air	Al
Abadi [29]	•		•	•	0.96	30-60		Water/R235fa	Cu
Kibushi [30]	•			•	0.659		•	Water/FC-72	Cu
Moghaddam [31]	•			•	0.9-0.95	30-80	•	Water/FC-72	Cu/C
Wang [32]	•			•	0.98	40		Water	Cu/Ni
Ding [33]	•			•	0.7-0.9			Water	Cu
Xiao [34]	•		•	•	0.6-0.8			Water	Cu
Gong [35]	•		•	•	0.66			Water	Cu
Wang [36]	•			•	0.96	10-90		Water	Cu
Kim [37]	•		•		0.95-0.98	10-100		Water	Cu
Yuki [38]	•			•	0.36		•	Water	Cu
Ji [39]	•			•	0.95	30-90	•	Water	Cu
Fu [40]	•		•	•	0.78	110	•	Water	Cu
Zhang [41]	•			•	0.33			Water	Cu
Hunt [42]	•		•	•	0.94-0.97	4-10		Water	C/Ni/Al
Arbak [43]	•			•	0.876-0.909	10/40		Water	Al
Boomssma [44]	•		•		0.5-0.9	10-40		Water	Al
Manetti [45]	•			•	0.9		•	HFE-71000	Cu
Xu [46]	•			•	0.88-0.95	30-90	•	Acetone	Cu
Yang [47]		•	•		0.55-0.98	5-100			
Du Plesis [48]	•		•		0.973-0.978			Glycerol⊙	

Table 1: An Overview of Porous Material Research

References

[1] D.L. Youchison, T.J. Lutz, B. Williams, and R.E. Nygren. High heat flux testing of a helium-cooled tungsten tube with porous foam. *Fusion Engineering and Design*, 82(15-24):1854–1860, October 2007.

[2] A.R Raffray and J.E Pulsifer. MERLOT: a model for flow and heat transfer through porous media for high heat flux applications. *Fusion Engineering and Design*, 65(1):57–76, January 2003.

[3] Deogratius Kisitu, Carol Caceres, Metodi Zlatinov, Denver Schaffarzick, and Alfonso Ortega. Experimental investigation of r134a flow boiling in copper foam evaporators for high heat flux electronics cooling. In *ASME 2022 International Technical Conference and Exhibition on Packaging and Integration of Electronic and Photonic Microsystems*. American Society of Mechanical Engineers, October 2022.

[4] A Diani, S Mancin, and L Rossetto. Experimental analysis of r134a flow boiling inside a 5 PPI copper foam. *Journal of Physics: Conference Series*, 501:012017, April 2014.

[5] Tong Li, Xiaomin Wu, and Qiang Ma. Pool boiling heat transfer of r141b on surfaces covered copper foam with circular-shaped channels. *Experimental Thermal and Fluid Science*, 105:136–143, July 2019.

[6] Badrinarayan Athreya, Roop Mahajan, and Subham Sett. Pool boiling of FC-72 over metal foams: Effect of foam orientation and geometry. In *8th AIAA/ASME Joint Thermophysics and Heat Transfer Conference*. American Institute of Aeronautics and Astronautics, June 2002.

[7] Mohamed S. El-Genk. Immersion cooling nucleate boiling of high power computer chips. *Energy Conversion and Management*, 53(1):205–218, January 2012.

[8] Suraj Joottu Thiagarajan, Ronggui Yang, Charles King, and Sreekant Narumanchi. Bubble dynamics and nucleate pool boiling heat transfer on microporous copper surfaces. *International Journal of Heat and Mass Transfer*, 89:1297–1315, October 2015.

[9] Meiqi Cen, Song Deng, Cai Hu, Jie Luo, Shuai Tan, Caihong Wang, and Yong Wu. Enhanced boiling heat transfer of HFE-7100 on copper foams under overflow conditions. *Applied Thermal Engineering*, 224:120083, April 2023.

[10] Simone Mancin, Claudio Zilio, Andrea Diani, and Luisa Rossetto. Air forced convection through metal foams: Experimental results and modeling. *International Journal of Heat and Mass Transfer*, 62:112–123, July 2013.

[11] Simone Mancin, Claudio Zilio, Andrea Diani, and Luisa Rossetto. Experimental air heat transfer and pressure drop through copper foams. *Experimental Thermal and Fluid Science*, 36:224–232, January 2012.

[12] Mohammad Zafari, Masoud Panjepour, Mohsen Davazdah Emami, and Mahmood Meratian. Microtomography-based numerical simulation of fluid flow and heat transfer in open cell metal foams. *Applied Thermal Engineering*, 80:347–354, April 2015.

[13] H. Liu, Q.N. Yu, Z.G. Qu, and R.Z. Yang. Simulation and analytical validation of forced convection inside open-cell metal foams. *International Journal of Thermal Sciences*, 111:234–245, January 2017.

[14] M. Iasiello, S. Cunsolo, N. Bianco, W.K.S. Chiu, and V. Naso. Developing thermal flow in open-cell foams. *International Journal of Thermal Sciences*, 111:129–137, January 2017.

[15] L.B. Younis and R. Viskanta. Experimental determination of the volumetric heat transfer coefficient between stream of air and ceramic foam. *International Journal of Heat and Mass Transfer*, 36(6):1425–1434, January 1993.

[16] N. Dukhan. Correlations for the pressure drop for flow through metal foam. *Experiments in Fluids*, 41(4):665–672, August 2006.

[17] Dig Vijay, Pitt Goetze, Rhena Wulf, and Ulrich Gross. Forced convection through open cell foams based on homogenization approach: Transient analysis. *International Journal of Thermal Sciences*, 98:395–408, December 2015.

[18] Paola Ranut, Enrico Nobile, and Lucia Mancini. High resolution x-ray microtomography-based CFD simulation for the characterization of flow permeability and effective thermal conductivity of aluminum metal foams. *Experimental Thermal and Fluid Science*, 67:30–36, October 2015.

[19] K. Bilen, S. Gok, A.B. Olcay, and I. Solmus. Investigation of the effect of aluminum porous fins on heat transfer. *Energy*, 138:1187–1198, November 2017.

[20] B. Bhaskar and S. K. Choudhary. Experimental investigation of heat transfer through porous material heat exchanger. 2017.

[21] V. V. Calmidi and R. L. Mahajan. Forced convection in high porosity metal foams. *Journal of Heat Transfer*, 122(3):557–565, February 2000.

[22] Khairul Azhar Mustapha, Fadhilah Shikh Anuar, and Fatimah Al-Zahrah Mohd Saat. Prediction of slip velocity at the interface of open-cell metal foam using 3d printed foams. *Colloids and Interfaces*, 6(4):80, December 2022.

[23] Remigiusz Nowak. Estimation of viscous and inertial resistance coefficients for various heat sink configurations. *Procedia Engineering*, 157:122–130, 2016.

[24] Lifen Zhang, Xiaoxue Zhang, and Zhenxia Liu. An efficient numerical method for pressure loss investigation in an oil/air separator with metal foam in an aero-engine. *Energies*, 13(2):346, January 2020.

[25] Sungwook Kang, J. Choi, and Sengkwan Choi. Mechanism of heat transfer through porous media of inorganic intumescent coating in cone calorimeter testing. *Polymers*, 11(2):221, January 2019.

[26] Erdem Gorgun, Yahya Dogu, and Mahmut Faruk Aksit. Investigation of flow behavior and porous medium resistance coefficients for metallic-cloth fibers. *Fibers*, 8(12):75, December 2020.

[27] Pei-Xue Jiang, Meng Li, Tian-Jian Lu, Lei Yu, and Ze-Pei Ren. Experimental research on convection heat transfer in sintered porous plate channels. *International Journal of Heat and Mass Transfer*, 47(10-11):2085–2096, May 2004.

[28] A. Bhattacharya, V.V. Calmidi, and R.L. Mahajan. Thermophysical properties of high porosity metal foams. *International Journal of Heat and Mass Transfer*, 45(5):1017–1031, February 2002.

[29] Gholamreza Bamorovat Abadi, Chanhee Moon, and Kyung Chun Kim. Experimental study on single-phase heat transfer and pressure drop of refrigerants in a plate heat exchanger with metal-foam-filled channels. *Applied Thermal Engineering*, 102:423–431, June 2016.

[30] Risako Kibushi, Kazuhisa Yuki, Noriyuki Unno, Tetsuro Ogushi, Masaaki Murakami, Tomiyuki Numata, Takuya Ide, and Hikaru Nomura. Enhancement of the critical heat flux of saturated pool boiling by the breathing phenomenon induced by lotus copper in combination with a grooved heat transfer surface. *International Journal of Heat and Mass Transfer*, 179:121663, November 2021.

[31] Saeed Moghaddam, Michael Ohadi, and Jianwei Qi. Pool boiling of water and FC-72 on copper and graphite foams. In *2003 International Electronic Packaging Technical Conference and Exhibition, Volume 2*. ASMEDC, January 2003.

[32] Guiqing Wang, Cong Qi, Yuhang Pan, and Chunyang Li. Experimental study on heat transfer and flow characteristics of two kinds of porous metal foam tubes filled with water. *Thermal Science*, 22(Suppl. 2):497–505, 2018.

[33] Xin Rui Ding, Long Sheng Lu, Chuan Chen, Zhan Shu He, and Dong Sheng Ou. Heat transfer enhancement by using four kinds of porous structures in a heat exchanger. *Applied Mechanics and Materials*, 52-54:1632–1637, March 2011.

[34] Zhu Xiao and Yuyuan Zhao. Heat transfer coefficient of porous copper with homogeneous and hybrid structures in active cooling. *Journal of Materials Research*, 28(17):2545–2553, July 2013.

[35] Liang Gong, Yongtong Li, Zhang Bai, and Minghai Xu. Thermal performance of microchannel heat sink with metallic porous/solid compound fin design. *Applied Thermal Engineering*, 137:288–295, June 2018.

[36] Boiling heat transfer in copper foam bilayers in positive and inverse gradients of pore density. *Journal of Applied Fluid Mechanics*, 16(5), February 2023.

[37] Tae Hyeon Kim, Wonjun Lee, and Ji Hwan Jeong. Thermo-fluidic characteristics of open cell metal foam as an anodes for DCFC, part i: Head loss coefficient of metal foam. *International Journal of Hydrogen Energy*, 39(23):12369–12376, August 2014.

[38] Kazuhisa Yuki, Tomohiro Hara, Soichiro Ikezawa, Kentaro Anju, Koichi Suzuki, Tetsuro Ogushi, Takuya Ide, and Masaaki Murakami. Immersion cooling of electronics utilizing lotus-type porous copper. In *2016 International Conference on Electronics Packaging (ICEP)*. IEEE, April 2016.

[39] Xianbing Ji, Qiang Xue, Jiliang Xu, and Jia Xu. Pool boiling heat transfer on ultra-light porous metal foam surfaces. In *2013 International Conference on Materials for Renewable Energy and Environment*. IEEE, August 2013.

[40] Kai Fu, Wuhuan Gao, Xianghua Xu, and Xingang Liang. Flow boiling heat transfer and pressure drop characteristics of water in a copper foam fin microchannel heat sink. *Applied Thermal Engineering*, 218:119295, January 2023.

[41] Yin Zhang, Enshen Long, and Mingshan Zhang. Experimental study on heat sink with porous copper as conductive material for CPU cooling. *Materials Today: Proceedings*, 5(7):15004–15009, 2018.

[42] M.L. Hunt and C.L. Tien. Effects of thermal dispersion on forced convection in fibrous media. *International Journal of Heat and Mass Transfer*, 31(2):301–309, February 1988.

[43] Altay Arbak, Nihad Dukhan, Özer Bağcı, and Mustafa Özdemir. Influence of pore density on thermal development in open-cell metal foam. *Experimental Thermal and Fluid Science*, 86:180–188, September 2017.

[44] K. Boomsma and D. Poulikakos. The effects of compression and pore size variations on the liquid flow characteristics in metal foams. *Journal of Fluids Engineering*, 124(1):263–272, August 2001.

[45] Leonardo Lachi Manetti, Ana Sofia Oliveira Henriques Moita, Reinaldo Rodrigues de Souza, and Elaine Maria Cardoso. Effect of copper foam thickness on pool boiling heat transfer of HFE-7100. *International Journal of Heat and Mass Transfer*, 152:119547, May 2020.

[46] Jinliang Xu, Xianbing Ji, Wei Zhang, and Guohua Liu. Pool boiling heat transfer of ultra-light copper foam with open cells. *International Journal of Multiphase Flow*, 34(11):1008–1022, November 2008.

[47] Xiaohu Yang, Tian Jian Lu, and Tongbeum Kim. An analytical model for permeability of isotropic porous media. *Physics Letters A*, 378(30-31):2308–2311, June 2014.

[48] Prieur Du Plessis, Agnes Montillet, Jacques Comiti, and Jack Legrand. Pressure drop prediction for flow through high porosity metallic foams. *Chemical Engineering Science*, 49(21):3545–3553, 1994.