




TİP T8 1-18

max. 0.5°



TİP T8		T8-1	T8-2	T8-3	T8-4	T8-5	T8-6	T8-7	T8-8	T8-9	T8-10	T8-11	T8-12	T8-13	T8-14	T8-15	T8-16	T8-17
Ød max	mm	131	145	156	165	178	192	206	220	233	235	250	265	275	290	300	315	330
Tpeak	Nm	42000	62000	76000	94000	128000	174000	222000	278000	352000	444000	520000	636000	770000	910000	1060000	1220000	1410000
Tnominal	Nm	21000	31000	38000	47000	64000	87000	111000	139000	176000	222000	260000	318000	385000	455000	530000	610000	705000
°/grad		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
mm±		3.7	4	4.3	4.6	5	5.4	5.8	6.3	6.7	7.2	7.6	7.8	8.2	8.4	8.9	9.2	9.6
kg		59	77	92	112	150	195	230	295	374	454	535	617	728	875	1021	1130	1310
kgm²		0.573	0.878	1.199	1.660	2.715	4.11	5.54	8.32	12.13	16.77	22.02	28.00	36.64	48.62	62.26	74.87	94.87
A	mm	468	504	544	580	636	690	724	778	854	896	950	1004	1081	1158	1215	1270	1342
C	mm	183	201	219	230	249	269	289	309	327	330	350	370	385	410	420	440	460
D	mm	280	304	327	347	382	412	442	477	507	542	572	607	637	677	702	732	762
E	mm	125	135	145	155	170	185	195	210	230	240	250	265	280	300	315	330	350
G	mm	21.2	24.4	26	28.2	32	33.2	36.4	38.2	42	46	51.6	53.2	60.8	65.2	68.8	71.2	72.8
S	mm	218	234	254	270	296	320	334	358	394	416	450	474	521	558	595	610	642

FLANŞLAR AISI 1040 MALZEMEDEN, ARA PARÇALAR 55Si7 MALZEMEDEN İMAL EDİLMEKTEDİR.

FLANGES HAVE BEEN MANUFACTURING FROM AISI 1040 MATERIAL, DISCS HAVE BEEN MANUFACTURED FROM 55Si7 MATERIAL.