

SHALLOW FOUNDATION BEARING CAPACITY ANALYSIS

Project: Sample Project

Number: BC-2026-001

Prepared By: S. OConnell, PE

Date: 2026-02-17

Company: Geotech Associates

1. INPUT PARAMETERS

Parameter	Symbol	Value	Unit
Footing width	B	2.0	m
Footing shape	$Shape$	square	
Embedment depth	D_f	1.5	m
Cohesion	c	0.0	kPa
Friction angle	ϕ	32.0	deg
Unit weight	γ	18.5	kN/m ³
Groundwater depth	GWT	3.0	m
Factor of safety	FS	3.0	
$N\gamma$ method	$Method$	Vesic	

1. EFFECTIVE DIMENSIONS & OVERBURDEN

Effective Footing Dimensions (no eccentricity)

$$B' = B, L' = L(\text{no load eccentricity})$$

$$B', L' = 2.000\text{m}, 2.000\text{m}$$

Overburden Pressure at Footing Base

$$q = \gamma \times D_f$$

$$q = 18.50 \times 1.500$$

$$q = 27.75 \text{ kPa}$$

Adjusted for GWT if applicable

Effective Unit Weight Below Footing

$$\gamma' = \gamma(\text{GWT below footing})$$

$$\gamma' = 18.50 \text{ kN/m}^3$$

1. BEARING CAPACITY FACTORS

Bearing Capacity Factor N_q

$$N_q = \exp(\pi \times \tan(\varphi)) \times \tan^2(45 + \varphi/2)$$

$$N_q = \exp(\pi \times \tan(32.0^\circ)) \times \tan^2(45 + 16.0^\circ)$$

$$N_q = 23.18$$

Reissner (1924); FHWA GEC-6 Eq. 6-2

Bearing Capacity Factor N_c

$$N_c = (N_q - 1) / \tan(\varphi)$$

$$N_c = (23.18 - 1) / \tan(32.0^\circ)$$

$$N_c = 35.49$$

Prandtl (1921); FHWA GEC-6 Eq. 6-1

Bearing Capacity Factor N_γ

$$N_\gamma = 2 \times (N_q + 1) \times \tan(\varphi)$$

$$N_\gamma = 2 \times (23.18 + 1) \times \tan(32.0^\circ)$$

$$N_\gamma = 30.21$$

Vesic (1973); FHWA GEC-6 Table 6-1

1. CORRECTION FACTORS

Shape Factors

$$s_c = 1 + (B/L)(N_q/N_c), s_q = 1 + (B/L) \tan(\varphi), s_\gamma = 1 - 0.4(B/L)$$

$$s_c, s_q, s_\gamma = \mathbf{1.6530, 1.6249, 0.6000}$$

Vesic; FHWA GEC-6 Table 6-2

Depth Factors

$$d_q = 1 + 2 \times \tan(\varphi) \times (1 - \sin(\varphi))^2 \times k, d_\gamma = 1.0, k = D_f/B \text{ if } D_f/B \leq 1 \text{ else } \arctan(D_f/B)$$

$$d_c, d_q, d_\gamma = \mathbf{1.2165, 1.2071, 1.0000}$$

Vesic; FHWA GEC-6 Table 6-3

Correction Factor Summary

Factor Type	c-term	q-term	γ -term
Shape (s)	1.6530	1.6249	0.6000
Depth (d)	1.2165	1.2071	1.0000
Inclination (i)	1.0000	1.0000	1.0000
Base tilt (b)	1.0000	1.0000	1.0000
Ground (g)	1.0000	1.0000	1.0000

1. GENERAL BEARING CAPACITY EQUATION

General Bearing Capacity Equation

$$q_{ult} = c \times N_c \times s_c \times d_c \times i_c \times b_c \times g_c + q \times N_q \times s_q \times d_q \times i_q \times b_q \times g_q + 0.5 \times \gamma' \times B' \times N_\gamma \times s_\gamma \times d_\gamma \times i_\gamma \times b_\gamma \times g_\gamma$$

$$q_{ult} = \mathbf{1,596.9 \text{ kPa}}$$

FHWA GEC-6, Eq. 6-1

Term Breakdown

Term	Value (kPa)	Contribution (%)
Cohesion	0.0	0%
Overburden	1,261.5	79%

Self-weight	335.4	21%
Total q_{ult}	1,596.9	100%

Allowable Bearing Capacity

$$q_{all} = q_{ult} / FS$$

$$q_{all} = 1,596.9 / 3.0$$

$$q_{all} = 532.3 \text{ kPa}$$

1. FIGURES




Figure 1: *

Figure 1: Contribution of cohesion, overburden, and self-weight terms to ultimate bearing capacity ($q_{ult} = 1,596.9 \text{ kPa}$).




Figure 2: *

Figure 2: Footing geometry — $B = 2.00$ m, $D_f = 1.50$ m.

1. REFERENCES

1. Vesic, A.S. (1973). "Analysis of Ultimate Loads of Shallow Foundations." JSMFD, ASCE, Vol. 99, No. SM1, pp. 45-73.
2. Meyerhof, G.G. (1963). "Some Recent Research on the Bearing Capacity of Foundations." Canadian Geotechnical Journal, Vol. 1, No. 1, pp. 16-26.
3. FHWA GEC-6 (FHWA-IF-02-054): Shallow Foundations, Chapter 6.
4. Prandtl, L. (1921). "Über die Eindringungsfestigkeit plastischer Baustoffe." Zeitschrift für Angewandte Mathematik und Mechanik, 1(1).
5. Hansen, J.B. (1970). "A Revised and Extended Formula for Bearing Capacity." Danish Geotechnical Institute Bulletin 28.