

Meridian Pharmaceuticals Pvt. Ltd.

Plant: Baddi, Himachal Pradesh, India | Mfg. Lic. No.: HP-BD-2019-0417

BATCH MANUFACTURING RECORD

Product Name	Paracetamol Tablets IP 500 mg	Batch No.	MP-PCM-2602
Batch Size	100,000 tablets	Mfg. Date	14-Jan-2026
Standard Reference	IP 2022, Monograph: Paracetamol Tablets	Expiry Date	Jan-2028
Pack Style	10x10 Alu-Alu Blister	Document No.	BMR-PCM500-MP-PCM-2602

1. Bill of Materials

S.No	Material	Grade/Spec	Qty/Batch (kg)	Supplier Lot No.
1	Paracetamol IP (API)	IP	50.00	PCM-SUP-2601-A
2	Microcrystalline Cellulose	IP/USP-NF	18.50	MCC-SUP-1187
3	Maize Starch	IP	9.20	STR-SUP-0542
4	Povidone K-30	IP	3.00	PVP-SUP-0219
5	Magnesium Stearate	IP	1.30	MGS-SUP-0871
6	Talc Purified	IP	1.00	TLC-SUP-0345
7	Purified Water	IP (in-house)	q.s.	PW-DAILY

2. Equipment Used

Equipment	Equipment ID	Capacity
Rapid Mixer Granulator	RMG-02	150 L
Fluid Bed Dryer	FBD-01	120 kg
Multi-Mill	MM-03	-
Octagonal Blender	OB-02	200 L
Tablet Compression Machine	TCM-04	35-station, D-tooling
Blister Packing Machine	BPM-03	-

3. Manufacturing Process Record

Step	Operation	SOP Ref	Start	End	Operator	Checked By
1	Dispensing of raw materials	SOP-PRD-003	08:05	08:40	V. Singh	A. Verma
2	Dry mixing (RMG-02)	SOP-PRD-010	08:45	09:00	V. Singh	A. Verma
3	Binder addition & wet granulation	SOP-PRD-010	09:05	09:35	V. Singh	A. Verma
4	Drying (FBD-01), LOD 1.5-2.5%	SOP-PRD-012	09:45	10:30	V. Singh	A. Verma

Step	Operation	SOP Ref	Start	End	Operator	Checked By
5	Sizing (MM-03, 1.0mm screen)	SOP-PRD-014	10:35	10:50	V. Singh	A. Verma
6	Lubrication & blending (OB-02)	SOP-PRD-016	10:55	11:15	V. Singh	A. Verma
7	Compression (TCM-04)	SOP-PRD-021	11:30	13:45	R. Sharma	P. Nair
8	Blister packing (BPM-03)	SOP-PKG-006	14:15	16:30	R. Sharma	P. Nair

4. In-Process Quality Control (IPQC)

Parameter	Specification	Result	Checked By	Remarks
Description	White, round, biconvex tablets	Conforms	P. Nair	-
Average Weight	550 mg $\pm$ 5%	579 mg (+5.3%)	P. Nair	OOS - see DEV-2026-014
Weight Variation (IP)	NMT 2 of 20 outside $\pm$ 7.5%	4 of 20 outside limit	P. Nair	OOS - see DEV-2026-014
Hardness	4-6 kg/cm ²	5.1 kg/cm ² (avg)	P. Nair	Within limit
Thickness	4.2-4.6 mm	4.4 mm (avg)	P. Nair	Within limit
Friability	NMT 1.0% w/w loss	0.32%	P. Nair	Within limit
Disintegration Time	NMT 15 min	8 min 40 sec	P. Nair	Within limit

5. Yield Reconciliation

Theoretical Yield (tablets)	100,000
Actual Yield (tablets)	97,110 (before disposition)
% Yield	97.11% (pending disposition)
Acceptance Limit	97.0% - 101.0%

6. QA Release Disposition

Disposition: ON HOLD pending investigation. IPQC failure observed at the compression stage (Step 7). Refer **DEV-2026-014** for investigation, root cause and CAPA status before final release decision.

Reviewed By (Production)	R. Sharma	Date:	14-Jan-2026
Reviewed By (QC)	P. Nair	Date:	14-Jan-2026
Approved By (QA)	A. Verma (pending)	Date:	14-Jan-2026