


Interference Suppression Film Capacitors MKP Radial Potted Type



FEATURES

- AEC-Q200 qualified (rev. C)
- THB: 40 °C / 93 % RH for 1000 h at rated voltage, in compliance with AEC-Q200
- Compliant with IEC 60381-14: AMD1 grade IA
- High temperature capabilities, up to 125 °C
- Material categorization: for definitions of compliance please see www.vishay.com/doc?99912






APPLICATIONS

For standard across the line X2 applications. See also application note: www.vishay.com/doc?28153

QUICK REFERENCE DATA	
Rated capacitance range (E12 series)	0.001 μF to 4.7 μF (preferred values acc. to E6)
Capacitance tolerance	± 20 %; ± 10 %; ± 5 %
Rated voltage range, U _{RAC}	310 V _{AC} ; 50 Hz to 60 Hz
Permissible DC voltage	800 V _{DC} at 85 °C 630 V _{DC} at 110 °C
Climatic testing class	55/110/56/C for product volumes \leq 1750 mm ³ 55/110/56/B for product volumes $>$ 1750 mm ³
Rated temperature	110 °C
Maximum application temperature	125 °C for limited time
Reference standards	IEC 60384-14:2013 IEC 60384-14:2013 / AMD1:2016 EN 60384-14:2013 + AMD1:2016 IEC 60065 requires pass. flamm. class B for volumes > 1750 mm ³ UL 60384-14 CSA-E384-14 CQC
Dielectric	Polypropylene film
Electrodes	Metallized
Construction	Mono construction
Encapsulation	Plastic case, epoxy resin sealed, flame retardant UL-class 94 V-0
Leads	Tinned wire
Marking	C-value; tolerance; rated voltage; sub-class; manufacturer's type; code for dielectric material, manufacturer location; manufacturer's logo; year and week; safety approvals


Note

• For more detailed data and test requirements, contact rfi@vishay.com





COMPOSITION OF CATALOG NUMBER



⁽¹⁾ For detailed tape specification refer to "Packaging Information": www.vishav.com/doc?28139

⁽²⁾ Taped on reel pitch = 27.5 mm is not available



SPECIFIC REFERENCE DATA					
DESCRIPTION	VAI	LUE			
Rated AC voltage (U _{RAC})	310 V				
Permissible DC voltage (U _{RDC})	e DC voltage (U _{RDC}) 630 V				
Tangent of loss angle:	at 1 kHz	at 10 kHz			
C < 470 nF	≤ 10 x 10 ⁻⁴	≤ 20 x 10 ⁻⁴			
470 nF ≤ C ≤ 1 μF	$\leq 20 \times 10^{-4}$	≤ 70 x 10 ⁻⁴			
C > 1 µF	≤ 30 x 10 ⁻⁴	-			
Rated voltage pulse slope (dU/dt) _R at 435 V _{DC} :					
Pitch = 7.5 mm	600 V/µs				
Pitch = 10 mm	600	V/μs			
Pitch = 15 mm	400	V/μs			
Pitch = 22.5 mm	150	V/μs			
Pitch = 27.5 mm	100	V/μs			
R between leads, for C ≤ 0.33 μF at 100 V; 1 min	> 15 0	00 MΩ			
RC between leads, for C > 0.33 µF at 100 V; 1 min	> 50	000 s			
R between leads and case; 100 V; 1 min	> 30 0	00 MΩ			
Withstanding (DC) voltage (cut off current 10 mA) ⁽¹⁾ ; rise time ≤ 1000 V/s:					
C ≤ 1 µF	2200 V; 1 min				
C > 1 µF	1800 V; 1 min				
Withstanding (AC) voltage between leads and case	2120 V	'; 1 min			
Max. application temperature for 0.001 $\mu F \le C \le 0.47 \ \mu F$	125 °C up	to 1000 h			
Max. application temperature for C > 0.47 μ F 125 °C up to 500 h					

Note

⁽¹⁾ See "Voltage Proof Test for Metalized Film Capacitors": www.vishay.com/doc?28169

ELE	ELECTRICAL DATA AND ORDERING INFORMATION - PITCH: 7.5 mm										
				CATAL	OG NUMBER	BFC2 33	9 XXXXX AND	PACKAG	SING		
		DIMENSIONS				AMMOPACK (1)					
U _{RAC} (V)	CAP. (µF)	w x h x l (mm)	MASS (g) ⁽²⁾	SHORT LEADS			LONG LEADS		H = 18.5 mm P ₀ = 12.7 mm		
		, ,		I _t = 3.5 mm + 1 mm/- 0.5 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	l _t = 25.0 mm ± 2.0 mm	SPQ		SPQ	
	PITCH =	7.5 mm ± 0.4 mm; d	_t = 0.50 m	ım ± 0.05 mm; C-TOL.	= ± 20 %						
	0.0010			20102	22102		24102		28102		
	0.0015			20152	22152		24152		28152		
	0.0022			20222	22222		24222		28222		
	0.0033			20332	22332		24332		28332		
	0.0047	4.0 x 9.0 x 10.0	0.4	20472	22472	1500	24472	1000	28472	1250	
310	0.0068	4.0 X 9.0 X 10.0	0.4	20682	22682	1300	24682	1000	28682	1230	
	0.010			20103	22103		24103		28103		
	0.015			20153	22153		24153		28153		
	0.022			20223	22223		24223		28223		
	0.033			20333	22333		24333		28333		
	0.047	5.0 x 10.5 x 10.0	0.4	20473	22473	1000	24473	1250	28473	1000	
	0.068	6.0 x 11.5 x 10.0	0.8	20683	22683	750	24683	1000	28683	750	



Vishay BCcomponents

ELE	CTRICA	L DATA AND O	RDERII	NG INFORMATIO	N - PITCH:	7.5 n	nm			
				CATAL	OG NUMBER	BFC2 33	9 XXXXX AND	PACKA	GING	
		DIMENSIONS			LOOSE IN	вох			AMMOP	ACK (1)
U _{RAC} (V)	CAP. (µF)	DIMENSIONS w x h x l (mm)	MASS (g) ⁽²⁾	SHORT	LEADS		LONG LEA	DS	H = 18.9 P ₀ = 12.	
		(·····y		I _t = 3.5 mm + 1 mm/- 0.5 mm	I _t = 5.0 mm ± 1.0 mm	SPQ	l _t = 25.0 mm ± 2.0 mm	SPQ		SPQ
	PITCH =	7.5 mm ± 0.4 mm; d	t = 0.50 m	m ± 0.05 mm; C-TOL.	= ± 10 %	•				
	0.0010			10102	12102		14102		18102	
	0.0012			10122	12122		14122		18122	
	0.0015			10152	12152		14152		18152	
	0.0018			10182	12182		14182		18182	
	0.0022			10222	12222		14222		18222	
	0.0027			10272	12272		14272		18272	
	0.0033			10332	12332		14332		18332	
	0.0039			10392	12392		14392		18392	
	0.0047		0.45	10472	12472		14472		18472	
	0.0056	4.0 x 9.0 x 10.0	0.45		10562 12562 1500	1500	14562	1000	18562	1250
	0.0068			10682	12682		14682		18682	
	0.0082			10822	12822		14822		18822	
	0.010			10103	12103		14103		18103	
	0.012		10123 12123 10153 12153		14123		18123			
	0.015						14153		18153	
	0.018			10183	12183		14183		18183	
	0.022			10223	12103		14223		18223	
	0.022			10273	12273		14273		18273	
	0.027			10333	12333		14333		18333	
	0.033	5.0 x 10.5 x 10.0	0.6	10393	12333	1000	14393	1250	18393	1000
	0.039	3.0 X 10.3 X 10.0	0.0	10473	12393	1000	14473	1230	18473	1000
	0.056	6.0 x 11.5 x 10.0	0.8	10563	12563	750	14563	1000	18563	750
310				nm ± 0.05 mm; C-TOL.		730	14303	1000	10000	730
	0.0010	7.5 mm ± 0.4 mm, u	t = 0.30 II	50102	52102		54102		38102	
	0.0010			50122	52102		54122		38122	
	0.0012			50152	52152		54152		38152	
	0.0013			50182	52132		54182		38182	
	0.0018			50222	52102		54222		38222	
	0.0022			50272	52272		54272		38272	
	0.0027				52332		54332		38332	
	0.0033			50332 50392	52332 52392		54332 54392		38392	
	0.0047	4.0 x 9.0 x 10.0	0.45	50472	52472	1500	54472	1000	38472	1250
	0.0056			50562	52562		54562		38562	
	0.0068			50682	52682		54682		38682	
	0.0082			50822	52822		54822		38822	
	0.010			50103	52103		54103		38103	
	0.012			50123	52123		54123		38123	
	0.015			50153	52153		54153		38153	
	0.018			50183	52183		54183		38183	
	0.022			50223	52223		54223		38223	
	0.027			50273	52273		54273		38273	
	0.033	5.0 x 10.5 x 10.0	0.6	50333	52333	1000	54333	1250	38333	1000
	0.039	2.0 % 10.0 % 10.0		50393	52393		54393	00	38393	
	0.047	6.0 x 11.5 x 10.0	0.8	50473	52473	750	54473	1000	38473	750
	0.056	3.0 X 11.0 X 10.0	0.0	50563	52563	, 50	54563	1.000	38563	. 50

[•] SPQ = Standard Packing Quantity

 $^{^{(1)}}$ H = in-tape height; P_0 = sprocket hole distance; for detailed specifications refer to packaging information

⁽²⁾ Weight for short lead product only



,						COMMA	ACK (1)	LARGE						
U _{RAC}	CAP.	DIMENSIONS wxhxl	MASS		LOOSE IN	вох			AMMOPACK (1)		(500 mm) ⁽¹⁾⁽²			
(V)	(μ F)	(mm)	(g) ⁽³⁾		LEADS		LONG LEA	DS	H = 18.9 P ₀ = 12.		H = 18. P ₀ = 15.			
				I _t = 3.5 mm + 1 mm/- 0.5 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	I _t = 25.0 mm ± 2.0 mm	SPQ		SPQ		SPQ		
	PITCH	= 10.0 mm ± 0.4 m	ım; d _t = (0.60 mm ± 0.06 mm	; C-TOL. = ±	20 %								
	0.0010			21102	23102		25102		27102					
	0.0015			21152	23152		25152		27152					
	0.0022			21222	23222		25222		27222					
	0.0033			21332	23332		25332		27332					
	0.0047			21472	23472		25472		27472					
	0.0068	4.0 x 10.0 x 12.5	0.6	21682	23682	1000	25682	1250	27682	950	-	-		
	0.010			21103	23103		25103		27103					
	0.015			21153	23153		25153		27153					
	0.022			21223	23223		25223		27223					
	0.033			21333	23333		25333		27333					
	0.047			21473	23473		25473		27473					
•	0.068 5.0 x 11.0 x 12.5	0.82	21683	23683	1000	25683	1000	27683	750	-	-			
ļ	0.100	6.0 x 12.0 x 12.5	1.1	20104	22104	750	24104	750	28104	600	26104	1500		
ļ	PITCH = 10.0 mm ± 0.4 mm; d _t = 0.60 mm ± 0.06 mm; C-TOL. = ± 10 %													
	0.0010			11102	13102		15102		17102					
	0.0012	:		11122	13122		15122		17122					
	0.0015			11152	13152		15152		17152					
	0.0018					11182	13182		15182		17182			
	0.0022			11222	13222		15222		17222					
310	0.0027			11272	13272		15272		17272					
	0.0033			11332	13332		15332		17332					
	0.0039			11392	13392		15392		17392					
	0.0047			11472	13472		15472		17472					
	0.0056			11562	13562		15562		17562					
	0.0068	4.0 x 10.0 x 12.5	0.6	11682	13682	1000	15682	1250	17682	950	_	_		
	0.0082			11822	13822		15822		17822					
	0.010			11103	13103		15103		17103					
	0.012			11123	13123		15123		17123					
	0.015			11153	13153		15153		17153					
	0.018			11183	13183		15183		17183					
	0.022			11223	13223		15223		17223					
	0.027			11273	13273		15273		17273					
	0.033			11333	13333		15333		17333					
	0.039			11393	13393		15393		17393					
	0.039			11473	13473		15473		17473					
	0.047			11563	13563		15563		17563			_		
	0.068	5.0 x 11.0 x 12.5	0.82	10683	12683	1000	14683	1000	18683	750	16683	1900		
ļ	0.000			10000	12000		14000		10000		10003	1900		
	0.082			10823	12823		14823		18823		16823			



Vishay BCcomponents

ELE	CTRIC	AL DATA ANI	ORD	ERING INFORI	MATION -	PITC	H: 10 mm					
				С	ATALOG NU	MBER	BFC2 339 XXX	(XX AN	ID PACKA	GING		
U _{RAC}	CAP.	DIMENSIONS	MASS		LOOSE IN	вох			АММОР	ACK ⁽¹⁾	(500 mm) (1)(2)	
(V)	(μF)	w x h x l (mm)	(g) ⁽³⁾	SHORT	LEADS		LONG LEA	DS	H = 18.9 P ₀ = 12.		H = 18.5 P ₀ = 15.	
				I _t = 3.5 mm + 1 mm/- 0.5 mm	I _t = 5.0 mm ± 1.0 mm	SPQ	I _t = 25.0 mm ± 2.0 mm	SPQ		SPQ		SPQ
	PITCH	= 10.0 mm ± 0.4 m	m; d _t = 0	0.60 mm ± 0.06 mm	; C-TOL. = ±	5 %				•		
	0.0010			51102	53102		55102		48102			
	0.0012			51122	53122		55122		48122			
	0.0015			51152	53152		55152		48152			
	0.0018			51182	53182		55182		48182			
	0.0022			51222	53222		55222		48222			
	0.0027			51272	53272		55272		48272			
	0.0033			51332	53332		55332		48332			
	0.0039			51392	53392		55392		48392			
	0.0047			51472	53472		55472		48472			
	0.0056			51562	53562		55562		48562			
	0.0068	4.0 x 10.0 x 12.5	0.6	51682	53682	1000	55682	1250	48682	950	-	
310	0.0082			51822	53822		55822		48822			
	0.010			51103	53103		55103		48103			
	0.012			51123	53123		55123		48123			
	0.015			51153	53153		55153		48153			
	0.018			51183	53183		55183		48183			
	0.022			51223	53223		55223		48223			
	0.027			51273	53273		55273		48273			
	0.033			51333	53333		55333		48333			
	0.039			51393	53393		55393		48393			
	0.047			51473	53473		55473		48473			
	0.056	5.0 x 11.0 x 12.5	0.82	51563	53563	1000	55563	1000	48563	750	46563	1900
	0.068	3.0 X 11.0 X 12.5	0.62	50683	52683	1000	54683	1000	38683	/50	36683	1900
	0.082	6.0 x 12.0 x 12.5	1.1	50823	52823	750	54823	750	38823	600	36823	1500

- SPQ = Standard Packing Quantity
- $^{(1)}$ H = in-tape height; P_0 = sprocket hole distance; for detailed specifications refer to packaging information
- (2) Reel diameter = 356 mm is available on request
- (3) Weight for short lead product only



				CA	TALOG NUMBE	R BFC2	339 XXXXX ANL	PACKA		
U _{RAC}	CAP.	DIMENSIONS	MASS		LOOSE	IN BOX	<u> </u>		LARGE (500 mn	
(V)	(µF)	w x h x l (mm)	(g) ⁽³⁾	SHO	ORT LEADS		LONG LEA	DS	$H = 18.5$ $P_0 = 12.5$	
				l _t = 3.5 mm ± 0.3 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	l _t = 25.0 mm ± 2.0 mm	SPQ		SPQ
	PITCH	= 15 mm ± 0.4 mm; d _t =	0.60 mm	± 0.06 mm; C-T0	DL. = ± 20 %					
	0.010			90001	90007		90014		90021	
	0.015			90002	90008		90015		90022	
	0.022			90003	90009		90016		90023	
	0.033	5.0 x 11.0 x 17.5	1	90004	90011	1250	90017	1000	90024	110
	0.047			90005	90012		90018		90025	
	0.068			90006	90013		90019		90026	
	0.10			21104	23104		25104		27104	
	0.15	6.0 x 12.0 x 17.5	1.4	20154	22154	1000	24154	1000	26154	900
	PITCH	= 15 mm ± 0.4 mm; d _t =	0.80 mm :	± 0.08 mm; C-TC	DL. = ± 20 %			•		
	0.22	7.0 x 13.5 x 17.5	1.8	20224	22224	750	24224	500	26224	800
	0.33	8.5 x 15.0 x 17.5	2.4	20334	22334	750	24334	500	26334	650
		10.0 x 16.5 x 17.5	3.0	20474	22474	500	24474	450	26474	600
	0.47	8.5 x 17.5 x 18.0	3.1	90165	90166	300	90143	500	-	-
-	0.56	11.0 x 18.5 x 18.0	4.3	90174	90175	225	90176	350	-	 -
	0.68	11.0 x 18.5 x 18.0	5.5	90168	90169	225	90145	350	-	-
	PITCH	= 15 mm ± 0.4 mm; d _t =	0.60 mm :	± 0.06 mm; C-T0	DL. = ± 10 %					
	0.010	-		90027	90039		90052		90064	
	0.012			90028	90041		90053		90065	
	0.015			90029	90042		90054		90066	
310	0.018			90031	90043		90055		90067	
	0.022			90032	90044		90056		90068	
	0.027			90033	90045		90057		90069	
	0.033	5.0 x 11.0 x 17.5	1.0	90034	90046	1250	90058	1000	90071	110
	0.039			90035	90047	.200	90059		90072	
	0.047			90036	90048		90061		90073	
	0.056			90037	90049		90062		90074	
	0.068			11683	13683		15683		17683	
	0.082			11823	13823		15823		17823	
	0.100									
				11104	13104		15104		17104	
	0.12	6.0 x 12.0 x 17.5	1.4	10124	12124	1000	14124	1000	16124	900
	0.15			10154	12154		14154		16154	
		= 15 mm ± 0.4 mm; d _t =	0.80 mm :		I	<u> </u>	11101	1	10101	т —
	0.18	7.0 x 13.5 x 17.5	1.8	10184	12184	750	14184	500	16184	800
	0.22			10224	12224		14224	ļ	16224	<u> </u>
	0.27	8.5 x 15.0 x 17.5	2.4	10274	12274	750	14274	500	16274	650
	0.33			10334	12334		14334		16334	
	0.39	10.0 x 16.5 x 17.5	3.0	10394	12394	500	14394	450	16394	600
	0.47			10474	12474	- 50	14474		16474	
	0.56	11.0 x 18.5 x 18.0	4.3	90167	90157	225	90144	400	_	-

ELE	ELECTRICAL DATA AND ORDERING INFORMATION - PITCH: 15 mm										
				CA	TALOG NUMBI	R BFC2	339 XXXXX AND	PACKA	GING		
U _{RAC}	CAP.	DIMENSIONS	MASS		LOOSE	IN BOX	T		LARGE (500 mm		
(V)	(μF)	w x h x l (mm)	(g) ⁽³⁾	SHO	ORT LEADS	LONG LEA	H = 18.5 mm P ₀ = 12.7 mm				
				I _t = 3.5 mm ± 0.3 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	l _t = 25.0 mm ± 2.0 mm	SPQ		SPQ	
	PITCH	= 15 mm ± 0.4 mm; d _t =	0.60 mm :	± 0.06 mm; C-T0	OL. = ± 5 %						
	0.010			90221	90232		90243		90254		
	0.012			90222	90233		90244		90255		
	0.015			90223	90234		90245		90256		
	0.018			90224	90235		90246		90257		
	0.022			90225	90236		90247		90258		
	0.027			90226	90237		90248		90259		
	0.033	5.0 x 11.0 x 17.5	1.0	90227	90238	1250	90249	1000	90261	1100	
	0.039			90228	90239		90251		90262		
	0.047			90229	90241		90252		90263		
310	0.056			90231	90242		90253		90264		
310	0.068			51683	53683		55683		46683		
	0.082			51823	53823		55823		46823		
	0.10			50104	52104		54104		36104		
	0.12	6.0 x 12.0 x 17.5	1.4	50124	52124	1000	54124	1000	36124	900	
	0.15	0.0 X 12.0 X 17.3	1.4	50154	52154	1000	54154	1000	36154	900	
	PITCH	= 15 mm ± 0.4 mm; d _t =	0.80 mm :	± 0.08 mm; C-T0	OL. = ± 5 %						
	0.18	7.0 x 13.5 x 17.5	1.8	50184	52184	750	54184	500	36184	800	
	0.22			50224	52224		54224		36224		
	0.27	8.5 x 15.0 x 17.5	2.4	50274	52274	750	54274	500	36274	650	
	0.33			50334	52334		54334		36334		
	0.39	10.0 x 16.5 x 17.5	3.0	50394	52394	500	54394	450	36394	600	

- SPQ = Standard Packing Quantity
- $^{(1)}$ H = in-tape height; P_0 = sprocket hole distance; for detailed specifications refer to packaging information
- (2) Reel diameter = 356 mm is available on request
- (3) Weight for short lead product only

ELEC	CTRIC	AL DATA AND OF	RDERING	G INFORMAT	TION - PITC	H: 22.	5 mm				
				CA	ATALOG NUMBI	ER BFC2	339 XXXXX AND	PACKA	GING		
	CAP.	DIMENSIONS	MASS		LOOSE IN BOX						
U _{RAC} (V)	(μF)	w x h x l (mm)	(g) ⁽³⁾	SHO	ORT LEADS	LONG LEA	os	H = 18.5 mm P ₀ = 12.7 mm			
				l _t = 3.5 mm ± 0.3 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	I _t = 25.0 mm ± 2.0 mm	SPQ		SPQ	
	PITCH = 22.5 mm ± 0.4 mm; d _t = 0.80 mm ± 0.08 mm; C-TOL. = ± 20 %										
	0.15			21154	23154		25154		27154		
	0.22	6.0 x 15.5 x 26.0	2.4	21224	23224	300	25224	250	27224	600	
310	0.33			21334	23334		25334		27334		
310	0.47	7.0 x 16.5 x 26.0	2.9	21474	23474	200	25474	250	27474	500	
	0.68	8.5 x 18.0 x 26.0	3.8	20684	22684	200	24684	250	26684	450	
	1.0	10.0 x 19.5 x 26.0	6.8	20105	22105	200	24105	200	26105	350	
	1.5	12.5 x 22.5 x 26.5	10	90103	90138	140	90139	400	90141	300	



Vishay BCcomponents

ELEC	CTRIC	AL DATA AND OF	RDERING	G INFORMAT	TION - PITCI	H: 22.	5 mm			
				CA	ATALOG NUMBE	R BFC2	339 XXXXX AND	PACKA		
	040	DIMENSIONS			LOOSE	IN BOX	(LARGE (500 mn	
U _{RAC} (V)	CAP. (µF)	w x h x l (mm)	MASS (g) ⁽³⁾	SHO	ORT LEADS		LONG LEA	DS	H = 18.5 mm P ₀ = 12.7 mm	
				I _t = 3.5 mm ± 0.3 mm	l _t = 5.0 mm ± 1.0 mm	SPQ	I _t = 25.0 mm ± 2.0 mm	SPQ		SPQ
	PITCH	H = 22.5 mm ± 0.4 mm;	d _t = 0.80 m	m ± 0.08 mm; C	-TOL. = ± 10 %	ı	1	1		
	0.12			11124	13124		15124		17124	
	0.15			11154	13154		15154		17154	
	0.18	0.0 45.5 00.0	0.4	11184	13184	000	15184	050	17184	000
	0.22	6.0 x 15.5 x 26.0	2.4	11224	13224	300	15224	250	17224	600
	0.27			11274	13274		15274		17274	
	0.33			11334	13334		15334		17334	
	0.33	8.5 x 14.0 x 26.5	3.6	-	-	-	75334	800	-	-
	0.39	7010.500.0	0.0	11394	13394	000	15394	050	17394	500
	0.47	7.0 x 16.5 x 26.0	2.9	11474	13474	200	15474	250	17474	500
	0.47	8.5 x 14.0 x 26.5	3.6	-	-	-	75474	800	-	-
	0.56	8.5 x 18.0 x 26.0	3.8	10564	12564	200	14564	250	16564	450
	0.68	10.0 x 19.5 x 26.0	6.8	10684	12684	200	14684	200	16684	350
310	0.82	10.0 X 19.5 X 26.0	0.6	10824	12824	200	14824	200	16824	350
310	1.0	12.0 x 22.0 x 26.0	7.8	10105	12105	150	14105	200	16105	300
	PITCH	H = 22.5 mm ± 0.4 mm;	d _t = 0.80 m	nm ± 0.08 mm; C	-TOL. = ± 5 %					
	0.12			51124	53124		55124		46124	
	0.15			51154	53154		55154		46154	
	0.18	6.0 x 15.5 x 26.0	2.4	51184	53184	300	55184	250	46184	600
	0.22			51224	53224		55224		46224	
	0.27			51274	53274		55274		46274	
	0.33	7.0 x 16.5 x 26.0	2.9	51334	53334	200	55334	250	46334	500
	0.39	7.0 X 10.5 X 20.0	2.9	51394	53394	200	55394	250	46394	300
	0.47	9.5 v 19.0 v 26.0	3.8	51474	53474	200	55474	250	46474	450
	0.56	8.5 x 18.0 x 26.0	3.6	50564	52564	200	54564	230	36564	430
	0.68	10.0 x 19.5 x 26.0	6.0	50684	52684	200	54684	200	36684	350
	0.82	10.0 X 19.3 X 20.0	6.8	50824	52824	52824	54824	200	36824	330
	1.0	12.0 x 22.0 x 26.0	7.8	50105	52105	150	54105	200	36105	300

[•] SPQ = Standard Packing Quantity

 $^{^{(1)}}$ H = in-tape height; P_0 = sprocket hole distance; for detailed specifications refer to packaging information

⁽²⁾ Reel diameter = 356 mm is available on request

⁽³⁾ Weight for short lead product only



ELE	CTRIC	CAL DATA AND	ORDE	RING INFORMATIO	N - PITCH: 27.5 m	ım		
				CATALO	G NUMBER BFC2 339 X	(XXX A	ND PACKAGING	
URAC	CAP.	DIMENSIONS wxhxl	MASS		LOOSE IN B	ОХ		
(V)	(μ F)	(mm)	(g) ⁽¹⁾		ORT LEADS	1	LONG LEADS	1
				I _t = 3.5 mm ± 0.3 mm	I _t = 5.0 mm ± 1.0 mm	SPQ	I _t = 25.0 mm ± 2.0 mm	SPQ
	PITCI	H = 27.5 mm ± 0.4 m	m; d _t = 0.	80 mm ± 0.08 mm; C-TOL	= ± 20 %	1		1
	0.47	9.0 x 19.0 x 31.5	5.5	90076	90078	100	90081	150
	0.68	9.0 X 19.0 X 31.3	5.5	21684	23684	100	25684	130
	1.0	11.0 x 21.0 x 31.0	7.4	21105	23105	100	25105	125
	1.5	13.0 x 23.0 x 31.0	9.2	20155	22155	100	24155	125
	2.2	15.0 x 25.0 x 31.5	12.3	20225	22225	100	24225	125
	3.3	18.0 x 28.0 x 31.5	16.1	20335	22335	100	24335	100
	4.7	21.0 x 31.0 x 31.0	20.3	20475	22475	50	24475	75
	PITCI	H = 27.5 mm ± 0.4 m	m; d _t = 0.	80 mm ± 0.08 mm; C-TOL	= ± 10 %			
	0.68	9.0 x 19.0 x 31.5	5.5	11684	13684	100	15684	150
	0.82			11824	13824		15824	
	1.0	11.0 x 21.0 x 31.0	7.4	11105	13105	100	15105	125
	1.2			10125	12125		14125	
	1.5	13.0 x 23.0 x 31.0	9.2	10155	12155	100	14155	125
310	1.8	15.0 × 05.0 × 01.5	10.0	10185	12185	100	14185	105
	2.2	15.0 x 25.0 x 31.5	12.3	10225	12225	100	14225	125
	2.7	18.0 x 28.0 x 31.5	16.1	10275	12275	100	14275	100
	3.3	21.0 x 31.0 x 31.0	20.3	10335	12335	50	14335	75
	3.9	21.0 x 31.0 x 31.0	20.3	10395	12395	50	14395	/3
	PITCI	H = 27.5 mm ± 0.4 m	m; d _t = 0.	80 mm ± 0.08 mm; C-TOL	= ± 5 %			
	0.68	9.0 x 19.0 x 31.5	5.5	51684	53684	100	55684	150
	0.82			51824	53824		55824	
	1.0	11.0 x 21.0 x 31.0	7.4	51105	53105	100	55105	125
	1.2	10.0 00.0 01.0	0.0	50125	52125	400	54125	405
	1.5	13.0 x 23.0 x 31.0	9.2	50155	52155	100	54155	125
	1.8	15.0 x 25.0 x 31.5	12.3	50185	52185	100	54185	125
	2.2	10 0 v 00 0 v 01 5	16.1	50225	52225	100	54225	100
	2.7	18.0 x 28.0 x 31.5	16.1	50275	52275	100	54275	100
	3.3	21.0 x 31.0 x 31.0	20.3	50335	52335	50	54335	75

[•] SPQ = Standard Packing Quantity

⁽¹⁾ Weight for short lead product only



Vishay BCcomponents

APPROVALS										
SAFETY APPROVALS X2	VOLTAGE	VALUE	FILE NUMBERS	LINK						
EN 60384-14 (ENEC) (= IEC 60384-14 ed-4 (2013))	310 V _{AC}	1 nF to 4.7 μF	ENEC16/FI/21/01054/A2	www.vishay.com/doc?28179						
UL 60384-14	310 V _{AC}	1 nF to 4.7 μF	E354331	www.vishay.com/doc?28184						
CSA-E384-14	310 V _{AC}	1 nF to 4.7 μF	E354331	www.vishay.com/doc?28184						
CQC	310 V _{AC}	1 nF to 4.7 μF	CQC 07001021281 (L)	www.vishay.com/doc?28180						
CQC	310 VAC	Τ τιν το 4.7 μι	CQC 06001018290 (F)	www.vishay.com/doc?28181						
CB test certificate	310 V _{AC}	1 nF to 4.7 μF	FI-39827/A1	www.vishay.com/doc?28175						

The ENEC-approval together with the CB-certificate replace all national marks of the following countries (they have already signed the ENEC-agreement): Austria; Belgium; Czech. Republic; Denmark; Finland; France; Germany; Greece; Hungary; Ireland; Italy; Luxembourg; Netherlands; Norway; Portugal; Slovenian; Spain; Sweden; Switzerland and United Kingdom.







MOUNTING

Normal Use

The capacitors are designed for mounting on printed circuit boards. The capacitors packed in bandoliers are designed for mounting in printed-circuit boards by means of automatic insertion machines.

For detailed tape specifications refer to "Packaging Information" www.vishay.com/doc?28139 or end of catalog.

Specific Method of Mounting to Withstand Vibration and Shock

In order to withstand vibration and shock tests, it must be insured that the stand-off pips are in good contact with the printed-circuit board:


- For pitches ≤ 15 mm capacitors shall be mechanically fixed by the leads.
- For larger pitches the capacitors shall be mounted in the same way and the body clamped.

Space Requirements on Printed Circuit-Board

The maximum space for length (I_{max.}), width (w_{max.}), and height (h_{max.}) of film capacitors to take in account on the printed circuit board is shown in the drawings:

- For products with pitch \leq 15 mm, $\Delta w = \Delta l = 0.3$ mm, $\Delta h = 0.1$ mm
- For products with 15 mm < pitch \leq 27.5 mm, $\Delta w = \Delta l = 0.5$ mm, $\Delta h = 0.1$ mm

Eccentricity defined as in drawing. The maximum eccentricity is smaller than or equal to the lead diameter of the product concerned.



SOLDERING

For general soldering conditions and wave soldering profile, we refer to the application note: "Soldering Guidelines for Film Capacitors": www.vishay.com/doc?28171

Storage Temperature


 T_{stg} = -25 °C to +35 °C, RH maximum 75 % without condensation

Ratings and Characteristics Reference Conditions


Unless otherwise specified, all electrical values apply to an ambient temperature of 23 °C \pm 1 °C, an atmospheric pressure of 86 kPa to 106 kPa and a relative humidity of 50 % \pm 2 %.

For reference testing, a conditioning period shall be applied over 96 h \pm 4 h by heating the products in a circulating air oven at the rated temperature and a relative humidity not exceeding 20 %.


CHARACTERISTICS




Capacitance as a function of ambient temperature (typical curve)




Tangent of loss angle as a function of frequency (typical curve)




Maximum RMS current as a function of frequency



Impedance as a function of frequency (typical curve)




Resonant frequency as a function of capacitance (typical curve)



Maximum RMS voltage as a function of frequency





Insulation resistance as a function of ambient temperature (typical curve)

APPLICATION NOTES

- For X2 electromagnetic interference suppression in standard across the line applications (50 Hz / 60 Hz) with a maximum mains voltage of 310 V_{AC}
- For series impedance applications we refer to application note www.vishay.com/doc?28153
- For capacitors connected in parallel, normally the proof voltage and possibly the rated voltage must be reduced. For information depending of the capacitance value and the number of parallel connections contact: rfi@vishav.com
- These capacitors are not intended for continuous pulse application. For these situations capacitors of the AC and pulse programs must be used
- The maximum ambient temperature must not exceed 110 °C (125 °C for less than 1000 h) for C ≤ 470 nF and 110 °C for C > 470 nF
- Rated voltage pulse slope:
 If the pulse voltage is lower than the rated voltage, the values of the specific reference data can be multiplied by 435 V_{DC} and divided by the applied voltage

INSPECTION REQUIREMENTS

General Notes

Sub-clause numbers of tests and performance requirements refer to the "Sectional Specification, publication IEC 60384-14 ed-4 (2013) and Specific Reference Data.

GROUP C INSPECTION REQUIREMENTS			
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS	
SUB-GROUP C1A PART OF SAMPLE OF SUB-GROUP C1			
4.1 Dimensions (detail)		As specified in section "General data" of this specification	
Initial measurements	Capacitance Tangent of loss angle: For C ≤ 1 μF at 10 kHz For C > 1 μF at 1 kHz		
4.3 Robustness of terminations	Tensile: Load 10 N; 10 s Bending: Load 5 N; 4 x 90°	No visible damage	



SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-GROUP C1A PART OF SAMPLE OF SUB-GROUP C1		
4.4 Resistance to soldering heat	No pre-drying Method: 1A Solder bath: 280 °C ± 5 °C Duration: 10 s	
4.19 Component solvent resistance	Isopropylalcohol at room temperature Method: 2 Immersion time: 5 min ± 0.5 min Recovery time: Min. 1 h, max. 2 h	
4.4.2 Final measurements	Visual examination	No visible damage Legible marking
	Capacitance	$ \Delta C/C \le 5$ % of the value measured initially.
	Tangent of loss angle	Increase of $\tan \delta$: ≤ 0.008 for: $C \leq 1$ μF or ≤ 0.005 for: $C > 1$ μF Compared to values measured initially
	Insulation resistance	As specified in section "Insulation Resistance" o this specification
SUB-GROUP C1B PART OF SAMPLE OF SUB-GROUP C1		
Initial measurements	Capacitance Tangent of loss angle: For C ≤ 1 μF at 10 kHz For C > 1 μF at 1 kHz	
4.20 Solvent resistance of the marking	Isopropylalcohol at room temperature Method: 1 Rubbing material: Cotton wool Immersion time: 5 min ± 0.5 min	No visible damage Legible marking
4.6 Rapid change of temperature	θA = -55 °C θB = +110 °C 5 cycles Duration t = 30 min	
4.6.1 Inspection	Visual examination	No visible damage
4.7 Vibration	Mounting: see section "Mounting" of this specification Procedure B4 Frequency range: 10 Hz to 55 Hz Amplitude: 0.75 mm or acceleration 98 m/s² (whichever is less severe) Total duration 6 h	
4.7.2 Final inspection	Visual examination	No visible damage
4.9 Shock	Mounting: see section "Mounting" for more information Pulse shape: half sine Acceleration: 490 m/s² Duration of pulse: 11 ms	



GROUP C INSPECTION REQU SUB-CLAUSE NUMBER AND TEST		PERFORMANCE REQUIREMENTS	
	CONDITIONS	PERFORMANCE REQUIREMENTS	
SUB-GROUP C1B PART OF SAMPLE OF SUB-GROUP C1			
4.9.2 Final measurements	Visual examination	No visible damage	
	Capacitance	$ \Delta C/C \le 5$ % of the value measured initially.	
	Tangent of loss angle	Increase of tan δ : ≤ 0.008 for: $C \leq 1$ μF or ≤ 0.005 for: $C > 1$ μF Compared to values measured initially	
	Insulation resistance	As specified in section "Insulation Resistance" of this specification	
SUB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1B			
4.11 Climatic sequence			
4.11.1 Initial measurements	Capacitance Measured in 4.4.2 and 4.9.2 Tangent of loss angle: Measured initially in C1A and C1B		
4.11.2 Dry heat	Temperature: 110 °C		
4.11.3 Damp heat cyclic Test Db First cycle	Duration: 16 h		
4.11.4 Cold	Temperature: -55 °C		
4.11.5 Damp heat cyclic Test Db remaining cycles	Duration: 2 h		
4.11.6 Final measurements	Visual examination	No visible damage Legible marking	
	Capacitance	$ \Delta C/C \le 5$ % of the value measured in 4.11.1.	
	Tangent of loss angle	Increase of tan δ : ≤ 0.008 for: C ≤ 1 μ F or ≤ 0.005 for: C > 1 μ F Compared to values measured in 4.11.1.	
	Voltage proof 1350 V _{DC} ; 1 min between terminations	No permanent breakdown or flash-over	
	Insulation resistance	≥ 50 % of values specified in section "Insulation Resistance" of this specification	
SUB-GROUP C2			
4.12 Damp heat steady state	56 days; 40 °C; 90 % to 95 % RH no load		
4.12.1 Initial measurements	Capacitance Tangent of loss angle: at 1 kHz		



SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-GROUP C2		
4.12.3 Final measurements	Visual examination	No visible damage
4.12.3 Final measurements	Visual examination	Legible marking
		Logible marking
	Capacitance	$ \Delta C/C \le 5$ % of the value measured in 4.12.1
	Tangent of loss angle	Increase of tan δ :
		\leq 0.008 for: C \leq 1 μ F or
		≤ 0.005 for: C > 1 μF
		Compared to values measured in 4.12.1
	Voltage proof	No permanent breakdown or flash over
	Voltage proof 1350 V _{DC} ; 1 min between terminations	No permanent breakdown or flash-over
	1000 VDC, 1 min between terminations	
	Insulation resistance	≥ 50 % of values specified in section "Insulation
		Resistance" of this specification
SUB-GROUP C3		
4.13.1 Initial measurements	Capacitance	
	Tangent of loss angle:	
	For C ≤ 1 µF at 10 kHz	
	For C > 1 µF at 1 kHz	
4.10 Impulse veltage	2 avecassive improduce full wave made	No colf hapling broated ourse or floods aver
4.13 Impulse voltage	3 successive impulses, full wave, peak voltage:	No self healing breakdowns or flash-over
	X2: 2.5 kV for C ≤ 1 μF	
	X2: 2.5 kV/ \sqrt{C} for C > 1 μ F	
	Max. 24 pulses	
	· · · · · · · · · · · · · · · · · · ·	
4.14 Endurance	Duration: 1000 h	
	1.25 x U _{RAC} at 110 °C	
	Once in every hour the voltage is	
	increased	
	to 1000 V _{RMS} for 0.1 s via resistor of	
	$47 \Omega \pm 5 \%$	
4.14.7 Final measurements	Visual examination	No visible damage
4.14.7 Final measurements	Visual examination	Legible marking
		Legible marking
	Capacitance	$ \Delta C/C \le 10$ % compared to values measured in
		4.13.1
	Tangent of loss angle	Increase of tan δ :
		≤ 0.008 for: C ≤ 1 µF or
		≤ 0.005 for: C > 1 µF
		Compared to values measured in 4.13.1
	Voltage proof	No permanent breakdown or flash-over
	1350 V _{DC} ; 1 min between terminations	130 pormanone broakdown or habit over
	2120 V _{AC} ; 1 min between terminations	
	and case	
	Insulation resistance	≥ 50 % of values specified in section "Insulation
		Resistance" of this specification



GROUP C INSPECTION REQUIREMENTS SUB-CLAUSE NUMBER AND TEST CONDITIONS PERFORMANCE REQUIREMENTS				
SUB-GROUP C4	CONDITIONS	PENFORMANCE REQUIREMENTS		
4.15 Charge and discharge	10 000 cycles charged to 435 V_{DC} Discharge resistance: $R = \frac{435 V_{DC}}{1.25 x C (dU/dt)}$			
4.15.1 Initial measurements	Capacitance Tangent of loss angle: For C ≤ 1 µF at 10 kHz For C > 1 µF at 1 kHz			
4.15.3 Final measurements	Capacitance	$ \Delta C/C \le 10$ % compared to values measured in 4.15.1.		
	Tangent of loss angle	Increase of tan δ : ≤ 0.008 for: $C \leq 1 \mu F$ or ≤ 0.005 for: $C > 1 \mu F$ Compared to values measured in 4.15.1		
	Insulation resistance	≥ 50 % of values specified in section "Insulation Resistance" of this specification		
SUB-GROUP C5				
4.16 Radio frequency characteristic	Resonance frequency	≥ 0.9 times the value as specified in section "Resonant Frequency" of this specification.		
SUB-GROUP C6				
4.17 Passive flammability Class B	Bore of gas jet: Ø 0.5 mm Fuel: butane Test duration for actual volume V in mm³: $V \le 250$: 10 s $250 < V \le 500$: 20 s $500 < V \le 1750$: 30 s V > 1750: 60 s One flame application	After removing test flame from capacitor, the capacitor must not continue to burn for more tha 10 s. No burning particle must drop from the sample.		
SUB-GROUP C7				
4.18 Active flammability	20 cycles of 2.5 kV discharges on the test capacitor connected to U _{RAC}	The cheese cloth around the capacitors shall not burn with a flame. No electrical measurements are required.		



GROUP C INSPECTION REQ SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS	
SUB-GROUP ADD 6	CONDITIONS	PERFORMANCE REQUIREMENTS	
A.6 Endurance	Duration: 1000 h for C \leq 0.47 μ F 500 h for C $>$ 0.47 μ F 1.0 x U _{RAC} at 125 °C		
A.6.1 Initial measurements	Capacitance Tangent of loss angle: for $C \le 1 \mu F$ at 10 kHz for $C > 1 \mu F$ at 1 kHz		
A.6.2 Final measurements	Visual examination	No visible damage Legible marking	
	Capacitance	$ \Delta C/C \le 10$ % of the value measured in A.6.1	
	Tangent of loss angle	Increase of $\tan \delta$: ≤ 0.008 for: $C \leq 1$ μF or ≤ 0.005 for: $C > 1$ μF	
	Insulation resistance.	Compared to values measured in A.6.1 ≥ 50 % of values specified in section "Insulation resistance" of this specification	
SUB-GROUP ADD 7			
A.7 Endurance	Duration: 500 h 0.625 x U _{RDC} at 125 °C		
A.7.1 Initial measurements	Capacitance Tangent of loss angle: for $C \le 1 \mu F$ at 10 kHz for $C > 1 \mu F$ at 1 kHz		
A.7.2 Final measurements	Visual examination	No visible damage Legible marking	
	Capacitance	$ \Delta C/C \le 10$ % of the value measured in A.7.1	
	Tangent of loss angle	Increase of $\tan \delta$: ≤ 0.008 for: $C \leq 1$ μF or ≤ 0.005 for: $C > 1$ μF	
	Insulation resistance	Compared to values measured in A.7.1 ≥ 50 % of values specified in section "Insulation resistance" of this specification	
SUB-GROUP ADD8			
A.8 Damp heat steady state with voltage	RH: 40 %; temp.: 93 °C, voltage: 310 V _{AC} Duration: 21 days		
A.8.1 Initial measurements	Capacitance Tangent of loss angle: at 10 kHz		
A.8.2 Final measurements	Visual examination	No visible damage Legible marking	
	Capacitance	$ \Delta C/C \le 10$ % of the value with initial measurement A.8.1	
	Tangent of loss angle	Increase of tan $\delta \leq 0.024$ Compared to values with initial measurement A.8.	
	Insulation resistance	≥ 50 % of values specified in section "Insulation Resistance" of this specification	



TES	TEST CONDITIONS AND REQUIREMENTS ACCORDING AEC-Q200 REVISION C			
NO.	TEST NAME	REFERENCE	TEST CONDITIONS	PERFORMANCE REQUIREMENTS
1	Pre- and post-stress electrical test	User spec.	-	-
3	High temperature exposure (storage)	MIL-STD 202 method 108	1000 h; 110 °C; unpowered	$\begin{split} \Delta C/C &\leq \pm 5~\%\\ \text{Increase of tan }\delta\\ 0.008~\text{for }C &\leq 1~\mu\text{F at }10~\text{kHz or}\\ 0.005~\text{for }C &> 1~\mu\text{F at }1~\text{kHz}\\ \text{IR} &\geq 50~\%~\text{of initial requirement} \end{split}$
4	Temperature cycling	JESD22 method JA-104	1000 cycles: -55 °C to +110 °C 10 min. dwell time each	$ \Delta C/C \le \pm 5$ % Increase of tan $\delta = 0.008$ at 10 kHz IR ≥ 50 % of initial requirement
6	Moisture resistance	MIL-STD 202 method 106	10 cycles at 24 h/cycle unpowered	$\begin{split} \Delta C/C &\leq \pm 5~\%\\ \text{Increase of tan }\delta\\ 0.008~\text{for }C &\leq 1~\mu\text{F at }10~\text{kHz or}\\ 0.005~\text{for }C &> 1~\mu\text{F at }1~\text{kHz}\\ \text{IR} &\geq 50~\%~\text{of initial requirement} \end{split}$
7	Biased humidity	MIL-STD 202 method 103	1000 h; 40 °C; 93 % RH with U _{RAC}	$ \Delta C/C \le \pm 10$ % Increase of $\tan \delta$ 0.008 for $C \le 1$ μF at 10 kHz or 0.005 for $C > 1$ μF at 1 kHz IR ≥ 50 % of initial requirement
8	Operational life	MIL-STD 202 method 108	T _{amb} = 110 °C; 1000 h; U _{test} = 1 x U _{RAC}	$ \Delta C/C \le \pm 10$ % Increase of $\tan \delta$ 0.008 for $C \le 1$ μF at 10 kHz or 0.005 for $C > 1$ μF at 1 kHz IR ≥ 50 % of initial requirement
11	Terminal strength (leaded)	MIL-STD 202 method 211	Leaded device lead integrity only.	$ \Delta C/C \le \pm 5$ % Increase of $\tan \delta$ 0.008 for $C \le 1$ μF at 10 kHz or 0.005 for $C > 1$ μF at 1 kHz IR = initial requirement
12	Resistance to solvents	MIL-STD 202 method 215		No visual damage Legible marking
13	Mechanical shock	MIL-STD 202 method 213	Figure a of method 213, condition C	No visual damage
14	Vibration	MIL-STD 202 method 204	5 g's for 20 min; 12 cycles, 3 orientations	No visual damage
15	Resistance to soldering heat	MIL-STD 202 method 210	260 °C; 10 s	$ \Delta C/C \le \pm 5$ % Increase of tan δ 0.008 for C \le 1 μ F at 10 kHz or 0.005 for C $>$ 1 μ F at 1 kHz IR = initial requirement
18	Solderability	J-STD-002	235 °C / 5 s	Good tinning as evidence by free flowing of the solder with wetting of terminations > 95 %
19	Electrical characterization	User spec.	-	-
20	Flammability	UL 94	Electrical test not required	Maximum permitted burning time < 10 s



Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.