



บริษัท ปิโตรนาส อินเตอร์เนชันแนล มาร์เก็ตติ้ง (ประเทศไทย) จำกัด
2 อาคารจัสมิน ซิตี ชั้น 26 ซอยประสานมิตร (สุขุมวิท 23) ถนน สุขุมวิท
แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพฯ 10110
เบอร์โทรศัพท์ 02-663-5881-5

Certificate of analysis

QO-24001943

Quarantine order : QO-24001943

Purchase number	: PO2401-010	Customer name	: บริษัท ปิโตรนาส อินเตอร์เนชันแนล มาร์เก็ตติ้ง (ประเทศไทย) จำกัด
Tank number	: X21	Reported date	: 22/01/2024
Product/Material name	: PETRONAS GEAR MEP 220	Tested date	: 19/01/2024
Batch No.	: FL-2404011	Received date	: 19/01/2024

No.	Test item	Test method	Specification	Result	Unit
1	*Appearance	Visual	Bright & Clear	Bright & Clear	-
2	Density @15C	ASTM D4052	0.8700 – 0.9500	0.8902	g/cm3
3	Density @30C	ASTM D4052	Report	0.8808	g/cm3
4	Kinematic Viscosity @40C	ASTM D445	202.40 – 237.60	224.70	mm2/s
5	Kinematic Viscosity @100C	ASTM D445	Report	19.67	mm2/s
6	Viscosity Index	ASTM D2270	Report	97	-
7	Infrared Spectrum	FTIR	Matches	Matches	-
8	Demulsibility @54C ml/ml/ml (min)	ASTM D1401	45 Max	20	Minutes
9	Foaming : Seq.I @24C, Tendency	ASTM D892	25 Max	0	Milliliter
10	Foaming : Seq.I @22C, Stability	ASTM D892	0 Max	0	Milliliter