




G215HAN01.200

Reflector EC Notice

AUO Display Plus

2025-10-2

G215HAN01.200 Reflector EC Notice


Purpose

- Because the Toray TCJ18N raw material has been EOL , ADP suggest to change reflector from Toray TCJ 18N to E6DY-188.

Changes

- Reflector : Toray TCJ 18N EC to Toray E6DY-188

Verification Schedule



- Verification sample will be available in Oct.-2025
- RA result : Nov.-2025
- Customer Approval : Dec.-2025
- Phase in : Jan.-2026


RA Report-1

Optical Test : PASS

Optical Measurement Report													
Originator	yongde		Model/PCS		G215HAN01.2/5pcs					Date	2025/9/28		
Test Condition	Lum.,CR,Chromaticity,Uniformity,Gary Scale,V-T,View Angle,RT,CrossTalk,												
Test System	Detector	Inverter			DC Voltage					Warm up time			
FPM-520-1	SR-UL1R	NA			12V					30 min			
【Test Reason】													
G215HAN01.2 反射片 E6DY-188 RA													
【Judgement】													
PASS													
Test Items	unit	PSS			23.6°C	23.6°C	23.6°C	23.6°C	23.6°C	-4σ	mean	+4σ	
					SAS8WG4SHZZP501	SAS8WG4SNZZP501	FSAS8TQ0GKZZP501	SAS8W301RZZP501	SAS8WG4SKZZP501				
		min	typ	max	S0300759B000E002E	S0300759B000E002E	S0300759B000E002E	S0300759B000E002E	S0300759B000E002E				
Center Brightness	cd/m ²	280	350		419.5	405.9	410.1	415.0	416.2	391.917	413.3	434.763	
Darkness (L0)					0.37	0.36	0.38	0.37	0.37	0.340	0.37	0.396	
Contrast Ratio(CR)	---	800	1000		1147.7	1127.2	1083.2	1117.7	1139.3	1022.858	1123.0	1223.207	
Brightness(5P Ave.)	cd/m ²				403.0	386.8	389.6	392.4	393.8	368.507	393.1	417.693	
Chromaticity													
	Wx	---	0.283	0.313	0.343	0.312	0.313	0.313	0.316	0.313	0.307	0.313	0.320
	Wy	---	0.299	0.329	0.359	0.326	0.324	0.328	0.329	0.327	0.320	0.327	0.334
	Rx	---		TBD	-	0.647	0.646	0.647	0.646	0.647	0.644	0.647	0.649
	Ry	---		TBD	-	0.334	0.334	0.334	0.335	0.334	0.334	0.334	0.335
	Gx	---		TBD	-	0.312	0.313	0.313	0.314	0.313	0.311	0.313	0.315
	Gy	---		TBD	-	0.613	0.613	0.613	0.613	0.613	0.612	0.613	0.614
	Bx	---		TBD	-	0.150	0.150	0.150	0.150	0.150	0.149	0.150	0.151
	By	---		TBD	-	0.060	0.060	0.062	0.059	0.061	0.056	0.060	0.065
	NTSC	%		73		72.7	72.5	72.5	72.6	72.6	72.144	72.588	73.033
	CCT	---				6571	6553	6484	6329	6510	6105.638	6489.402	6873.166
Uniformity													
	5P					1.101	1.090	1.109	1.115	1.112	1.065	1.105	1.146
	9P	White		1.250	1.333	1.249	1.243	1.207	1.241	1.225	1.165	1.233	1.302
	13P					1.250	1.244	1.207	1.243	1.225	1.164	1.234	1.304
Gray Scale													
	GL(4)	%		0.01		0.11	0.12	0.12	0.11	0.11	0.104	0.116	0.128
	GL(64)	%	2.39	4.78	9.54	5.27	5.23	4.90	4.23	5.26	3.196	4.977	6.759
	GL(128)	%	15.55	21.95	30.98	23.38	22.64	22.09	19.82	23.22	16.479	22.230	27.982
	GL(192)	%	46.48	53.56	61.73	56.33	55.15	54.47	51.50	55.71	47.107	54.631	62.154
	GL(252)	%		97.43		97.65	97.55	97.53	96.84	97.54	96.094	97.424	98.755

RA Report-2

- RA result will be provided on I I/M.



Tap Into The Possibilities