




G240UAN01.2 Engineering Change Request

GDBU

30th MAR.Y23

AUO Display Plus Engineering Change Request

➤ Engineering Change item

Item	Reflector
As is	TCJ18N
To Be	EST188P

Because the Toray TCJ18N raw material has been EOL , ADP suggest to change reflector from TorayTCJ18N to EST188P

➤ Material Comparison

	As is	To be
Thickness(mm)	0.233	0.228
Front side optics	100%	←
Rear side optics (sensor hole)	100%	135%
Friction test	PASS	←
Stress test (500g & 1000g)	PASS	←

AUO Display Plus Engineering Change Request

➤ Optics→PASS

Optical Measurement Report						
Originator	chongfeng		Model/PCS	G240UAN01.2/5pcs		Date2023/3/28
Test Condition	Lum.,CR,Chromaticity,Uniformity,Gary Scale,V-T,View Angle,RT,CrossTalk,Flicker					
Test System	Detector		Inverter	DC Voltage		Warm up time
FPM-520-1	SR-UL1R	NA		24V		30 min

【Test Reason】

G240UAN01.2 長陽反射片驗證

【Judgement】

PASS

Test Items	unit	PSS			23.5°C	23.5°C	23.5°C	23.5°C	23.5°C	-4σ	mean	+4σ
					2023/3/27 下午 09:16:55	2023/3/27 下午 09:51:56	2023/3/27 下午 10:47:40	2023/3/27 下午 11:32:47	2023/3/28 上午 0:35:00			
					2D2ACB401AZZS0100	2D2ACB401AZZS0100	2D2ACB402HZZS0100	2D2ACB402CZZS0100	2D3A1382ELZZS0100			
		min	typ	max								
Center Brightness	cd/m ²	320	400		412.8	376.3	404.6	411.0	399.7	342.007	400.9	459.717
Darkness (L0)					0.21	0.21	0.22	0.22	0.21	0.195	0.21	0.230
Contrast Ratio(CR)	---	1260	1800		1950.6	1778.0	1880.8	1887.4	1939.3	1613.760	1887.2	2160.652
Brightness(9 P Ave.)	cd/m ²				397.6	373.0	398.6	405.3	389.1	342.909	392.7	442.542
Chromaticity												
Wx	---	0.283	0.313	0.343	0.311	0.314	0.310	0.313	0.321	0.296	0.314	0.332
Wy	---	0.299	0.329	0.359	0.331	0.325	0.329	0.330	0.338	0.312	0.331	0.350
Rx	---	0.657	0.687	0.717	0.689	0.689	0.689	0.688	0.689	0.688	0.689	0.689
Ry	---	0.278	0.308	0.338	0.309	0.309	0.310	0.310	0.309	0.309	0.309	0.310
Gx	---	0.180	0.210	0.240	0.212	0.212	0.213	0.213	0.213	0.210	0.212	0.215
Gy	---	0.700	0.730	0.760	0.731	0.731	0.731	0.732	0.731	0.731	0.731	0.732
Bx	---	0.118	0.148	0.178	0.150	0.150	0.150	0.150	0.150	0.149	0.150	0.151
By	---	0.026	0.056	0.086	0.060	0.057	0.058	0.057	0.061	0.051	0.058	0.065
Adobe	---		99		100.0%	99.9%	99.8%	99.8%	99.8%	0.994	0.999	1.003
DCI	---		98		98.8%	98.8%	98.9%	98.9%	98.9%	0.986	0.989	0.992
CCT	---				6590	6467	6638	6504	6015	5449.549	6442.683	7435.818
Uniformity												
	5P				1.063	1.014	1.042	1.043	1.085	0.942	1.049	1.159

EC plan



- Current Plan: EC sample will be shipped on 4/B, ADP looks forward to getting customer agreement by the end of 07/2023 and running the EC phase-in.



Tap Into The Possibilities