

Office: 308, 3rd Floor, Lok Center, Marol Maroshi Road, Marol, Andheri (E), Mumbai-400059.



## **SPECIFICATIONS: TECHNICAL CRUDE NAPHTHALENE**

SL. No.	TEST PARAMETERS	UNIT	TEST METHODS	NAPHTHALENE SPECIFICATIONS
1	Crystallizing Point	°C	IS: 539 - 1974 (Appndx A)	78.5 min
	, ,		GLC Method or as per BRTA	
2	Purity	%w/w	Chart	96.9
3	Moisture Content	%w/w	IS: 539 - 1974 (Appndx B)	0.2 max
4	Ash	%w/w	IS: 539 - 1974 (Appndx C)	0.02 max
	Matter Insoluable in			
5	Benzene	%w/w	IS: 539 - 1974 (Appndx E)	0.1 max
	Non-Volatile Matter At			
6	160°C	%w/w	IS: 539 - 1974 (Appndx F)	0.1 max
			IS 1448 [P:33] -1991	
7	Total Sulphur	%w/w	(Refmd.2003)	0.4 max