



TABLE 2						
ITEM NO.	DESCRIPTION		CONCENTRICITY	MATERIAL	QTY	
1	LC FLANGE		N/A	C3604	1	
2	LC FERRULE SINGLEMODE	DIAM. 0.1250	<=0.5µm	Zro2(SM)	1	
		DIAM. 0.1255				
		DIAM. 0.1260				
	LC FERRULE MULTIMODE	DIAM. 0.1260	<=4µm			
		DIAM. 0.1270				

TABLE 3					
MODE	SINGLEMODE PREMIUM	MULTIMODE PREMIUM			
FERRULE OD (MM)	1.2490 +/-0.0005	1.2490 +/-0.001			
FERRULE ID (MICRON)	125 +1/-0	126 +4/-0			
FERRULE ID CONCENTRICITY (MICRON)	<= 0.5	<= 4			



## NOTE:

- 1. THE SURFACE SHALL NOT HAVE GREASY DIRT, BURR, RUST STRAINS, OR ANY OTHER ADVERSE.
- 2. PRODUCTS USED MUST MEET THE RoHS STANDARD.REQUIREMENTS.
- 3. MATERIAL: SEE TABLE 2.
- 4. TOLERANCES: UNLESS OTHERWISE SPECIFIED
  - INTEGER NUMBER +/-0.50
  - ONE DECIMAL PLACE +/-0.20
  - TWO DECIMAL PLACE +/-0.10
  - ANGULAR +/-1°

7

