APPENDIX W2
SPECIFICATION AND TEST REQUIREMENT FOR WOVEN ITEMS
[PS Section 1.120]

Test Items 項目		Test Method 測試方法	In Direct Contact with Skin 直接接觸皮膚	With No Direct Contact with Skin 非直接接觸皮膚
PH 值 (PH Value)		AATCC81	4.0 - 7.5	4.0 - 9.0
甲醛含量(mg/kg) (Formaldehyde Content)		ISO14184 or GB/T 2912.1	≤ 75ppm	≤ 300ppm
異味 Determination of Odour		SNV 195 651 or GB 18401	Odourless 無異味	Odourless 無異味
可分解芳香胺染料 (AZO Dyes)		EN14362	Not Detected	Not Detected
水洗尺寸變化率(%) (Dimensional Stability to Washing)	領 (Collar) refer Note A	ISO5077 ISO6330	≤ +/-3% (1st & 3rd washes)	≤ +/-3% (1st & 3rd washes)
	胸圍 (Chest)			
	衣長 (Top Length)			
	腰圍 (Waist)			
	褲長 (Skirts/Pants Length)			
耐洗色牢度(面料)(級) (Colour Fastness to Washing(Shell))	變色 (Colour Change)	ISO105-C06	≥ 4	≥ 4
	沾色 (Colour Staining)		≥ 3	≥ 3
耐洗色牢度(里料)(級)	變色 (Colour Change)	ISO105-C06	≥ 3-4	≥ 3-4

Test Items 項目		Test Method 測試方法	In Direct Contact with Skin 直接接觸皮膚	With No Direct Contact with Skin 非直接接觸皮膚
(Colour Fastness to Washing(Lining))	沾色(Colour Staining)		≥ 3	≥ 3
耐摩擦色牢度(面料)(級)	乾(Dry)	ISO105-X12	≥ 4	≥ 4
(Colour Fastness to Rubbing(Shell))	濕(Wet)		≥ 3	≥ 3
耐摩擦色牢度(里料)(級)	乾(Dry)	ISO105-X12	≥ 4	≥ 4
(Colour Fastness to Rubbing(Lining))	濕(Wet)		≥ 3	≥ 3
耐汗漬色牢度(面、里料)(級)	變色(Colour Change)	ISO105-E04	≥ 4	≥ 4
(Colour Fastness to Perspiration (Shell & Lining)) -酸(Acid) & 鹼(Alkaline)	沾色(Colour Staining)		≥ 3-4	≥ 3-4
耐光色牢度(面料)(級) (Colour Fastness to Light(Shell))		AATCC16E (20 hrs) / ISO105-B02 (20 hrs)	≥ 4	≥ 4
耐水色牢度((面、里料)(級)	變色(Colour Change)	ISO105-E01	≥ 4	≥ 4
(Colour Fastness to Water(Shell&Lining))	沾色(Colour Staining)		≥ 3-4	≥ 3-4
洗水後外觀 Appearance after Wash		Visual Assessment	1st & 3 rd washes (no undesirable effect)	1st & 3 rd washes (no undesirable effect)

Test Items 項目	Test Method 測試方法	In Direct Contact with Skin 直接接觸皮膚	With No Direct Contact with Skin 非直接接觸皮膚
耐磨性能 Abrasion	ASTM D4966	10,000 rubs for light weight fabric : below 150g 20,000 rubs for medium weight fabric : 150g - 250g 30,000 rubs for heavy weight fabric : over 250g	
起毛起球性能(級) (Pilling Resistance as Received)	ASTM D3512	≥ 3-4	≥ 3-4

Note A - 只測試立領 (Tested on Stand Collar)

[BLANK PAGE]