

# WAVES AND OPTICS

ATUL SINGH ARORA



Physics Lab III

Dr. Kavita Dorai

Indian Institute of Science Education and Research, Mohali

August-December, 2012



*Every honest researcher I know admits he's just a professional amateur.  
He's doing whatever he's doing for the first time. That makes him an  
amateur. He has sense enough to know that he's going to have a lot of  
trouble, so that makes him a professional.*

— Charles F. Kettering (1876-1958) (Holder of 186 patents)

## ACKNOWLEDGEMENTS

---

I express my sincere gratitude to our instructors, Dr. Kavita Dorai, for guiding us through the course.

I also thank Vivek Sagar (MS11017) for his contribution to this report as my lab-partner, who made the task of performing experiments immensely comfortable and productive at the same time.



## CONTENTS

---

<b>I</b>	<b>EXPERIMENTS</b>	<b>1</b>
<b>1</b>	<b>NEWTON'S RING</b>	<b>3</b>
1.1	Aim	3
1.2	Apparatus	3
1.3	Theory	3
1.4	Observations and Calculations	4
1.5	Result	4
<b>II</b>	<b>THE SHOWCASE</b>	<b>9</b>
	<b>BIBLIOGRAPHY</b>	<b>11</b>

## LIST OF FIGURES

---

Figure 1	Diameter Squared vs Order of Ring	6
Figure 2	Spherical Lens	7
Figure 3	Thin Film Interference	7

## LIST OF TABLES

---

Table 1	Diameter of Newton's Ring	5
Table 2	Measurement of $l$ of spherometer	5

## LISTINGS

---

## ACRONYMS

---

## Part I

### EXPERIMENTS





## NEWTON'S RING

---

August 14 and 21, 2012

### 1.1 AIM

To study the fringes of equal thickness in the Newton's ring setup and hence determine the wave-length of sodium light.

### 1.2 APPARATUS

Sodium vapour lamp, travelling microscope, lens assembly consisting of a plane glass plate and a planoconvex lens, spherometer, magnifying glass, vernier callipers and a tiltable glass plate assembly.

### 1.3 THEORY

Light when shone on a plano-convex lens in contact with a flat glass plate, produces circular successive dark and bright interference fringes, called Newton's rings. The radius of these fringes depends on both the wavelength and the radius of curvature of the lens. The objective of the experiment is to determine the wavelength of light, by experimentally determining the radius of curvature and analysing the fringes.

To derive the basic relationship, let's first consider the geometry of the problem (refer to [Figure 2](#)). For a spherical lens of radius of curvature  $R$ , consider a circle at a distance  $d$  from the bottom plane, with radius  $r$ . Invoking Pythagoras Theorem, we have

$$d = R - (R^2 - r^2)^{1/2} \quad (1)$$

Now let's consider a thin film problem (refer to [Figure 3](#)). Optical path distance can be evaluated as  $n_2(AB + BC) - n_1(AD)$ . Also, from geometry, we have  $AB = BC = \frac{d}{\cos \theta_2}$ . Plus,  $AD = 2d(\tan \theta_2 \sin \theta_1)$ . Therefore from Snell's Law, we can further simplify the optical path difference to  $2n_2d(\frac{1 - \sin^2 \theta_2}{\cos \theta_2})$  which can be rewritten as:

$$2n_2d \cos \theta_2 = m\lambda \quad (2)$$

for constructive interference.

For newton's ring, we can approximate  $\cos \theta_2$  to be 1. Thus we have  $2nt = (m + \frac{1}{2})\lambda$  where  $n = 1$  for air. We therefore get

$$2nt = (m + \frac{1}{2})\lambda \quad (3)$$

for the bright interference,  $m=0,1$ , etc.

We also have  $r_m = (R\lambda m)^{1/2}$  from which we obtain directly a linear relation

$$(D_m)^2 = 4R\lambda m \quad (4)$$

Further, we can use the difference to evaluation  $\lambda$  as follows:

$$\frac{(D_{m+n})^2 - (D_m)^2}{4Rn} = \lambda \quad (5)$$

#### 1.4 OBSERVATIONS AND CALCULATIONS

$h$  was found out to be  $0.25 \text{ mm} = 0.025 \text{ cm}$ .

$l$  was found out to be  $\frac{4.668+3.874}{2} = 4.271 \text{ cm}$ . (For details, refer to [Table 2](#))

Using these,  $R = \frac{l^2}{6h} + \frac{h}{2}$  turns out to be  $121.6211 \text{ cm}$ .

Observations for diameter of the ring are given in [Table 1](#).

Slope of the graph of Diameter Squared,  $D_m^2$  vs Order of Ring,  $m$  was found to be  $0.0291 \text{ cm}$ . ([Figure 1](#))

Using the relation

$$(D_m)^2 = 4R\lambda m \quad (6)$$

$\lambda = 598.16 \pm 3.25\% \text{ nm}$  (where the error is calculated from the standard deviation of the slope).

#### 1.5 RESULT

The expected wavelength of sodium vapour lamp is  $589.5 \text{ nm}$ .

Experimentally, the wavelength,  $\lambda$  was found to be

$598.16 \pm 3.25\% \text{ nm}$  (standard deviation of the slope).

Accuracy error is  $1.5\%$ , within the precision.


ORDER OF DARK RING $m$	LEFT (CM)	RIGHT (CM)
6	5.800	6.260
9	5.755	6.304
12	5.720	6.350
13	5.704	6.360
14	5.700	6.370
15	5.670	6.382
16	5.665	6.400
19	5.650	6.420
23	5.605	6.459
25	5.600	6.467

Table 1: Diameter of Newton's Ring

MAIN SCALE (CM)	VERNIER SCALE DIVISION	READING (CM)
OUTER $l$		
4.6	34	4.668
4.6	35	4.670
4.6	34	4.668
INNER $l$		
3.8	37	3.874
3.8	38	3.876
3.8	37	3.874

Table 2: Measurement of  $l$  of spherometer

## Experiment: Newton's Rings



Slope of Best Fit Line : +0.0213  
Intercept of Best Fit Line : +0.3669

Performed on: August 14, 2012  
Performed by: Vivek Sagar and Atul Singh Arora

Figure 1: Least Square Fit of Diameter Squared vs Order of Ring




Figure 2: Spherical Lens




Figure 3: Thin Film Interference



## Part II

### THE SHOWCASE

You can put some informational part preamble text here. Illo principalmente su nos. Non message *occidental* anglo-romanian da. Debitas effortio simplicate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.





## COLOPHON

This document was typeset using the typographical look-and-feel `classicthesis` developed by André Miede, for  $\text{\LaTeX}$ .  
The style was inspired by Robert Bringhurst's seminal book on typography "*The Elements of Typographic Style*".

The latest version of this document is available online at:

[https://github.com/toAtulArora/IISER\\_repo](https://github.com/toAtulArora/IISER_repo)