

Composite Restoration Steps Checklist

18-step printable checklist for the simulation lab

- ☐ 1. Isolate with rubber dam
- ☐ 2. Clean the cavity, verify caries removal
- ☐ 3. Bevel enamel margins (anterior)
- ☐ 4. Select shade BEFORE isolation (three light sources)
- ☐ 5. Etch / bond per adhesive protocol
- ☐ 6. Incremental placement, max 2mm layers
- ☐ 7. Cure each layer 20s, check depth of cure
- ☐ 8. Contour and occlusal anatomy
- ☐ 9. Finish: discs and strips, interproximal check
- ☐ 10. Polish and fluoride varnish
- ... (18 steps in the full sample)

SAMPLE CONTENT