Gimbal™ SDK for Android Documentation

V 1.15

July 2013

Qualcomm Retail Solutions, Inc.

Qualcomm Retail Solutions, Inc. Confidential and Proprietary

Restricted Distribution: Not to be used, copied, reproduced in whole or in part, nor its contents revealed in any manner to others without the express written permission of Qualcomm Retail Solutions, Inc.

SDK License Agreement: The use of the Gimbal™ SDK is subject to the terms and conditions outlined in the SDK License Agreement available at http://www.gimbal.com/sdk-license/

Qualcomm Retail Solutions, Inc. 5775 Morehouse Drive San Diego, CA 92121-1714 U.S.A.

Gimbal™ SDK for Android Documentation V 1.15 July 2013

QUALCOMM is a registered trademark of QUALCOMM Incorporated in the United States and may be registered in other countries. Other product and brand names may be trademarks or registered trademarks of their respective owners.

This technical data may be subject to U.S. and international export, re-export, or transfer ("export") laws. Diversion contrary to U.S. and international law is strictly prohibited.

Contents

2	1 Introduction	6
3	1.1 Purpose and scope of this document	6
4	1.2 Who should use this document	
5	1.3 Conventions	6
6	1.4 Revision history	6
7	1.5 Acronyms, abbreviations, and definitions	7
8	1.6 References	7
9	2 Overview	8
10	2.1 Gimbal Components	8
11	2.2 What constitutes the Gimbal™ SDK	8
12	2.3 Overview of the API	8
13	2.4 Pre-requisites	10
14	3 Setting up your application	12
15	3.1 Three steps set-up	12
16	3.2 Get your application key	12
17	3.2.1 How to Obtain Your Application's MD5 Fingerprint	13
18	3.3 Configuring Your Application for the SDK	14
19	3.3.1 Setting up the usercontext.properties file	14
20	3.3.2 Setting up your AndroidManifest.xml	15
21	3.3.2.1 Required Elements	15
22	3.3.2.2 Location Plugin Permissions	16
23	3.3.2.2.1 Location Plugin Permissions	16
24	3.3.2.2.2 Interests Plugin Permissions	16
25	3.3.3 Enabling optional components and privacy controls	16
26	4 Using the ContextCoreConnector	18
27	4.1 Quick Start	18
28	4.2 Obtain an instance	18
29	4.3 Enable the connector and check its status	18
30	4.3.1 Check if the permission enabled	19
31	4.3.2 Enable the connector	19
32	4.4 Notify the connector with the current activity	19
33	4.4.1 In your onResume() call	19
34	4.4.2 In your onPause() call	
35	4.5 Next steps	19
36	4.6 Deleting a users data and disabling Gimbal	20

1	5 Geofence	21
2	5.1 Quick Start	21
3	5.2 Check to see if user has enabled use of the connector	21
4	5.3 Keep Gimbal informed about activity changes	21
5	5.4 Listening for geofence events	22
6	5.4.1 Obtain an instance	22
7	5.4.2 Start Listening	22
8	5.4.3 Stop listening	22
9	5.5 Private Places	22
10	5.5.1 Creating a new private place	23
11	5.5.2 Getting existing private places	24
12	5.5.3 Updating a private place	24
13	5.5.4 Deleting a private place	24
14	5.5.5 Retrieving the top 20 private points of interest	25
15	5.6 Geofence Performance	25
16	5.6.1 Example setting the place exit timeliness level	25
17	5.7 Geofence Filtering	25
18	5.7.1 Adding Place Monitoring Filter	26
19	5.7.2 Removing Place Monitoring Filter	26
20	5.8 Geofence Control	26
21	6 Interest Sensing	27
22	6.1 Quick Start	27
23	6.2 Check to see if user has enabled use of the connector	27
24	6.3 Retrieving User Interests	27
25	6.3.1 Retrieve the connector	27
26	6.3.2 Request the Profile	27
27	6.4 Listening for User Interests	28
28	6.4.1 Start Listening	28
29	6.4.2 Stop Listening	28
30	6.5 Set custom profile attributes	28
31	7 Communicate	30
32	7.1 Quick Start	30
33	7.2 Listening for content	30
34	7.2.1 Start Listening	
35	7.2.2 Stop listening	
36	7.3 Retrieving latest content events	
37	7.4 Content Search	
38	7.4.1 By attributes	31
39	7.5 Disabling Communications	32

1	8 Analytic	33
2	8.1 Types of Analytic Events	33
3	8.1.1 ContentNotifiedEvent, ContentClickedEvent, and ContentDisplayedEvent	33
4	8.2 Calling ContextAnalyticsConnector to Log Analytic Events	33
5	9 Getting events when your application is not running	34
6	9.1 Quick Start	34
7	9.2 Creating background service	34
8	9.3 Launching your application with a content URL scheme	34
9	10 Privacy Controls	36
10	10.1 Adding a ConnectorPermissionChangeListener to a ConnectorPermissionChangeNotifier	36
12	10.2 Removing a ConnectorPermissionChangeListener from a ConnectorPermissionChangeNotifier	36
14	11 Error codes and messages	37
15	12 Developer Tips and Tricks	38
16	12.1 Refreshing Organizations and Places	38

1 Introduction

1.1 Purpose and scope of this document

- This document describes how to use the Gimbal APIs to develop Android applications that can
- 4 benefit from contextual Services

1.2 Who should use this document

6 Any developer who wants to develop a context-aware application

1.3 Conventions

10

11

12

- *Italics* is used to reflect technical information.
- Casing is important for everything in italics and all examples (font size is used to highlight blocks only).
- We assume the reader is familiar with JSON.

1.4 Revision history

13 The following revisions have been made to this document:

Revision	Date	Reason for change	
1.0	June 2012	SDK Documentation	
1.1	July 2012	 Deprecated PrivacyControlListener Deprecated PrivacyControlChangeNotifier Added new attribute app.capabilities in Section 3.3.1 Alljoyn.jar no longer needed 	
1.2	September 2012	Added place attributes to places in Section 5.5.1	
1.3	October 2012	Added InterestChangeListener in Section 6.4	
1.5	November 2012	Added setCurrentActivity in Section 4.4	
1.6	November 2012	Added setCustomActivityIndicator in Section 7.4	
1.7	November 2012	Updated to reflect project and dependencies changes.	
1.8	December 2012	Removed IR documentation	
1.9	February 2013	Updated references to deprecated code	
1.10	March 2013	Added information about foreground only mode and the associated privacy controls	
1.11	March 2013	Added section to disable communications on the client	
1.13	June 2013	Added documentation for deleting user data	

Revision	Date	Reason for change	
1.14	June 2013	 Added ContentAttributes to ContentDescriptor class in Section 7.2 Added documentation for content search by attributes in Section 7.4 	
1.15	July 2013	Added ContextAnalyticsConnector in section	

1.5 Acronyms, abbreviations, and definitions

The terms below are used in this document. Some elements are identified by more than one term.

Term	Definition
Gimbal	The name of the Qualcomm Retail Solutions SDK
Organization	The organization the 3 rd -party developer represents and is developing the application on behalf of.

1.6 References

- 5 [Profile] Gimbal Interests Profiling
- [Software License Agreement] http://www.gimbal.com/sdk-license/

2 Overview

9

13

14

15

16

17

20

21

22

23

24

25

26

27

28

29

30

2.1 Gimbal Components

- You are probably using Gimbal in part to push relevant content to users at the correct time and
- at the correct location. In the overall Gimbal ecosystem, you want to understand the roles and
- 5 responsibilities of its various components:
- 6 Gimbal™ Manager accessed via web browser to:
 - Generate the API key for your Android application
 - Provide shared geofences that you want your application to monitor
 - Push content you want the user to receive based on time, location and interests

Gimbal™ SDK for Android – an SDK for Android jar files and libraries used by the Android application on the device:

- Runs a service in the background that monitors user activity
- Identifies user interests
- Monitors geofences and notifies the client application of geofence events and content events when the application has configured itself as a listener
- Allows application to retrieve user interests

2.2 What constitutes the Gimbal™ SDK

- 19 The SDK contains the following components:
 - · Gimbal jars and libraries
 - Context-Core jar
 - Context-Places jar
 - Documentation
 - JavaDoc for the interface library (two sets of javadoc)
 - A sample application source code (Eclipse project)
 - This document (The Gimbal™ SDK for Android)

2.3 Overview of the API

- The libraries you will find in the SDK let you enhance your applications with user contextual information including:
 - Geofence monitoring (defined by the application/user or by you in the Gimbal Manager)

- Content delivery to the user triggered by geofence events and/or time
- Access user interests

2

14

- The SDK exposes these interfaces through a series of modules (jars), each exposing a connector. The following connectors are available:
 - ContextCoreConnector (required)
 - ContextPlacesConnector (optional)
 - ContextInterestsConnector (optional)
- The *core* connector is required for basic operations (solution enablement) and additional connectors can be used as needed. To leverage the connector features the appropriate jars are required in your application dependencies.
- As part of the connectors, user interfaces are included and will be showed to users to let them manage permissions of features they want to enable or disable. At a high level, users can turn on or off Gimbal. At a more fine-grained level they can manage the following permissions:
 - Places
 - Interests
 - For instance, users can turn off places so that your application will no longer receive geofences events but can still access user interests.
- The table below explains the mapping between features and modules (JARs) and how they jointly work:

Feature	Required jars/libraries	Description
Core	• Context-Core.jar	 Enable the APIs Check status of APIs Display the Permissions UI Listen for content Retrieve content history Listen for core permission changes
Geofencing	 Context-Core .jar Context-Location.jar 	 Listen for geofence events Retrieve geofence event history Create, read, update and delete user-defined places Retrieve private points of interests Listen for geofence permission changes
Interests	Context-Core .jarContext-Interests.jar	Retrieve user interestsListen for interests permission change

2.4 Pre-requisites

3

5

6

10

11

12

13

14

15

16

- Our sample project ships as an Eclipse project, the Eclipse Indigo (3.7) or higher release is required. Latest eclipse can be found here:
 - o http://www.eclipse.org/downloads/
 - You must use the ADT plug-in from Android located here:
 - o http://developer.android.com/sdk/eclipse-adt.html
- You also need an Android device running Android version 2.2 or higher (we do not support the Android emulator)
- The Gimbal SDK depends on the following Open Source libraries (These jar's are included in the sample Eclipse project in SDK):
 - o spring-android-rest-template-1.0.1.RELEASE.jar that you can download here.
 - http://repo.springsource.org/libs-release-local/org/springframework/android/springandroid/1.0.1.RELEASE/spring-android-1.0.1.RELEASE-dist.zip
 - o spring-android-core-1.0.1.RELEASE.jar that you can download here.
 - http://repo.springsource.org/libs-release-local/org/springframework/android/springandroid/1.0.1.RELEASE/spring-android-1.0.1.RELEASE-dist.zip

If you are using Eclipse, these libraries are present in the "libs" directory of the project. This should cause the jars to be listed in the "Android Dependencies". Your eclipse environment should look like the following:

▼ Sclient-sample-mall-mart-embed ▶ # src/main/java gen [Generated Java Files] Soogle APIs [Android 2.2] Android Dependencies android-logging.jar - /Users/mksingh/Downloads/G ▶ m spring-android-rest-template-1.0.1.RELEASE.jar - /L annotations.jar - /Users/mksingh/dev/tools/android Context-Interests.jar - /Users/mksingh/Downloads/ Context-Location.jar - /Users/mksingh/Downloads/(Context-Core.jar - /Users/mksingh/Downloads/Giml spring-android-core-1.0.1.RELEASE.jar - /Users/mks ▶ ♣ assets ▶ 🛂 bin ▶ ♣ libs ▶ 3 res AndroidManifest.xml

project.properties

© 2013 Qualcomm Retail Solutions, Inc. All rights reserved. Gimbal is a trademark of Qualcomm Retail Solutions, Inc. QUALCOMM is a trademark of QUALCOMM Incorporated, registered in the United States and other countries.

3 Setting up your application

3.1 Three steps set-up

- To get your application up and running with Gimbal you need to go through the following three steps:
 - 1. Get an application key on Gimbal Manager
 - a. For development purpose, you will just need to give your application package name
 - b. When you go live, you will also need to get your certificate MD5 fingerprint
 - 2. Set up some properties for your application

3.2 Get your application key

- Obtain an application key (API Key) from the Gimbal Manager Setup page in order to enable your app to work with Gimbal.
- For development purposes, you can obtain it from: https://sandbox.gimbal.com.
- For production¹ purposes (your final release), you obtain an application key from
- https://manager.gimbal.com.
- When you use production (that is, when your application is final and will be pushed to the
- Android market place) you will need to provide Gimbal Manager with the fingerprint of the
- certificate you use to sign your application. This is described below.
- When you are using Sandbox for development purposes, you don't need a fingerprint; instead,
- you can use your development certificate (android development certificate) to generate your
- 21 APK.

10

- Then log into the appropriate Gimbal Manager instance at the URLs listed above using the
- username and password for your organization. Choose the 'Setup' button in the top navigation.
- Fill the appropriate information into the form and click generate.

Field	Expected Value
Identifier	On Android this is your application package name, must match what you have configured in your manifest

© 2013 Qualcomm Retail Solutions, Inc. All rights reserved. Gimbal is a trademark of Qualcomm Retail Solutions, Inc. QUALCOMM is a trademark of QUALCOMM Incorporated, registered in the United States and other countries.

¹ Note: developers must adhere to the terms and conditions outlined in the "SDK License Agreement". Developers will need to view and click through this agreement upon their first login the developer portal at http://www.gimbal.com.

Fingerprint (for Production only)	The MD5 fingerprint of the certificate you used to sign your application
-----------------------------------	--

3.2.1 How to Obtain Your Application's MD5 Fingerprint

- In order to obtain your application key, you need to provide an MD5 fingerprint of the certificate
- that you will use to sign your application. Before you visit the Gimbal Setup page
- (https://manager.gimbal.com/setup), use the standard Java keytool program (from
- 6 <JAVA HOME>/jre6/bin/) to generate the fingerprint of your certificate.
- First, determine which key you will use to sign your application at release and determine the
- 8 path to the keystore that contains it.

1

11

12

13

14

15

16

17

18

19

Next, run Keytool with the -list option, against the target keystore and key alias. The table below lists the options you should use.

Keytool Option	Description	
-list	Print an MD5 fingerprint of a certificate.	
-keystore <keystore-path and="" name="">.keystore</keystore-path>	The name of the keystore containing the target key.	
-storepass <password></password>	A password for the keystore.	
	As a security precaution, do not include this option in your command line unless you are working at a secure computer. If not supplied, Keytool prompts you to enter the password. In this way, your password is not stored in your shell history.	
-alias <alias_name></alias_name>	The alias for the key for which to generate the MD5 certificate fingerprint.	
-keypass <password></password>	The password for the key.	
	As a security precaution, do not include this option in your command line unless you are working at a secure computer. If not supplied, Keytool prompts you to enter the password. In this way, your password is not stored in your shell history.	

Here's an example of a Keytool command that generates an MD5 certificate fingerprint for the key alias name in the keystore my-release-key.keystore:

\$ keytool -list -alias alias name -keystore my-release-key.keystore

Keytool will prompt you to enter passwords for the keystore and key. As output of the command, Keytool prints the fingerprint to the shell. For example:

Certificate fingerprint (MD5): 94:1E:43:49:87:73:BB:E6:A6:88:D7:20:F1:8E:B5:98

© 2013 Qualcomm Retail Solutions, Inc. All rights reserved. Gimbal is a trademark of Qualcomm Retail Solutions, Inc. QUALCOMM is a trademark of QUALCOMM Incorporated, registered in the United States and other countries.

12 13


14 15

- Once you have the fingerprint, you can begin the registration process at the Gimbal Manager
- ² (see the section entitled "Setup" in the Gimbal Manager).
- For more information, please read the Android documentation:
- http://developer.android.com/tools/publishing/app-signing.html.

3.3 Configuring Your Application for the SDK

3.3.1 Setting up the usercontext.properties file

- 8 The SDK uses a property file in your assets directory, usercontext.properties, to define
- 9 application-specific properties that enable the SDK.
- The file must be located within the Android project in the /assets/properties/ directory to ensure it gets picked up by the SDK as depicted below:



The following properties are supported:

Name	Description	Required
app.key	The application key that identifies your application	Yes

env	The server environment your application is using. Defaults to 'SANDBOX' for developer testing. 'PROD' for production.	No (Defaults to SANDBOX) Must be changed to PROD before submitting to the market
feature.name	The text you wish to use in your application to describe the value-added feature you are providing for your users	Yes
feature.description	The description you wish to convey to the users about what your application does and any other information you would like the user to know about your application	No
app.capabilities	A comma separated list of the Gimbal capabilities you would like your application to expose. Currently the capabilities are limited to: Geofence and Interests	No (please, refer to section 3.3.3) Please note that capabilities are case sensitive

3.3.2 Setting up your AndroidManifest.xml

- In your AndroidManifest.xml you will need to configure certain elements depending on the
- 4 functionality you are using.

1

2

5

3.3.2.1 Required Elements

6 The following elements are required for basic operation.

```
<service
                  android:name="com.qualcommlabs.usercontext.service.GimbalService"
                                                                    android:exported="false">
10
                  <intent-filter>
11
12
                                android:name="<YOUR PACKAGE NAMEHERE>
13
                                                      .service.USER CONTEXT SERVICE" />
14
                  </intent-filter>
15
           </service>
16
           <receiver
18
                  android:name="com.qualcommlabs.usercontext.service.UserContextServiceStar
19
                  tStopReceiver" android:enabled="true" >
20
                  <intent-filter>
21
                         <action android:name="android.intent.action.BOOT COMPLETED" />
22
                   </intent-filter>
23
```

3.3.2.2 Location Plugin Permissions

The following are permissions you would need to put in your Android Application Manifest based on the plugin you include in your application.

3.3.2.2.1 Location Plugin Permissions

```
<!-- REQUIRED -->
10
11
           <uses-permission android:name="android.permission.INTERNET" />
           <uses-permission android:name="android.permission.READ PHONE STATE" />
12
           <uses-permission android:name="android.permission.ACCESS FINE LOCATION" />
13
           <uses-permission android:name="android.permission.ACCESS WIFI STATE" />
14
           <uses-permission android:name="android.permission.WAKE LOCK" />
15
           <uses-permission android:name="android.permission.BATTERY STATS" />
16
           <uses-permission android:name="android.permission.ACCESS NETWORK STATE" />
17
           <uses-permission android:name="android.permission.WRITE SETTINGS" />
           <uses-permission android:name="android.permission.RECEIVE BOOT COMPLETE" />
19
20
           <!-- OPTIONAL -->
21
           <uses-permission android:name="android.permission.VIBRATE" />
22
23
```

3.3.2.2.2 Interests Plugin Permissions

3.3.3 Enabling optional components and privacy controls

The Gimbal SDK comes with several components that you can choose to use or to omit from your application. To enable these, enumerate them as *app.capabilities* in your *usercontext.properties* file.

For example, if your application needs to use both *ContextPlaceConnector* and the *ContextInterestsConnector*, you want the following property entry:

```
app.capabilities = Geofence, Interests
```

42

9

24

33

34

35

36

37

38

- The system will dynamically load these components and will register corresponding privacy
- controls for each one to let users control them. Please note that these capabilities are case
- 3 sensitive.

4 Using the ContextCoreConnector

- The ContextCoreConnector is required to use Gimbal features. Each call to the API will return
- failures with a disabled status until this step is complete.

4.1 Quick Start

6

9

- 1. Obtain an instance of the core connector with the ContextCoreConnectorFactory
- 2. Then call isPermissionEnabled() on this instance to check if connector is enabled
- 3. If connector permission is not enabled, then call *enable()*. This call will prompt the user with terms of service the first time.
- 4. If connector is 'enabled', then you can start using other connectors (see sections below)
- Note that your application must ALWAYS include a button/tab/link in its settings to call showUpdatePermissionsUI() so that users can always have the ability to change permissions settings.

4.2 Obtain an instance

First, you need to obtain an instance of *ContextCoreConnector* and enable it. The first time it is enabled, it tries to register with the Gimbal server using your applications package name and API Key:

4.3 Enable the connector and check its status

The ContextCoreConnector has two methods used to check the status of, and enable, the ContextCoreConnector. The enable() method is used to enable the SDK for use by the end user. The isPermissionEnabled() method allows your application to ensure that it has been previously enabled.

29

24

25

26

27

11

22

23

24

25

26

27

28 29

30

31

32

33

4.3.1 Check if the permission enabled

```
if (contextCoreConnector.isPermissionEnabled()) {
    startService();
    setupListeners();
}

else {
    ContextCoreStatus status = contextCoreConnector.getStatus();
    toastAndLogError(status.getStatusMessage());
    enableCoreConnector();
}
```

4.3.2 Enable the connector

```
12
             contextCoreConnector.enable(this, new Callback<Void>() {
                          @Override
13
                          public void success(Void responseObject) {
                                 // do something when successfully enabled
15
16
                          @Override
17
                          public void failure(int statusCode, String errorMessage) {
18
                                 // failed with statusCode
19
20
21
            });
```

4.4 Notify the connector with the current activity

To allow Gimbal to optimize location detection and balance battery consumption based on users' current interaction with your application, use the method setCurrentActivity() on *ContextCoreConnector* to notify Gimbal when the current activity changes.

4.4.1 In your onResume() call

```
contextCoreConnector.setCurrentActivity(this);
```

4.4.2 In your onPause() call

```
contextCoreConnector.setCurrentActivity(null);
```

4.5 Next steps

Now that the connector is enabled you can use the places and interests connectors to implement the core functionality of the SDK.

4.6 Deleting a users data and disabling Gimbal

5 Geofence

- Your application can receive a geofence event when the user's device enters or exits Places
- you set in the Gimbal Manager (called public places in this section) or defined by your
- application (private places). Public places are manged at the Gimbal Geofence Manager while
- 5 the private places while are automatically created and managed on the user's device. The
- 6 user's private places are not available on the Gimbal Manager.

5.1 Quick Start

9

10

11

12

13

19

20

21

22

23

24

- 1. Obtain an instance of place connector with ContextPlaceConnectorFactory.
- 2. Start listening with a new PlaceEventListener().

5.2 Check to see if user has enabled use of the connector

The state of the ContextPlaceConnector can be determined by calling the method isPermissionEnabled() and isBackgroundPermissionEnabled().

```
LOG.info("The current contextPlaceConnector enabled state is: "

+ contextPlaceConnector.isPermissionEnabled());

LOG.info("The current contextPlaceConnector enabled state is: "

+ contextPlaceConnector. isBackgroundPermissionEnabled());
```

5.3 Keep Gimbal informed about activity changes

The user can decide to allow or disallow geofencing and in addition, can choose to only allow geofencing when your application is in the foreground. Gimbal relies on each activity in your application to tell it when that activity becomes active (generally onResume()) or inactive (generally onPause()). It is important to make these calls in each of your activities.

```
@Override
25
            protected void onResume() {
26
                   super.onResume();
27
                   contextCoreConnector.setCurrentActivity(this);
28
30
31
            @Override
            protected void onPause() {
32
                   super.onPause();
33
                   contextCoreConnector.setCurrentActivity(null);
34
35
```

5.4 Listening for geofence events

5.4.1 Obtain an instance

```
contextPlaceConnector = ContextPlaceConnectorFactory.get(this);
```

5.4.2 Start Listening

12

14

15

17

18

19

20

21

22

The following fields are available in the *PlaceEvent* passed to the listener:

Field Name	Description
placeType	PLACE_TYPE_ORGANIZATION refers to places created in Context Console and applies to all of your users. A PLACE_TYPE_PERSONAL is created locally on the phone and only applies to a single
	user.
eventType	PLACE_EVENT_TYPE_AT means that the user has arrived at the place. PLACE_EVENT_TYPE_LEFT means that the user has just left the place.
Place	The <i>Place</i> object associated with the event
Time	The time of the event in milliseconds since 1970 (see <i>System.currentTimeMillis()</i>).

5.4.3 Stop listening

```
contextPlaceConnector.removePlaceEventListener(placeEventListener);
```

5.5 Private Places

A "private place" is a place specific (and private) to the end-user. Your app can create user-defined places. In addition, the Gimbal SDK can automatically create these places from user activities; as of the time of this writing, Gimbal determines the twenty (20) places that a user goes to regularly and/or spends time at.

Each application on a phone that uses Gimbal SDK can create places that are specific to the user of that particular phone. These places are independent of the places created with Gimbal's

- Geofence Manager. User-defined places are not shared between applications and cannot be
- managed with Gimbal Geofence Manager. These places can be used to trigger location events.

5.5.1 Creating a new private place

- This function lets you create new user-specific places. For example, a MapActivity that allows
- the user to select a location and a place radius could call this. The radius must be set to 50
- 6 meters or greater.

3

37

38

39

40

41

- Since SDK version 0.31, a Place object supports "place attributes". A place attribute is a
- key/value pair that can be used to set custom properties on a place. **Note:** The "id" field must
- 9 NOT be set when creating a place.

```
public void createPrivatePlace() {
10
                    GeoFenceCircle circle = new GeoFenceCircle();
11
                    circle.setLatitude(32.893);
12
                    circle.setLongitude(-117.199);
                    circle.setRadius(100);
14
15
                   HashMap<String, String> placeAttributes = new HashMap<String, String>();
16
                    placeAttributes.put("TYPE", "Airport");
17
                    placeAttributes.put("APPLICATION SPECIFIC PLACE ID", "101");
18
19
                    PlaceAttributes placeAttribute = new PlaceAttributes(placeAttributes);
20
                    Place place = new Place();
21
                    place.setName("New user specific place");
22
                    place.setGeoFence(circle);
23
                    place.setPlaceAttributes(new PlaceAttrubutes(placeAttributes));
24
25
                    contextPlaceConnector.createPlace(place, new Callback<Place>() {
26
                        @Override
27
                        public void success(Place place) {
28
                            // do somethind with place
29
                        }
                        @Override
31
                        public void failure(int statusCode, String errorMessage) {
                            // failed with statusCode
33
                    });
35
36
```

Depending on the result method that gets called in the callback, you may need to take corrective action.

If *success()* is called, the Place will have an id which will permanently identify the newly created place. If you later need to delete or update the place, this id will be used to identify the correct place.

2

16

17

18

19

34

35

5.5.2 Getting existing private places

This function will retrieve a list of existing private places.

```
3
            public void getPlaces() {
                   contextPlaceConnector.allPlaces(new Callback<List<Place>>() {
4
                          @Override
5
                          public void success(List<Place> place) {
                                 // do something with place
                          @Override
q
                          public void unexpectedFailure(int statusCode,
10
                                                                     String errorMessage) {
11
                                 // failed with statusCode
12
13
                   });
14
15
```

5.5.3 Updating a private place

The name or location (Geofence) of an existing place can be changed. The best way to do this is to get the existing place (see above) and change the fields as desired. **Note:** The "id" field cannot be changed.

```
@Override
20
            public void updatePlace(Place existingPlace) {
21
                   existingPlace.setName("New place name");
22
                   contextPlaceConnector.updatePlace(place, new Callback<Place>() {
23
                          @Override
24
25
                          public void success(Place place) {
                                    // do something with place
26
27
                          @Override
28
                          public void failure(int statusCode, String errorMessage) {
29
                                    // failed with statusCode
30
31
                   });
32
33
```

5.5.4 Deleting a private place

An existing place can be deleted. Only the id needs to be provided, not the entire place.

```
public void deletePlace(Long placeId) {
36
                   contextPlaceConnector.deletePlace(placeId, new Callback<Void>() {
37
                          @Override
38
                          public void success(Void place) {
39
                                    // place successfully deleted
40
41
                          @Override
42
                          public void failure(int statusCode, String errorMessage) {
43
                                   // failed with errorCode
44
45
                   });
```

}

1

16

26

29

5.5.5 Retrieving the top 20 private points of interest

```
public void allPrivatePointsOfInterest() {
3
                   contextPlaceConnector.allPrivatePointsOfInterest(new
                                       Callback<List<PrivatePointOfInterest>>() {
                        @Override
6
                        public void success(List<PrivatePointOfInterest>) {
                            // place successfully deleted
8
9
10
                        @Override
11
                        public void failure(int statusCode, String errorMessage) {
                            // failed with errorCode
12
13
                  });
14
15
            }
```

5.6 Geofence Performance

- The geofence service has been optimized for good location events with minimal battery consumption. The default setting should be sufficient for most applications.
- The operation of the geofence service can be tuned if your application requires different
- behavior. To change the performance and the battery consumption, call
- 21 ContextPlaceConnector. setPerformanceLevel () with any of the values defined in the
- 22 PlacePerformanceLevel enum.
- To increase the timeliness of place events at the cost of higher battery drain, use
- 24 HIGH PERFORMANCE MODERATE BATTERY CONSUMPTION. This highest consumption
- value should only be used for short, well-defined periods of time.

5.6.1 Example setting the place exit timeliness level

5.7 Geofence Filtering

- 30 Gimbal SDK allows your application to selectively disable monitoring for certain places.
- Implementing ContextPlaceMonitoringFilter, lets your application decide if the place has to be
- monitored or not. Returning true, tells the SDK to monitor the place for place events.
- Gimbal decides when to call on this filter and can be called multiple times during the day.
- Make sure the implementation of this method does not have long running operations, as it affects the performance of your application.

10

12

13

14

15

16

17 18

19

20

21

22

23

24

25

5.7.1 Adding Place Monitoring Filter

```
ContextPlaceMonitoringFilter placeMonitoringFilter = new
ContextPlaceMonitoringFilter() {
    @Override
    public boolean shouldMonitor(Place place) {
        return true;
    }
};
contextPlaceConnector.addPlaceMonitorFilter(placeMonitoringFilter);
```

5.7.2 Removing Place Monitoring Filter

contextPlaceConnector.removePlaceMonitorFilter(placeMonitoringFilter);

5.8 Geofence Control

The geofence service can be turned off and on (as long as the user permission allows it) and can be put into foreground only mode or a combined foreground/background mode.

The default is for both foreground and background geofencing to be enabled. To disable geofencing:

```
contextPlaceConnector.dontMonitorPlacesInBackground();
contextPlaceConnector.dontMonitorPlacesWhenAllowed();

To enable geofencing:
    contextPlaceConnector.monitorPlacesInBackground();
    contextPlaceConnector.monitorPlacesWhenAllowed();
```

In addition, if you know your application will never need background mode, a property can be set in your usercontext.properties file to simplify the user's privacy controls to not include the background option. To disable the background privacy control, add this line:

background.geofencing.disabled=true

6 Interest Sensing

- The user's interests are profiled each day (when the device is plugged in at night). These
- interests are defined by a rule set which can derived from the web browsing history, installed
- apps, and other inputs. You cannot use Gimbal to obtain a user's browsing history, but you can
- use Gimbal's Interests Sensing to understand what the user is interested in.

6.1 Quick Start

9

10

11

14

18

19

20

31 32

- 1. Obtain a connector with ContextInterestsConnectorFactory.
- 2. Request the user's interests with *requestProfile()*. This will return a JSON string with likelihood (confidence) values in the range of 0.0 to 1.0.

6.2 Check to see if user has enabled use of the connector

The state of the *ContextInterestsConnector* can be determined by calling the method *isPermissionEnabled()*.

```
15 LOG.info("The current contextInterestsConnector enabled state is: "
16 + contextInterestsConnector.isPermissionEnabled());
```

6.3 Retrieving User Interests

6.3.1 Retrieve the connector

```
contextInterestsConnector = ContextInterestsConnectorFactory.get(this);
```

6.3.2 Request the Profile

```
21
            contextInterestsConnector.requestProfile(new Callback<Profile>() {
                        @Override
22
                        public void success(Profile profile) {
23
                             // do something with profile
                        }
25
26
                        @Override
                        public void failure(int statusCode, String errorMessage) {
27
                             // failed with errorCode
29
                    });
30
```

Profile fields:

2

5

9

17

18

19

Field Name	Field Type	Description
attributes	Map <string, profileattributes=""></string,>	The attributes of the profile

3 ProfileAttribute fields:

Field Name	Field Type	Description
Key	String	Attribute key
attributeCategories	List <attributecategory></attributecategory>	Attribute categories

AttributeCategory fields:

Field Name	Field Type	Description
Key	String	Category key
likelihood	double	A floating point value between 0 and 1 representing the likelihood that the category applies to the user

6.4 Listening for User Interests

InterestChangeListener is notified when the profile is generated. They do not necessarily mean

that profile has changed since it was notified previously.

6.4.1 Start Listening

6.4.2 Stop Listening

contextInterestConnector.removeInterestChangeListener(interestChangeListener);

6.5 Set custom profile attributes

```
customAttributes.addStringValue("attr-name", "attr-value");
contextInterestConnector.setCustomAttributes(customAttributes);
```

7 Communicate

- These are also known as rich media push notifications. They're managed by the Gimbal
- 3 Communication Manager and can be targeted to a specific audience and by a particular context
- 4 and/or time.

6

8

9

10

20

21

22

23 24

25

7.1 Quick Start

- 1. Start Listening for any communications coming from the Gimbal Communication services with a new *ContentListener()*.
- 2. You can retrieve the latest content events with requestContentHistory().
- 3. Stop Listening with removeContentListener().

7.2 Listening for content

7.2.1 Start Listening

Note that you retrieve content by attaching the content listener to the **core connector**. In the future, this will evolve and will no longer be attached to the core connector.

Content can be received upon a geofence event, as well as upon time.

ContentEvent fields:

Field Name	Description
type	String representing the even type, i.e. Geofence, Time Trigger, etc.
content	List of content descriptor objects
time	EPOCH timestamp

27 ContentDescriptor fields:

Field Name	Field Type	Description
title	String	The title of the content
contentDescription	String	The description of the content
contentUrl	String	The content url of the content
campaignId	String	The campaign id defined by the Gimbal Manager
expires	Long	The timestamp when this content expires
contentAttributes	ContentAttributes	Attributes of the content, defined using Manager API's or Manager UI

7.2.2 Stop listening

3

17

18

19

20

22

23

contextCoreConnector.removeContentListener(contentListener);

7.3 Retrieving latest content events

```
contextCoreConnector.requestContentHistory(
                  new Callback<List<ContentDescriptorHistory>>() {
6
                        @Override
                        public void success(List<ContentDescriptorHistory>
                         contentDescriptors) {
                            // do something with content
10
11
                        @Override
12
                        public void failure(int statusCode, String errorMessage) {
13
                            // failed with statusCode
14
15
16
                    });
```

The ContentDescriptorHistory object is similar to a ContentEvent as it contains a ContentDescriptor. But unlike the ContentEvent class, it contains only one ContentDescriptor with a timestamp on when it was last delivered to the user and how many times in total.

7.4 Content Search

7.4.1 By attributes

Content is fetched from the server based on the Query passed into this method. There are different implementations for Query.

 QueryForAnyAttributes: Fetches contents that have any of the attributes defined in the query.

```
ContextContentConnector contextContentConnector =
3
           ContextContentConnectorFactory.get(context);
5
           QueryForAnyAttributes query = new QueryForAnyAttributes();
6
           query.whereAttributeContains("hours-open", "10-13");
           query. whereAttributeContains("hours-open", "17-20");
8
           query. whereAttributeContains("type ", "restaurant");
10
           contextContentConnector.searchContentWithQuery(query, new
11
           Callback<List<ContentDescriptor>>() {
12
13
                 @Override
14
                 public void success(List<ContentDescriptor> responseObject) {
15
                         // do something with content
16
17
18
                 @Override
19
                 public void failure(int statusCode, String errorMessage) {
20
                         // do something with content
21
22
23
           });
```

Fetches content that matches any of above key/value pairs. More specifically, the key must be an exact match and the value must be *contained* within the attribute value.

7.5 Disabling Communications

Fetching of content from the server can be disabled on the client if communications are not used. Add the following property in usercontext.properties to disable communications on the client

communications.disabled=true

32

24

25

26

27

28

29

30 31

1

8 Analytic

- Analytic APIs allow developers to log different type of events. Each event requires data to be
- 3 provided by the developer for logging the events successfully. Logged events are later
- 4 converted into meaningful reports in the Manager module.

8.1 Types of Analytic Events

- 6 There are 3 different types of AnalyticEvent. Use one of the following subtypes of AnalyticEvent
- 7 to log the desired event.

8

9

10

11

12

13

14

15

24

8.1.1 ContentNotifiedEvent, ContentClickedEvent, and ContentDisplayedEvent

Use one of these three events to log, based on what you would like to log.

Field Name	Field Type	Description
time	Long	The timestamp when the user was notified, clicked, or displayed of the content. Current time is initialized by default.
trigger	Trigger	Initialize your trigger with one of the 2 predefined Triggers (PlaceTrigger or TimeTrigger) if you would like to have Gimbal generate reports on them in the future.
contentId	String	Identifier of the content you would like to log. This field is mandatory.

8.2 Calling ContextAnalyticsConnector to Log Analytic Events

To log analytic events using the ContextAnalyticsConnector, the sample code to call the log method is bellow; follow by the descriptions how to use it.

```
ContentClickedEvent analyticEvent = new ContentClickedEvent();
analyticEvent.setContentId("TEST_CONTENT_ID");
PlaceTrigger trigger = new PlaceTrigger();
trigger.setId("1234-asdf-1234");
analyticEvent.setTrigger(trigger);
try { ContextAnalyticsConnector.log(this, analyticEvent); }
catch (GimbalException e) { e.printStackTrace(); }
```

9 Getting events when your application is not running

- Your app can receive geofence events and content events even when your app is in the
- background by following the steps below. For instance, you could use this to put up notifications
- to the user when the events are received.

9.1 Quick Start

8

10

11

14

15

16

17

19

20

21

22

23

24 25

26

27

28 29

- 1. Create an Android service in your application
- Add listener for content/events to gimbal connectors

9.2 Creating background service

- Make sure that service is started as STICKY (override onStartCommand method to return Service.START_STICKY)
- 2. In Service.onCreate() method get instance for Gimbal connectors and add listeners for the desired events/content
- 3. Add an entry in AndroidManifest.xml for your background service
- 4. Create a Broadcast receiver that listens for ACTION BOOT COMPLETE intent
- 5. Start your service when receiver receives boot complete intent
- 6. Add entry in AndroidManifest.xml for your broadcast receiver

9.3 Launching your application with a content URL scheme

As described in section 7.2.1, a *ContentDescriptor* contains a URL. This is a very flexible way to define content on the Campaign Management system. What immediately comes to mind is that you can refer to some web location of the content you want to display to your user.

Another interesting mechanism is to use Android schemes so that the URL is used to launch your application in the foreground when the user clicks on it.

In order to do so, add an intent filter defining your scheme to the activity you would like to launch. The following configuration will allow you to launch *MyActivity* using the following URL on the device mallmart://'.

```
android:name="com.company.MyActivity"
1
                android:screenOrientation="portrait">
2
                <intent-filter>
3
                     <actionandroid:name="android.intent.action.MAIN"/>
                    <categoryandroid:name="android.intent.category.LAUNCHER"/>
5
                </intent-filter>
6
                <intent-filter>
                    <dataandroid:scheme="mallmart"/>
                    <actionandroid:name="android.intent.action.VIEW"/>
9
                    <categoryandroid:name="android.intent.category.DEFAULT"/>
10
                    <categoryandroid:name="android.intent.category.BROWSABLE"/>
11
                </intent-filter>
12
           </activity>
13
```

In the Context Console, create a campaign and choose URL for the creative type like below (read the section titled "Edit Push Notification" in the Context Console User Guide to see how to do this).

10 Privacy Controls

- User privacy settings are an important part of the SDK. All Connectors in the SDK implement
- the ConnectorPermissionChangeNotifier interface. Accordingly, client code can listen to
- changes in a user's privacy settings by adding a ConnectorPermissionChangeListener to any of
- the Connectors. The following sections describe how to listen for changes to the user's privacy
- 6 control settings.

15

25

26

27

28

29

30

31

32

35

10.1 Adding a ConnectorPermissionChangeListener to a ConnectorPermissionChangeNotifier

- The ConnectorPermissionChangeNotifier interface implements two interface methods:
- addConnectorPermissionChangeListener and removeConnectorPermissionChangeListener.
- These methods allow the developer to call code to register listeners against the
- 12 ContextCoreConnector, the ContextPlaceConnector, and the ContextInterestsConnector. The
- following code fragment demonstrates how to add a *ConnectorPermissionChangeListener* to the *ContextCoreConnector*.

```
ConnectorPermissionChangeListener coreConnectorPermissionChangeListener =
16
                   new ConnectorPermissionChangeListener () {
17
                   @Override
18
                   public void permissionChanged(Boolean enabled) {
19
                          Log. i(TAG, "Core permission change");
20
21
            };
22
            \verb|contextCoreConnector.addConnectorPermissionChangeListener|\\
23
                                                               (corePermissionChangeListener);
24
```

Adding instances of *ConnectorPermissionChangeListener* to the *ContextPlaceConnector* and the *ContextInterestConnector* follows the same pattern.

10.2 Removing a ConnectorPermissionChangeListener from a ConnectorPermissionChangeNotifier

To stop listening to user's privacy settings changes, simply remove the listener from the Connector.

```
contextCoreConnector.removeConnectorPermissionChangeListener
(coreConnectorPermissionChangeListener);
```

11 Error codes and messages

- To make the development of your application easier Gimbal application sends back meaningful
- error codes and error messages. Reference to these can be found in ContextConnector java
- 4 documentation.

12 Developer Tips and Tricks

12.1 Refreshing Organizations and Places

- When changes are done to the Organization such as adding/updating/deleting a place, they are
- pushed to all the clients only during the night. If you want to see those changes on your
- 5 application immediately turn ON/OFF Location Permission to refresh the places.