

# CineStill Cs41 Process Reference

(39 °C / 102 °F)

## Step 1: Developer

**3:30**

Roll 2 = 3:38 | Roll 3 = 3:46 | Roll 4 = 3:55

## Step 2: Bleach / Fix

**8:00**

Agitate 10 sec every 30 sec

## Step 3: Wash / Rinse

**3:00**

Running water; 7 changes or continuous flow

## Step 4: Stabilizer

**1:00**

Do not rinse afterwards