SAMPLE ENVIRONMENTAL PRODUCT DECLARATION

Ready-mixed concrete, declared unit 1 m3, cradle to gate (modules A1-A3)

Declared by	Sample Ready-Mix Co. (fictional company)
Product	Ready-mixed concrete, mix code MIX-B-IL320
Mix	Mix B (delivered low-clinker mix)
Role in the demo	Low-clinker mix (delivered)
Cement	Portland-limestone cement Type IL, 320 kg per m3 [1]
Declared unit	1 m3 of ready-mixed concrete at the plant gate
Document number	SAMPLE-EPD-B (sample, not registered with any program operator)
Status	Sample for software testing. Not third-party verified. Not for procurement or reporting.

Results per declared unit (1 m3)

Indicator	Value	Unit	Source
GWP of cement (A1-A3)	285.7	kg CO2e/m3	[1]
GWP of other constituents	20 to 40	kg CO2e/m3	[2]
GWP-total (A1-A3)	**306 to 326**	**kg CO2e/m3**	**[3]**

Result in one line

GWP-total, modules A1-A3: 306 to 326 kg CO2e per m3 of concrete.

The result is a range, not a single number: the cement share is computed from a published EPD and the rest is an assumed band.

Notes

[1] Cement: 320 kg x 892.95 kg/t (published cement EPD, NRMCA EPD No. 20243). That EPD gives 892.95 kg CO2e per tonne for Type IL cement on page 6. Cement content 320 kg per m3 is an assumption (optimized mix; strength gain proven by maturity record).

[2] Other constituents: assumption (same as Mix A).

[3] GWP-total = [1] + [2], in whole kg as declared on chain by the contractor (baseline) and the supplier (delivered mix).

The cement EPD follows a US product category rule (NRMCA program), not EN 15804. It is used only to anchor the sample range.

SAMPLE - NOT A REAL DOCUMENT

Why this document is a sample

PourProof records each concrete pour on chain and lets software read the delivery ticket and the EPD. To show that step without using a real company's paperwork, this project made its own documents. The supplier, plant, document number and mix code are invented.

The numbers are not invented. The cement share comes from a published EPD for a Turkish cement (NRMCA EPD No. 20243). The cement content per m3 and the band for aggregates, water, admixture and batching are assumptions, labelled as such here and in data/scenario/inputs.json.

On chain, the sha256 of this PDF file is recorded in a signed transaction. Change one byte and the hash no longer matches.

Do not use these values for design, procurement, carbon reporting or any claim. Real projects need the EPD of the actual mix from its producer, verified under a recognized program.

Calculation

Cement: 320 kg/m3 x 892.95 kg CO2e/t = 285.7 kg CO2e/m3

Other constituents: 20 to 40 kg CO2e/m3 (assumption)

GWP-total (A1-A3): 306 to 326 kg CO2e/m3

Source

Published cement EPD: NRMCA EPD No. 20243, valid 26 Nov 2024 to 26 Nov 2029, declared unit 1 metric ton of cement.
Link: data/sample-docs/README.md

SAMPLE - NOT A REAL DOCUMENT